



Sub-section
infinite loops
of anger and
kindness






[illegible]

[illegible]

some
snowflakes




Let's Code -


Script

Scene 1: Part 1:


earnt how to code for events and use a broadcast



In case we want to walk only a specific number of steps, then we will use a by specifying the number of times to repeat the






Now, let's get to code for an infinite loop. Remember Eshal, the pet sheep of Rumanzel? Eshal gets sad and angry when Rumanzel doesn't feed him, to left-right. When green flags clicked, we want Eshal to walk infinitely. To do this, we use the when flag clicked block and the forever block from the control



Part 1: Think about our emotions. We are not always happy right?


Sometimes sad, sometimes angry (just like Eshal), sometimes balanced







Eshal Balance:

- Hide this sprite when the green flag is clicked




Eshal Compassion:






****Not added**** A.S.H.A: What if we don't use the variable to broadcast the emotion. A.S.H.A: How we will use code to make our code easier to work with. And we also learnt a good strategy to escape from the infinite loop of positive thought and the red bucket is to catch a negative thought.



When the green flag is clicked, the cloud sprite asks to "enter your



his,


positive cloud and the negative cloud goes to a specific position but is initially hidden.

```
when green flag clicked
show
set size to 100 %
switch costume to cloud2
go to x: 3 y: 14
ask Enter your thought? and wait
say answer for 2 seconds
```


Now if a thought is positive, it goes to the positive bucket and if negative, it goes to the negative bucket.

```
when this sprite clicked
if answer = grateful then
switch costume to cloud2_pos
change size by -50
glide 1 secs to blue
if answer = friendly then
switch costume to cloud2_pos
change size by -50
glide 1 secs to blue
```

```
if touching blue ? then
hide
if touching red ? then
hide
```



```
if (answer = blaming) then
  switch costume to cloud2_neg
  change size by -50
  glide 1.5 secs to red
if (answer = bully) then
  switch costume to cloud2_neg
  change size by -50
  glide 1.5 secs to red
```



We are processing conditions literally in every part of our daily lives, not just to catch thoughts. Some basic examples of If conditions are,

- *If you go out
wear a mask*
- *If it is rainy
take an umbrella*
- *If you are hungry
have some food*
- *If it is winter
wear a hoodie*

If conditions either return the output as 'true' or it returns the output as 'false'. This type of output is called as boolean since it can only have two possible outputs.

AI.S.H.A: Wow Abida, we process so many conditions in a single day. But you got me thinking. Let's say I wish to write the code to classify people into different generations based on their age groups, do I have to write many 'If blocks' to achieve this? There would be lots of conditions to check for each person.

If age = 10 to 25

Gen Z

If age = 26 to 41

Millennials

If age = 42 to 57

Gen X

If age = 58 to 76


Baby boomers

If age = 77 to 94

Abida: Great question AI.S.H.A. And hey, I could see your tone of voice has improved too.


If age = 10 to 25

Gen Z



Let's look at the sentence: "When Rumansel walks past the dessert shop or a restaurant and if it's not raining, she will buy a falooda". It might look like

Similarly, out of the 60,000 thoughts an average human thinks per day, active. Instead of checking each



Now we have a simple if and else-if condition to check for all four thoughts. Do you also notice that the size of the code has reduced subsequently by

1. AI.S.H.A: Abida, I have a question. We are only checking for 4 thoughts in this code. How do we catch the rest of the thoughts?

6. Abida: Alright, now it's time for us to start training the machine to catch s

We could change the sprites to any sprite of our choice from the sprite library and the backdrop library. Let's add some pictures and sound of our choice and get started with the dance party. You want to join with me AI.S.H.A?

Step 1: We will create a new project called 'thought catching' and set this

Your machine learning projects

Click on the right to create your first project. →

+ Add a new project

Copy template

Start a new machine learning project

Project Name *

Thought catching

Recognising *

text

What type of thing do you want to teach the computer to recognise?
For words, sentences or paragraphs, choose "text"
For photos, diagrams and pictures, choose "images"
For sets of numbers or multiple choices, choose "numbers"
For voices and sounds, choose "sounds"

"Thought catching"

Train

Collect examples of what you want the computer to recognise

Train

Learn & Test

Use the examples to train the computer to recognise text

Learn & Test

Make

Use the machine learning model you've trained to make a game or app, in Scratch, Python, or App Inventor

Make

Recognising **text** as **Positive or Negative**

Back to project

+ Add new label

Positive

happy hopeful friendly calm
grateful joyful helpful caring
cheerful celebrate amicable

+ Add example

Negative

blaming bully hopeless irritated
complain confused careless down
cruel abusive rude

+ Add example

Info from training computer:


Train new machine learning model

Make something with your machine learning model

< Back to project


Scratch

Make a project in the old version of Scratch




Scratch 3

Use the new version of Scratch




Python

Write Python code to use your machine learning model




Once we click on scratch 3, it redirects to scratch 3 which loads with an





If the machine recognizes a thought as positive based on the training data, the blue bucket. If the machine






Time to test if our machine learning model is trained enough to catch our thinking positive - I'm going to type




Let's try a negative thought now. Let's say the thought is to steal something from someone. Eeew, that's a bad thought, right? Is the machine trained enough to understand that it's a negative thought? Let's try it out!



AI.S.H.A: Wow that's cool. That worked too! Looks like the machine is trained for both

Abida: Modifying, remixing or re-using already existing code is a gr



he dance party. You


want to join with me AI.S.H.A?

Abida: Yes ofcourse

Cool. We have got you dancing now. But we are missing the snow, right?


Let's create coding for the snow. This feature will help us create hundreds of snowflakes at the same time.


Let me show you how.



ne code to create

your own version. Have fun dreaming and creating!





Just be just code		
Characters, Background & Storyboarding	video & illustrations	Screen:OS/Voice-Over:VO)
Sprite for Eshal. We will use colors to differentiate between the emotions. Background for living room and bed room. Four sprites for 'sad', 'angry', 'balance' and 'compassion'		

[illegible]

[illegible]

● If you go out wear a mask ● If it is rainy take an umberella ● If you are hungry have some food ● If it is winter wear a hoodie If age = 10 to 25 Gen Z If age = 26 to 41 Millenials If age = 42 to 57 Gen X If age = 58 to 76 Baby boomers If age = 77 to 94 Silent generation			

[illegible]


[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

