CS132: Software Engineering

Midterm Exam

13:00-14:40, April 8th, 2019

There are 7 problem sets and the total points are 80 points. Your score will be divided by 4 to reflect the 20% constitution for the midterm. Each problem set includes a few questions. For each question, the maximum possible points are stated.

Please write your answers **legibly on the answer booklet** so that we can read and understand your answers. If a problem seems ambiguous, please feel free to state your assumption explicitly and solve the problem. Obviously, your assumption should be reasonable and should not trivialize the problem.

Pledge. Copy the following pledge and sign your name in your answer booklet:

I neither cheated myself nor helped anyone cheat on this exam.

Problem 1. (10 pts)

Below is an use case diagram which describes functionality expected from the system to be developed. Please answer the following questions.




Figure 1: Use Case Diagram

- 1. (2 pts) Describe the relationship between use case A and use case E. When actor O execute use case A, is it necessary to execute the use case E?
- 2. (2 pts) Describe the relationship between use case C and use case B. When actor L execute use case C, is it necessary to execute the use case B?
- 3. (2 pts) Describe the relationship between use case C and use case H. Can use cases H be executed by actor N?
- 4. (4 pts) From the point of view of user M, which of the use cases may be executed?

Problem 2. (10 pts)

Figure 2 describes the process when students want to register for an exam. Please answer the following questions.




Figure 2: Exam Registration

- 1. (2 pts) What kind of UML Diagram it is? What is the difference between it and State Machine Diagram?
- 2. (2 pts) Write down the condition "[else]" explicitly. i.e. when will this partition of the diagram execute.
- 3. (2 pts) What is the difference between Operator "alt" and "opt"?
- 4. (4 pts) Assume there is a place available on the waiting list and one student decides to register for the exam. The student will go through the process illustrated in the diagram above and generate a trace. Mark the messages on the trace with "x". Note that the trace will only cover part of the diagram.

Problem 3. (10 pts)

Below is the UPPAAL model for a light controller which consists of two templates.




Figure 4: Light Model



Figure 5: Button Model

Determine whether the properties below are True or False, and briefly explain your choices.

- 1. (2 pts) A[] not deadlock
- 2. (2 pts) E[] Light.OFF
- 3. (2 pts) E <> (Light.ON and Light.x>3)
- 4. (2 pts) A<> Light.OFF
- 5. (2 pts) A<> Light.BRIGHT

Problem 4. (5 pts)

If we have computational tree like Fig. 6




Figure 6: One computational tree

Please 1) describe the meaning of the following TCTLs, 2) determine true or false and 3) explain why.

- 1. (1 pt) A [] 1
- 2. (2 pts) A <> 1
- 3. (1 pt) E[] 3
- 4. (1 pt) E <> 4

Problem 5. (20 pts)

A test case (also called test vector) is an assignment of values to all program variables at the beginning of the code. Consider the following code segment:

```
IF (A<2) && (B==1)
    THEN X=X/A;
    END;
IF (A>=4) || (X==7)
    THEN X=X-2;
    END;
IF (B<2) && (X<=4)
    THEN X=A;
    END;</pre>
```

(a) (10 points) What is the minimum number of test cases needed for a complete coverage in branch (decision) testing? Provide a complete set of such test cases and justify.

(b) (10 points) What is the minimum number of test cases needed for a complete coverage in condition testing? Provide a complete set of such test cases and justify.

Problem 6. (10 pts)

For the following program and corresponding data flow diagram, please write down All-p-use with respect to variable Y.




Figure 7: A short program and corresponding Data Flow

Problem 7. (15 pts)

Assume t is a defined clock, there are 6 different UPPAAL models shown in the figure. For each model, write down whether the model has deadlock. For the model(s) you think have deadlock, please explain the reason for deadlock.




Figure 8: 6 UPPAAL models a-f