

# Cucumber Report

18 Dec 2023, 17:50:58

Start : Dec 18, 5:50:44.844 pm

End : Dec 18, 5:50:57.076 pm

Duration : 12.232 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 3  
SKIPPED - 0

PASSED - 12  
FAILED - 3  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Test Feature</u>	12.232 s	3	0	3	0	15	12	3	0

#	Feature Name	Scenario Name
1	<u>Login Test Feature</u>	<u>User should get error message for invalid credentials</u>
2		<u>User should get error message for invalid credentials</u>
3		<u>User should get error message for invalid credentials</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@ak	3	0	3	0	1	0	1	0
@regression	3	0	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login Test Feature	3	0	3	0	12.232 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Test Feature</u>	<u>User should get error message for invalid credentials</u>	5	4	1	0	4.319 s
2		<u>User should get error message for invalid credentials</u>	5	4	1	0	4.030 s
3		<u>User should get error message for invalid credentials</u>	5	4	1	0	3.850 s

## Login Test Feature

<b>FAILED</b>	DURATION - 12.232 s	Scenarios		Steps	
/ 5:50:44.844 pm // 5:50:57.076 pm /		Total - 3		Total - 15	
		Pass - 0		Pass - 12	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 0	

### User should get error message for invalid credentials

<div>FAILED</div> <div>DURATION - 4.319 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:50:44.848 pm // 5:50:49.167 pm /</div>				
<div>Login Test Feature</div>				
<div>@ak @regression</div>				

#	Step / Hook Details	Status	Duration
1	Given I am on login page	PASSED	0.000 s
2	And I enter an user ""	PASSED	0.358 s
3	And I enter a password ""	PASSED	0.073 s
4	And I click on login Button	PASSED	0.083 s
5	Then I should get a error message "Required"	FAILED	0.054 s
<p>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression <code>//*[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message'][normalize-space()='Required']</code> because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string <code>'//*[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message'][normalize-space()='Required']</code> is not a valid XPath expression. (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception</a></p> <p>Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ec0fd563205b9b47b3e0e5362b161ffd, findElement {using=xpath, value=//*[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message'][normalize-space()='Required']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61599}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61599/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,</p>			


#	Step / Hook Details	Status	Duration
	<p>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ec0fd563205b9b47b3e0e5362b161ffd</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source)  at com.orangehrmlive.demo.utility.Utility.getTextFromElement(Utility.java:63)  at com.orangehrmlive.demo.pages.LoginPage.verifyTextInvalidCredentials(LoginPage.java:66)  at com.orangehrmlive.demo.steps.LoginSteps.iShouldGetAErrorMessage(LoginSteps.java:58)  at ?.I should get a error message "Required"(file:///C:/Users/ankit/IdeaProjects/orange-hrm-sw-6/src/test/resources/features/logintest.feature:33)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.406 s
	User should get error message for invalid credentials		
			

User should get error message for invalid credentials





<div>FAILED</div> <div>DURATION - 4.030 s</div>		<div><table border="1"><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0.0</td></tr><tr><td>2</td><td>0.35</td></tr><tr><td>3</td><td>0.08</td></tr><tr><td>4</td><td>0.08</td></tr><tr><td>5</td><td>0.04</td></tr></tbody></table></div>	Step	Value	1	0.0	2	0.35	3	0.08	4	0.08	5	0.04	<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div><div>5</div></div>
Step	Value															
1	0.0															
2	0.35															
3	0.08															
4	0.08															
5	0.04															
<div>/ 5:50:49.185 pm // 5:50:53.215 pm /</div>																
<div>Login Test Feature</div>																
<div>@ak @regression</div>																

#	Step / Hook Details	Status	Duration
1	Given I am on login page	PASSED	0.000 s
2	And I enter an user "test123@gmail.com"	PASSED	0.359 s
3	And I enter a password ""	PASSED	0.072 s
4	And I click on login Button	PASSED	0.073 s
5	Then I should get a error message "Required"	FAILED	0.034 s
	<p>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression <code>//*[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message'][normalize-space()='Required']</code> because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '<code>//*[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message'][normalize-space()='Required']</code>' is not a valid XPath expression. (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [83b522034f73f0df731ac317608114ba, findElement {using=xpath, value=//*[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message'][normalize-space()='Required']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\ankit\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61621}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:61621/devtoo..., se.cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 83b522034f73f0df731ac317608114ba</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at com.orangehrmlive.demo.utility.Utility.getTextFromElement(Utility.java:63) at com.orangehrmlive.demo.pages.LoginPage.verifyTextInvalidCredentials(LoginPage.java:66) at com.orangehrmlive.demo.steps.LoginSteps.iShouldGetAErrorMessage(LoginSteps.java:58) at ?.I should get a error message "Required"(file:///C:/Users/ankit/IdeaProjects/orange-hrm-sw-6/src/test/resources/features/logintest.feature:33) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.425 s
	User should get error message for invalid credentials		
			

### User should get error message for invalid credentials

<b>FAILED</b> DURATION - 3.850 s / 5:50:53.226 pm // 5:50:57.076 pm / Login Test Feature @ak @regression		Steps Total - 5 Pass - 4 Fail - 1 Skip - 0	
---	---	--	---

#	Step / Hook Details	Status	Duration
1	Given I am on login page	PASSED	0.001 s
2	And I enter an user ""	PASSED	0.305 s
3	And I enter a password "test123"	PASSED	0.103 s

#	Step / Hook Details	Status	Duration
4	And I click on login Button	PASSED	0.076 s
5	Then I should get a error message "Required"	FAILED	0.038 s
	<p>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression <code>//span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message']</code>[normalize-space()='Required']</p> <p>SyntaxError: Failed to execute 'evaluate' on 'Document': The string <code>'//span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message']</code>[normalize-space()='Required']</p> <p>(Session info: chrome=120.0.6099.109) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception</a></p> <p>Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94aaf8053792685aca5a250b80b07298, findElement {using=xpath, value=//span[@class='oxd-text oxd-text--span oxd-input-field-error-message oxd-input-group__message']}]</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\ankit\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61645}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61645/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 94aaf8053792685aca5a250b80b07298</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source)  at com.orangehrmlive.demo.utility.Utility.getTextFromElement(Utility.java:63)  at com.orangehrmlive.demo.pages.LoginPage.verifyTextInvalidCredentials(LoginPage.java:66)  at com.orangehrmlive.demo.steps.LoginSteps.iShouldGetAErrorMessage(LoginSteps.java:58)  at ?.I should get a error message "Required"(file:///C:/Users/ankit/IdeaProjects/orange-hrm-sw-6/src/test/resources/features/logintest.feature:33)</p> <p>* Not displayable characters are replaced by '?'.  </p>		

#	Step / Hook Details	Status	Duration
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.416 s
	User should get error message for invalid credentials		
	