

Cucumber Report

18 Dec 2023, 10:52:27

Start : Dec 18, 10:51:22.691 am

End : Dec 18, 10:52:26.379 am

Duration : 1 m 3.688 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 8
FAILED - 1
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Laptop and Notebook test</u>	38.469 s	1	0	1	0	4	3	1	0
<u>Desktop test</u>	25.180 s	1	1	0	0	5	5	0	0

#	Feature Name	Scenario Name
1	<u>Laptop and Notebook test</u>	<u>User should place the order successfully When I click on Laptop and Notebooks tab</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@smoke	2	1	1	0	2	1	1	0
@regression	2	1	1	0	2	1	1	0
@sanity	1	1	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Laptop and Notebook test</u>	1	0	1	0	38.469 s
2	<u>Desktop test</u>	1	1	0	0	25.180 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Laptop and Notebook test</u>	<u>User should place the order successfully When I click on Laptop and Notebooks tab</u>	4	3	1	0	38.467 s
2	<u>Desktop test</u>	<u>User should verify product arrange in alphabetical order</u>	5	5	0	0	25.180 s

Laptop and Notebook test

FAILED	DURATION - 38.469 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 10:51:22.691 am // 10:52:01.160 am /					

User should place the order successfully When I click on Laptop and Notebooks tab



FAILED	DURATION - 38.467 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 10:51:22.693 am // 10:52:01.160 am /				
Laptop and Notebook test				
@smoke @regression				

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.001 s
2	And I call selectMenu and pass all laptop and notebook "Show AllLaptops & Notebooks"	PASSED	12.919 s
3	And I should navigate to laptop and notebook page	PASSED	0.000 s
4	And I click on sort by price "Price (High > Low)"	FAILED	0.076 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bda1b50aa66deedfb76d34bb9475ab7e, findElement {using=xpath, value=("//select[@id='input-sort'])[1]"}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50418}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50418/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bda1b50aa66deedfb76d34bb9475ab7e</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getTagNames(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at com.tutorialsninja.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:154) at com.tutorialsninja.pages.LaptopAndBooksPage.selectSortByPriceHighToLow(LaptopAndBooksPage.java:31) at com.tutorialsninja.steps.LaptopAndNotebookSteps.iClickOnSortByPrice(LaptopAndNotebookSteps.java:12) at ?.I click on sort by price "Price (High > Low)"(file:///C:/Users/ankit/IdeaProjects/tutorialsninja-sw-6/src/test/resources/features/Laptopsandnotebooktest.feature:22) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bda1b50aa66deedfb76d34bb9475ab7e, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50418}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50418/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bda1b50aa66deedfb76d34bb9475ab7e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) </pre>	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.tutorialsninja.utility.Utility.getScreenShot(Utility.java:360) at com.tutorialsninja.steps.Hooks.tearDown(Hooks.java:20) </pre>		

Desktop test

PASSED	DURATION - 25.180 s	Scenarios		Steps	
/ 10:52:01.199 am // 10:52:26.379 am /		Total - 1		Total - 5	
		Pass - 1		Pass - 5	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

User should verify product arrange in alphabetical order

PASSED	DURATION - 25.180 s		Steps	
/ 10:52:01.199 am // 10:52:26.379 am /				
Desktop test				
@smoke @regression @sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on Desktops tab	PASSED	0.152 s
3	And I call selectMenu and pass all desktop "Show AllDesktops"	PASSED	6.066 s
4	And I click on sort by position Z to A "Name (Z - A)"	PASSED	1.532 s
5	Then I can see the product will be arrange in descending order	PASSED	0.326 s