

# Cucumber Report

18 Dec 2023, 01:08:48

**Start : Dec 18, 1:02:41.522 am**

**End : Dec 18, 1:08:45.948 am**

**Duration : 6 m 4.426 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 1**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 3**




**FAILED - 7**

**SKIPPED - 0**

**PASSED - 48**

**FAILED - 7**


**SKIPPED - 61**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Desktop test</u>	5 m 13.167 s	7	0	7	0	101	33	7	61
<u>Top menu test Feature</u>	51.232 s	3	3	0	0	15	15	0	0

#	Feature Name	Scenario Name
1	<u>Desktop test</u>	<u>User should verify product arrange in alphabetical order</u>
2		<u>User should verify that product added to shopping cart successFully</u>
3		<u>User should verify that product added to shopping cart successFully</u>
4		<u>User should verify that product added to shopping cart successFully</u>
5		<u>User should verify that product added to shopping cart successFully</u>
6		<u>User should verify that product added to shopping cart successFully</u>
7		<u>User should verify that product added to shopping cart successFully</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@smoke	1	0	1	0	1	0	1	0
@regression	10	3	7	0	2	1	1	0
@sanity	7	0	7	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Desktop test</u>	7	0	7	0	5 m 13.167 s
2	<u>Top menu test Feature</u>	3	3	0	0	51.232 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Desktop test</u>	<u>User should verify product arrange in alphabetical order</u>	5	3	1	1	1 m 7.864 s
2		<u>User should verify that product added to shopping cart successFully</u>	16	5	1	10	51.806 s
3		<u>User should verify that product added to shopping cart successFully</u>	16	5	1	10	50.682 s
4		<u>User should verify that product added to shopping cart successFully</u>	16	5	1	10	51.360 s
5		<u>User should verify that product added to shopping cart successFully</u>	16	5	1	10	38.251 s
6		<u>User should verify that product added to shopping cart successFully</u>	16	5	1	10	37.983 s
7		<u>User should verify that product added to shopping cart successFully</u>	16	5	1	10	15.057 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Top menu test Feature</u>	<u>User should navigate to Desktops page successfully</u>	5	5	0	0	11.975 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Top menu test Feature</u>	<u>User should navigate to Laptops and Notebooks page successfully</u>	5	5	0	0	11.217 s
10		<u>User should navigate to Components page successfully</u>	5	5	0	0	28.024 s




## Desktop test

<b>FAILED</b>	DURATION - 5 m 13.167 s	Scenarios Total - 7 Pass - 0 Fail - 7 Skip - 0		Steps Total - 101 Pass - 33 Fail - 7 Skip - 61	
/ 1:02:41.522 am // 1:07:54.689 am /					



## User should verify product arrange in alphabetical order

<b>FAILED</b>	DURATION - 1 m 7.864 s		Steps Total - 5 Pass - 3 Fail - 1 Skip - 1	
/ 1:02:41.528 am // 1:03:49.392 am /				
Desktop test				
@smoke @regression @sanity				


#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on Desktops tab	PASSED	0.298 s
3	And I call selectMenu and pass all desktop "Show AllDesktops"	PASSED	1.763 s
4	And I click on sort by position Z to A "Name: Z to A"	FAILED	40.329 s
	org.openqa.selenium.NoSuchElementException: Cannot locate option with text: Name: Z to A For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.Select.selectByVisibleText(Select.java:153) at com.tutorialsninja.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:154) at com.tutorialsninja.pages.DesktopsPage.selectSortByOption(DesktopsPage.java:63) at com.tutorialsninja.steps.DesktopSteps.iClickOnSortByPositionZToA(DesktopSteps.java:15) at ?.I click on sort by position Z to A "Name: Z to A"(file:///C:/Users/ankit/IdeaProjects/tutorialsninja-sw-6/src/test/resources/features/%20desktopstest.feature:14) * Not displayable characters are replaced by '?'.		
5	Then I can see the product will be arrange in descending order	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.885 s

#	Step / Hook Details	Status	Duration
	<p>User should verify product arrange in alphabetical order</p> 		



### User should verify that product added to shopping cart successfully

<div>FAILED</div> <div>DURATION - 51.806 s</div>			<div>Steps</div> <div>Total - 16</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 10</div>	
/ 1:03:49.444 am // 1:04:41.250 am /				
Desktop test				
@regression @sanity				


#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on currency dropdown	PASSED	0.209 s
3	And I click on £pound Sterling	PASSED	1.020 s
4	When I click on Desktops tab	PASSED	0.262 s
5	And I call selectMenu and pass all desktop "Show AllDesktops"	PASSED	1.615 s
6	And I click on sort by position A to Z "Name: A to Z"  org.openqa.selenium.NoSuchElementException: Cannot locate option with text: Name: A to Z For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.Select.selectByVisibleText(Select.java:153) at com.tutorialsninja.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:154) at com.tutorialsninja.pages.DesktopsPage.sortByNameAToZPosition(DesktopsPage.java:69) at com.tutorialsninja.steps.DesktopSteps.iClickOnSortByPositionAToZ(DesktopSteps.java:35) at ?.I click on sort by position A to Z "Name: A to Z"(file:///C:/Users/ankit/IdeaProjects/tutorialsninja-sw-6/src/test/resources/features/%20desktopstest.feature:23) * Not displayable characters are replaced by '?'.	FAILED	40.215 s
7	And I select the product "HTC Touch HD"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
8	And I get the text product "HTC Touch HD"	SKIPPED	0.000 s
9	And I enter qty one using select class	SKIPPED	0.000 s
10	And I click on add to cart button	SKIPPED	0.000 s
11	And I get the message Success: You have added "HTC Touch HD" to your shopping cart!	SKIPPED	0.000 s
12	And I click on shopping cart display into the success message	SKIPPED	0.000 s
13	Then I get a text "Shopping Cart"	SKIPPED	0.000 s
14	Then I get the product name "HTC Touch HD"	SKIPPED	0.000 s
15	Then I get the model name "Product 1"	SKIPPED	0.000 s
16	Then I get the price "£74.73"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.859 s
	User should verify that product added to shopping cart successfully		
			

### User should verify that product added to shopping cart successfully

FAILED		DURATION - 50.682 s			Steps Total - 16 Pass - 5 Fail - 1 Skip - 10	
/ 1:04:41.270 am // 1:05:31.952 am /						
Desktop test						
@regression @sanity						


#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on currency dropdown	PASSED	0.170 s
3	And I click on £pound Sterling	PASSED	1.181 s
4	When I click on Desktops tab	PASSED	0.239 s
5	And I call selectMenu and pass all desktop "Show AllDesktops"	PASSED	1.498 s
6	And I click on sort by position A to Z "Name: A to Z"	FAILED	40.230 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchElementException: Cannot locate option with text: Name: A to Z For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: unknown</p> <p>at org.openqa.selenium.support.ui.Select.selectByVisibleText(Select.java:153)  at com.tutorialsninja.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:154)  at com.tutorialsninja.pages.DesktopsPage.sortByNameAToZPosition(DesktopsPage.java:69)  at com.tutorialsninja.steps.DesktopSteps.iClickOnSortByPositionAToZ(DesktopSteps.java:35)  at ?.I click on sort by position A to Z "Name: A to Z"(file:///C:/Users/ankit/IdeaProjects/tutorialsninja-sw-6/src/test/resources/features/%20desktopstest.feature:23)  * Not displayable characters are replaced by '?'. </p>		
7	And I select the product "iPhone"	SKIPPED	0.000 s
8	And I get the text product "iPhone"	SKIPPED	0.000 s
9	And I enter qty one using select class	SKIPPED	0.000 s
10	And I click on add to cart button	SKIPPED	0.000 s
11	And I get the message Success: You have added "iPhone" to your shopping cart!	SKIPPED	0.000 s
12	And I click on shopping cart display into the success message	SKIPPED	0.000 s
13	Then I get a text "Shopping Cart"	SKIPPED	0.000 s
14	Then I get the product name "iPhone"	SKIPPED	0.015 s
15	Then I get the model name "product 11"	SKIPPED	0.000 s
16	Then I get the price "£75.46"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.712 s
	User should verify that product added to shopping cart successfully		
			



User should verify that product added to shopping cart successfully

<b>FAILED</b>	<b>DURATION - 51.360 s</b>		<b>Steps</b> Total - 16 Pass - 5 Fail - 1 Skip - 10	
/ 1:05:31.965 am // 1:06:23.325 am /				
Desktop test				
@regression @sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.001 s
2	When I click on currency dropdown	PASSED	0.182 s
3	And I click on £pound Sterling	PASSED	1.290 s
4	When I click on Desktops tab	PASSED	0.236 s
5	And I call selectMenu and pass all desktop "Show AllDesktops"	PASSED	1.777 s
6	And I click on sort by position A to Z "Name: A to Z"	FAILED	40.201 s
	org.openqa.selenium.NoSuchElementException: Cannot locate option with text: Name: A to Z For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.Select.selectByVisibleText(Select.java:153) at com.tutorialsninja.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:154) at com.tutorialsninja.pages.DesktopsPage.sortByNameAToZPosition(DesktopsPage.java:69) at com.tutorialsninja.steps.DesktopSteps.iClickOnSortByPositionAToZ(DesktopSteps.java:35) at ?.I click on sort by position A to Z "Name: A to Z"(file:///C:/Users/ankit/IdeaProjects/tutorialsninja-sw-6/src/test/resources/features/%20desktoptest.feature:23) * Not displayable characters are replaced by '?'.		
7	And I select the product "iPod Classic"	SKIPPED	0.000 s
8	And I get the text product "iPod Classic"	SKIPPED	0.000 s
9	And I enter qty one using select class	SKIPPED	0.000 s
10	And I click on add to cart button	SKIPPED	0.000 s
11	And I get the message Success: You have added "iPod Classic" to your shopping cart!	SKIPPED	0.000 s
12	And I click on shopping cart display into the success message	SKIPPED	0.000 s
13	Then I get a text "Shopping Cart"	SKIPPED	0.000 s
14	Then I get the product name "iPod Classic"	SKIPPED	0.015 s
15	Then I get the model name "product 20"	SKIPPED	0.000 s
16	Then I get the price "£74.73"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.653 s
	User should verify that product added to shopping cart successfully		
			

### User should verify that product added to shopping cart successfully



FAILED	DURATION - 38.251 s		Steps Total - 16 Pass - 5 Fail - 1 Skip - 10	
/ 1:06:23.348 am // 1:07:01.599 am /				
Desktop test				
@regression @sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on currency dropdown	PASSED	0.204 s
3	And I click on £pound Sterling	PASSED	1.877 s
4	When I click on Desktops tab	PASSED	0.225 s
5	And I call selectMenu and pass all desktop "Show AllDesktops"	PASSED	7.684 s
6	And I click on sort by position A to Z "Name: A to Z"	FAILED	9.820 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f4ce535954875ce6b04d6fd7fa02a7df, findChildElements {id=379DAA865C1FFDF227FE3341D175DFFE_element_1463, using=xpath, value=../option[contains(., "Name:")]}) Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61275}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:61275/devtoo..., se.cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f4ce535954875ce6b04d6fd7fa02a7df at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElements(ElementLocation.java:182) at org.openqa.selenium.remote.ElementLocation.findElements(ElementLocation.java:103) at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:377) at org.openqa.selenium.remote.RemoteWebElement.findElements(RemoteWebElement.java:204) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy29.findElements(Unknown Source) at org.openqa.selenium.support.ui.Select.selectByVisibleText(Select.java:135) at com.tutorialsninja.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:154) at com.tutorialsninja.pages.DesktopsPage.sortByNameAToZPosition(DesktopsPage.java:69) at com.tutorialsninja.steps.DesktopSteps.iClickOnSortByPositionAToZ(DesktopSteps.java:35) at ?.I click on sort by position A to Z "Name: A to Z"(file:///C:/Users/ankit/IdeaProjects/tutorialsninja-sw-6/src/test/resources/features/%20desktopstest.feature:23) * Not displayable characters are replaced by '?'. </pre>		
7	And I select the product "MacBook"	SKIPPED	0.000 s
8	And I get the text product "MacBook"	SKIPPED	0.001 s
9	And I enter qty one using select class	SKIPPED	0.000 s
10	And I click on add to cart button	SKIPPED	0.000 s
11	And I get the message Success: You have added "MacBook" to your shopping cart!	SKIPPED	0.002 s
12	And I click on shopping cart display into the success message	SKIPPED	0.001 s
13	Then I get a text "Shopping Cart"	SKIPPED	0.001 s
14	Then I get the product name "MacBook"	SKIPPED	0.000 s
15	Then I get the model name "Product 16"	SKIPPED	0.000 s
16	Then I get the price "£368.73"	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
	<p><b>AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)</b></p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f4ce535954875ce6b04d6fd7fa02a7df, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\lankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61275}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61275/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f4ce535954875ce6b04d6fd7fa02a7df</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330)  at com.tutorialsninja.utility.Utility.getScreenShot(Utility.java:360)  at com.tutorialsninja.steps.Hooks.tearDown(Hooks.java:20)</p>	FAILED	0.012 s

### User should verify that product added to shopping cart successFully

FAILED		DURATION - 37.983 s			<div>Steps</div> <div>Total - 16</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 10</div> 
/ 1:07:01.627 am // 1:07:39.610 am /					
Desktop test					
@regression @sanity					





#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on currency dropdown	PASSED	0.249 s
3	And I click on £pound Sterling	PASSED	1.228 s
4	When I click on Desktops tab	PASSED	0.237 s
5	And I call selectMenu and pass all desktop "Show AllDesktops"	PASSED	7.613 s
6	And I click on sort by position A to Z "Name: A to Z"	FAILED	4.324 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1a367c1763eed6a611b365902a4d8608, findChildElements {id=2AACDFF5D7BC2D4959ECE2F904108034_element_1463, using=xpath, value=//option[contains(., "Name:")}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61322}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:61322/devtoo..., se.cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1a367c1763eed6a611b365902a4d8608</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElements(ElementLocation.java:182)  at org.openqa.selenium.remote.ElementLocation.findElements(ElementLocation.java:103)  at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:377)  at org.openqa.selenium.remote.RemoteWebElement.findElements(RemoteWebElement.java:204)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)  at jdk.proxy2/jdk.proxy2.\$Proxy29.findElements(Unknown Source)  at org.openqa.selenium.support.ui.Select.selectByVisibleText(Select.java:135)</p>		

#	Step / Hook Details	Status	Duration
	at com.tutorialsninja.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:154) at com.tutorialsninja.pages.DesktopsPage.sortByNameAToZPosition(DesktopsPage.java:69) at com.tutorialsninja.steps.DesktopSteps.iClickOnSortByPositionAToZ(DesktopSteps.java:35) at ?.I click on sort by position A to Z "Name: A to Z"(file:///C:/Users/ankit/IdeaProjects/tutorialsninja-sw-6/src/test/resources/features/%20desktopstest.feature:23) * Not displayable characters are replaced by '?'.		
7	And I select the product "MacBook Air"	SKIPPED	0.002 s
8	And I get the text product "MacBook Air"	SKIPPED	0.000 s
9	And I enter qty one using select class	SKIPPED	0.000 s
10	And I click on add to cart button	SKIPPED	0.001 s
11	And I get the message Success: You have added "MacBook Air" to your shopping cart!	SKIPPED	0.001 s
12	And I click on shopping cart display into the success message	SKIPPED	0.000 s
13	Then I get a text "Shopping Cart"	SKIPPED	0.000 s
14	Then I get the product name "MacBook Air"	SKIPPED	0.000 s
15	Then I get the model name "Product 17"	SKIPPED	0.001 s
16	Then I get the price "£736.23"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1a367c1763eed6a611b365902a4d8608, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61322}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61322/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1a367c1763eed6a611b365902a4d8608 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.tutorialsninja.utility.Utility.getScreenShot(Utility.java:360) at com.tutorialsninja.steps.Hooks.tearDown(Hooks.java:20)		

### User should verify that product added to shopping cart successfully



<div>FAILED</div> <div>DURATION - 15.057 s</div>		<div></div>	<div>Steps</div> <div>Total - 16</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 10</div>	<div></div>
/ 1:07:39.632 am // 1:07:54.689 am /				
Desktop test				
@regression @sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on currency dropdown	PASSED	0.216 s
3	And I click on £pound Sterling	PASSED	1.305 s
4	When I click on Desktops tab	PASSED	0.233 s
5	And I call selectMenu and pass all desktop "Show AllDesktops"	PASSED	1.817 s
6	And I click on sort by position A to Z "Name: A to Z"	FAILED	1.161 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b24f1d5e1669e164dfc4f2e7c7ac7de0, findChildElements {id=DB8B4AEA21241CC83A3A21CE0A76B668_element_1468, using=xpath, value=//option[contains(., "Name:")]}) Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61347/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b24f1d5e1669e164dfc4f2e7c7ac7de0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		



#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElements(ElementLocation.java:182) at org.openqa.selenium.remote.ElementLocation.findElements(ElementLocation.java:103) at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:377) at org.openqa.selenium.remote.RemoteWebElement.findElements(RemoteWebElement.java:204) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy29.findElements(Unknown Source) at org.openqa.selenium.support.ui.Select.selectByVisibleText(Select.java:135) at com.tutorialsninja.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:154) at com.tutorialsninja.pages.DesktopsPage.sortByNameAToZPosition(DesktopsPage.java:69) at com.tutorialsninja.steps.DesktopSteps.iClickOnSortByPositionAToZ(DesktopSteps.java:35) at ?.I click on sort by position A to Z "Name: A to Z"(file:///C:/Users/ankit/IdeaProjects/tutorialsninja-sw-6/src/test/resources/features/%20desktopstest.feature:23) * Not displayable characters are replaced by '?'. </pre>		
7	And I select the product "Sony VAIO"	SKIPPED	0.000 s
8	And I get the text product "Sony VAIO"	SKIPPED	0.000 s
9	And I enter qty one using select class	SKIPPED	0.000 s
10	And I click on add to cart button	SKIPPED	0.000 s
11	And I get the message Success: You have added "Sony VAIO" to your shopping cart!	SKIPPED	0.000 s
12	And I click on shopping cart display into the success message	SKIPPED	0.000 s
13	Then I get a text "Shopping Cart"	SKIPPED	0.000 s
14	Then I get the product name "Sony VAIO"	SKIPPED	0.000 s
15	Then I get the model name "Product 19"	SKIPPED	0.000 s
16	Then I get the price "£736.23"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.008 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch:		

#	Step / Hook Details	Status	Duration
	<p>'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b24f1d5e1669e164dfc4f2e7c7ac7de0, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61347/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b24f1d5e1669e164dfc4f2e7c7ac7de0</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330)  at com.tutorialsninja.utility.Utility.getScreenShot(Utility.java:360)  at com.tutorialsninja.steps.Hooks.tearDown(Hooks.java:20)</p>		

## Top menu test Feature



<b>PASSED</b>	<b>DURATION - 51.232 s</b>	<b>Scenarios</b>		<b>Steps</b>	
/ 1:07:54.716 am // 1:08:45.948 am /		Total - 3		Total - 15	
		Pass - 3		Pass - 15	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

User should navigate to Desktops page successfully

<b>PASSED</b>	DURATION - 11.975 s		<b>Steps</b> Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 1:07:54.716 am // 1:08:06.691 am /				
Top menu test Feature				
@regression				


#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.001 s
2	When I click on Desktops tab	PASSED	0.216 s
3	And I call selectMenu and pass all desktop "Show AllDesktops"	PASSED	1.381 s
4	And I should navigate to desktop page	PASSED	0.000 s
5	Then I should get desktop text like "Desktops"	PASSED	0.103 s

### User should navigate to Laptops and Notebooks page successfully

<b>PASSED</b>	DURATION - 11.217 s		<b>Steps</b> Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 1:08:06.691 am // 1:08:17.908 am /				
Top menu test Feature				
@regression				

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.001 s
2	When I click on Laptop and Notebooks tab	PASSED	0.198 s
3	And I call selectMenu and pass all laptop and notebook "Show AllLaptops & Notebooks"	PASSED	1.046 s
4	And I should navigate to laptop and notebook page	PASSED	0.000 s
5	Then I should get laptop and notebook text like "Laptops & Notebooks"	PASSED	0.101 s

### User should navigate to Components page successfully



#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on Components tab	PASSED	0.201 s
3	And I call selectMenu and pass all components "Show AllComponents"	PASSED	1.680 s
4	And I should navigate to Components page	PASSED	0.000 s
5	Then I should get components like "Components"	PASSED	0.118 s