Cucumber Report

| *Start : Dec 18, 10:30:01.281 am*	*End : Dec 18, 10:34:08.564 am*	*Duration : 4 m 7.283 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 6 SKIPPED - 0	PASSED - 36 FAILED - 6 SKIPPED - 54

1	6	96
0 %	0 %	37 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Desktop test	*4 m 7.283 s*	6	0	6	0	96	36	6	54

#	Feature Name	Scenario Name
1	*Desktop test*	*User should verify that product added to shopping cart successFully*
2		*User should verify that product added to shopping cart successFully*
3		*User should verify that product added to shopping cart successFully*
4		*User should verify that product added to shopping cart successFully*
5		*User should verify that product added to shopping cart successFully*
6		*User should verify that product added to shopping cart successFully*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@regression	6	0	6	0	1	0	1	0
@sanity	6	0	6	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Desktop test	6	0	6	0	4 m 7.283 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	*Desktop test*	*User should verify that product added to shopping cart successFully*	16	6	1	9	41.808 s
2		*User should verify that product added to shopping cart successFully*	16	6	1	9	55.688 s
3		*User should verify that product added to shopping cart successFully*	16	6	1	9	44.697 s
4		*User should verify that product added to shopping cart successFully*	16	6	1	9	44.943 s
5		*User should verify that product added to shopping cart successFully*	16	6	1	9	31.372 s
6		*User should verify that product added to shopping cart successFully*	16	6	1	9	28.708 s

Desktop test

FAILED	DURATION - 4 m 7.283 s	Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0	6	Steps Total - 96 Pass - 36 Fail - 6 Skip - 54	96
/ 10:30:01.281 am // 10:34:08.564 am /					

User should verify that product added to shopping cart successFully

FAILED	DURATION - 41.808 s		Steps Total - 16 Pass - 6 Fail - 1 Skip - 9	16
/ 10:30:01.287 am // 10:30:43.095 am /				
Desktop test				
@regression @sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.001 s
2	When I click on currency dropdown	PASSED	0.200 s
3	And I click on £pound Sterling	PASSED	0.891 s
4	When I click on Desktops tab	PASSED	0.205 s
5	And I call selectMenu and pass all desktop "Show AllDesktops"	PASSED	3.738 s
6	And I click on sort by position A to Z "Name (A - Z)"	PASSED	0.767 s
7	And I select the product "HTC Touch HD"	FAILED	20.079 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"tag name","selector":"(//div[@class='row'])[6]"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www. selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [0a42e811d88dc1311950fd632f5fd595, findElement {using=tag name, value=(//div[@class='row'])[6]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65245}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65245/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		

| #	Step / Hook Details	Status	Duration

	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0a42e811d88dc1311950fd632f5fd595
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy29.sendKeys(Unknown Source)
	    at com.tutorialsninja.utility.Utility.sendTextToElement(Utility.java:76)
	    at com.tutorialsninja.pages.DesktopsPage.selectProduct(DesktopsPage.java:66)
	    at com.tutorialsninja.steps.DesktopSteps.iSelectTheProduct(DesktopSteps.java:41)
	    at ?.I select the product "HTC Touch HD"(file:///C:/Users/ankit/IdeaProjects/tutorialsninja-sw-6/src/test/resources/features/%20desktopstest. feature:24)
	* Not displayable characters are replaced by '?'.		

8	And I get the text product "HTC Touch HD"	SKIPPED	0.000 s
9	And I enter qty one using select class	SKIPPED	0.000 s
10	And I click on add to cart button	SKIPPED	0.000 s
11	And I get the message Success: You have added "HTC Touch HD" to your shopping cart!	SKIPPED	0.000 s
12	And I click on shopping cart display into the success message	SKIPPED	0.000 s
13	Then I get a text "Shopping Cart"	SKIPPED	0.000 s
14	Then I get the product name "HTC Touch HD"	SKIPPED	0.000 s
15	Then I get the model name "Product 1"	SKIPPED	0.001 s
16	Then I get the price "£74.73"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario) User should verify that product added to shopping cart successFully	PASSED	0.380 s

#	Step / Hook Details	Status	Duration

User should verify that product added to shopping cart successFully

FAILED	DURATION - 55.688 s		Steps	
/ 10:30:43.111 am // 10:31:38.799 am /			Total - 16	
Desktop test			Pass - 6 Fail - 1	
@regression @sanity			Skip - 9	

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on currency dropdown	PASSED	0.199 s
3	And I click on £pound Sterling	PASSED	1.064 s
4	When I click on Desktops tab	PASSED	0.329 s
5	And I call selectMenu and pass all desktop "Show AllDesktops"	PASSED	5.754 s
6	And I click on sort by position A to Z "Name (A - Z)"	PASSED	0.775 s
7	And I select the product "iPhone"	FAILED	20.086 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"tag name","selector":"(//div[@class='row'])[6]"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www. selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [9608f18d01f8a22d5d159b70c3816bed, findElement {using=tag name, value=(//div[@class='row'])[6]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65332}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65332/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9608f18d01f8a22d5d159b70c3816bed at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy29.sendKeys(Unknown Source) at com.tutorialsninja.utility.Utility.sendTextToElement(Utility.java:76) at com.tutorialsninja.pages.DesktopsPage.selectProduct(DesktopsPage.java:66) at com.tutorialsninja.steps.DesktopSteps.iSelectTheProduct(DesktopSteps.java:41) at ?.I select the product "iPhone"(file:///C:/Users/ankit/IdeaProjects/tutorialsninja-sw-6/src/test/resources/features/%20desktopstest.feature:24) * Not displayable characters are replaced by '?'.		
8	And I get the text product "iPhone"	SKIPPED	0.000 s
9	And I enter qty one using select class	SKIPPED	0.001 s
10	And I click on add to cart button	SKIPPED	0.000 s
11	And I get the message Success: You have added "iPhone" to your shopping cart!	SKIPPED	0.000 s
12	And I click on shopping cart display into the success message	SKIPPED	0.000 s
13	Then I get a text "Shopping Cart"	SKIPPED	0.000 s
14	Then I get the product name "iPhone"	SKIPPED	0.000 s
15	Then I get the model name "product 11"	SKIPPED	0.000 s
16	Then I get the price "£75.46"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario) User should verify that product added to shopping cart successFully	PASSED	0.386 s

#	Step / Hook Details	Status	Duration

User should verify that product added to shopping cart successFully

FAILED	DURATION - 44.697 s		Steps
/ 10:31:38.809 am // 10:32:23.506 am /			Total - 16
			Pass - 6
Desktop test			Fail - 1
			Skip - 9
@regression @sanity			

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on currency dropdown	PASSED	0.161 s
3	And I click on £pound Sterling	PASSED	0.885 s
4	When I click on Desktops tab	PASSED	0.181 s
5	And I call selectMenu and pass all desktop "Show AllDesktops"	PASSED	4.499 s
6	And I click on sort by position A to Z "Name (A - Z)"	PASSED	0.821 s
7	And I select the product "iPod Classic"	FAILED	20.072 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"tag name","selector":"(//div[@class='row'])[6]"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [9e97fe02ced110e2addf847fb229b982, findElement {using=tag name, value=(//div[@class='row'])[6]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65442}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65442/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9e97fe02ced110e2addf847fb229b982 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy29.sendKeys(Unknown Source)		
	at com.tutorialsninja.utility.Utility.sendTextToElement(Utility.java:76)		
	at com.tutorialsninja.pages.DesktopsPage.selectProduct(DesktopsPage.java:66)		
	at com.tutorialsninja.steps.DesktopSteps.iSelectTheProduct(DesktopSteps.java:41)		
	at ?.I select the product "iPod Classic"(file:///C:/Users/ankit/IdeaProjects/tutorialsninja-sw-6/src/test/resources/features/%20desktopstest.feature:24)		
	* Not displayable characters are replaced by '?'.		
8	And I get the text product "iPod Classic"	SKIPPED	0.001 s
9	And I enter qty one using select class	SKIPPED	0.000 s
10	And I click on add to cart button	SKIPPED	0.000 s
11	And I get the message Success: You have added "iPod Classic" to your shopping cart!	SKIPPED	0.000 s
12	And I click on shopping cart display into the success message	SKIPPED	0.000 s
13	Then I get a text "Shopping Cart"	SKIPPED	0.000 s
14	Then I get the product name "iPod Classic"	SKIPPED	0.000 s
15	Then I get the model name "product 20"	SKIPPED	0.000 s
16	Then I get the price "£74.73"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario) User should verify that product added to shopping cart successFully	PASSED	0.388 s

#	Step / Hook Details	Status	Duration

User should verify that product added to shopping cart successFully

FAILED	DURATION - 44.943 s
/ 10:32:23.517 am // 10:33:08.460 am /	
Desktop test	
@regression @sanity	

Steps
Total - 16
Pass - 6
Fail - 1
Skip - 9

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.001 s
2	When I click on currency dropdown	PASSED	0.151 s
3	And I click on £pound Sterling	PASSED	0.901 s
4	When I click on Desktops tab	PASSED	0.180 s
5	And I call selectMenu and pass all desktop "Show AllDesktops"	PASSED	3.941 s
6	And I click on sort by position A to Z "Name (A - Z)"	PASSED	0.695 s
7	And I select the product "MacBook"	FAILED	20.021 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"tag name","selector":"(//div[@class='row'])[6]"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [fbd6f651222653c44c1e172e2b66de32, findElement {using=tag name, value=(//div[@class='row'])[6]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49155}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49155/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fbd6f651222653c44c1e172e2b66de32 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy29.sendKeys(Unknown Source) at com.tutorialsninja.utility.Utility.sendTextToElement(Utility.java:76) at com.tutorialsninja.pages.DesktopsPage.selectProduct(DesktopsPage.java:66) at com.tutorialsninja.steps.DesktopSteps.iSelectTheProduct(DesktopSteps.java:41) at ?.I select the product "MacBook"(file:///C:/Users/ankit/IdeaProjects/tutorialsninja-sw-6/src/test/resources/features/%20desktopstest.feature:24) * Not displayable characters are replaced by '?'.		
8	And I get the text product "MacBook"	SKIPPED	0.000 s
9	And I enter qty one using select class	SKIPPED	0.000 s
10	And I click on add to cart button	SKIPPED	0.000 s
11	And I get the message Success: You have added "MacBook" to your shopping cart!	SKIPPED	0.000 s
12	And I click on shopping cart display into the success message	SKIPPED	0.000 s
13	Then I get a text "Shopping Cart"	SKIPPED	0.000 s
14	Then I get the product name "MacBook"	SKIPPED	0.000 s
15	Then I get the model name "Product 16"	SKIPPED	0.000 s
16	Then I get the price "£368.73"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario) User should verify that product added to shopping cart successFully	PASSED	0.518 s

#	Step / Hook Details	Status	Duration

User should verify that product added to shopping cart successFully

FAILED	DURATION - 31.372 s		Steps
/ 10:33:08.474 am // 10:33:39.846 am /			Total - 16
			Pass - 6
Desktop test			Fail - 1
			Skip - 9
@regression @sanity			

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on currency dropdown	PASSED	0.158 s
3	And I click on £pound Sterling	PASSED	0.845 s
4	When I click on Desktops tab	PASSED	0.195 s
5	And I call selectMenu and pass all desktop "Show AllDesktops"	PASSED	1.246 s
6	And I click on sort by position A to Z "Name (A - Z)"	PASSED	0.482 s
7	And I select the product "MacBook Air"	FAILED	20.033 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"tag name","selector":"(//div[@class='row'])[6]"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [43f3fdfebce36bc729c029b8197afb48, findElement {using=tag name, value=(//div[@class='row'])[6]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49219}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49219/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 43f3fdfebce36bc729c029b8197afb48 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy29.sendKeys(Unknown Source) at com.tutorialsninja.utility.Utility.sendTextToElement(Utility.java:76) at com.tutorialsninja.pages.DesktopsPage.selectProduct(DesktopsPage.java:66) at com.tutorialsninja.steps.DesktopSteps.iSelectTheProduct(DesktopSteps.java:41) at ?.I select the product "MacBook Air"(file:///C:/Users/ankit/IdeaProjects/tutorialsninja-sw-6/src/test/resources/features/%20desktopstest.feature:24) * Not displayable characters are replaced by '?'.		
8	And I get the text product "MacBook Air"	SKIPPED	0.001 s
9	And I enter qty one using select class	SKIPPED	0.000 s
10	And I click on add to cart button	SKIPPED	0.000 s
11	And I get the message Success: You have added "MacBook Air" to your shopping cart!	SKIPPED	0.000 s
12	And I click on shopping cart display into the success message	SKIPPED	0.000 s
13	Then I get a text "Shopping Cart"	SKIPPED	0.000 s
14	Then I get the product name "MacBook Air"	SKIPPED	0.000 s
15	Then I get the model name "Product 17"	SKIPPED	0.000 s
16	Then I get the price "£736.23"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario) User should verify that product added to shopping cart successFully	PASSED	0.482 s

#	Step / Hook Details	Status	Duration

User should verify that product added to shopping cart successFully

FAILED	DURATION - 28.708 s		Steps	
/ 10:33:39.856 am // 10:34:08.564 am /			Total - 16	
Desktop test			Pass - 6	
			Fail - 1	
@regression @sanity			Skip - 9	

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.001 s
2	When I click on currency dropdown	PASSED	0.164 s
3	And I click on £pound Sterling	PASSED	0.860 s
4	When I click on Desktops tab	PASSED	0.191 s
5	And I call selectMenu and pass all desktop "Show AllDesktops"	PASSED	1.246 s
6	And I click on sort by position A to Z "Name (A - Z)"	PASSED	0.477 s
7	And I select the product "Sony VAIO"	FAILED	20.051 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"tag name","selector":"(//div[@class='row'])[6]"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www. selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [46a18f487a6b44867860317a21a7f4fa, findElement {using=tag name, value=(//div[@class='row'])[6]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49280}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49280/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 46a18f487a6b44867860317a21a7f4fa at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy29.sendKeys(Unknown Source) at com.tutorialsninja.utility.Utility.sendTextToElement(Utility.java:76) at com.tutorialsninja.pages.DesktopsPage.selectProduct(DesktopsPage.java:66) at com.tutorialsninja.steps.DesktopSteps.iSelectTheProduct(DesktopSteps.java:41) at ?.I select the product "Sony VAIO"(file:///C:/Users/ankit/IdeaProjects/tutorialsninja-sw-6/src/test/resources/features/%20desktopstest.feature:24) * Not displayable characters are replaced by '?'.		
8	And I get the text product "Sony VAIO"	SKIPPED	0.000 s
9	And I enter qty one using select class	SKIPPED	0.000 s
10	And I click on add to cart button	SKIPPED	0.000 s
11	And I get the message Success: You have added "Sony VAIO" to your shopping cart!	SKIPPED	0.001 s
12	And I click on shopping cart display into the success message	SKIPPED	0.000 s
13	Then I get a text "Shopping Cart"	SKIPPED	0.000 s
14	Then I get the product name "Sony VAIO"	SKIPPED	0.000 s
15	Then I get the model name "Product 19"	SKIPPED	0.000 s
16	Then I get the price "£736.23"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario) User should verify that product added to shopping cart successFully	PASSED	0.349 s

#	Step / Hook Details	Status	Duration