

Cucumber Report

18 Dec 2023, 18:23:02

Start : Dec 18, 6:16:31.037 pm

End : Dec 18, 6:23:00.438 pm

Duration : 6 m 29.401 s

Features



Scenarios

Steps

PASSED - 3
FAILED - 1
SKIPPED - 0

PASSED - 10
FAILED - 6
SKIPPED - 0


PASSED - 130
FAILED - 6
SKIPPED - 54




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Laptop and Notebook test</u>	56.784 s	2	2	0	0	35	35	0	0
<u>Desktop test</u>	4 m 1.899 s	7	1	6	0	101	41	6	54
<u>My account test</u>	46.171 s	4	4	0	0	39	39	0	0
<u>Top menu test Feature</u>	44.480 s	3	3	0	0	15	15	0	0

#	Feature Name	Scenario Name
1	<u>Desktop test</u>	<u>User should verify that product added to shopping cart successFully</u>
2		<u>User should verify that product added to shopping cart successFully</u>
3		<u>User should verify that product added to shopping cart successFully</u>
4		<u>User should verify that product added to shopping cart successFully</u>
5		<u>User should verify that product added to shopping cart successFully</u>
6		<u>User should verify that product added to shopping cart successFully</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@smoke	4	4	0	0	4	3	1	0
@regression	16	10	6	0	4	3	1	0
@sanity	13	7	6	0	4	3	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Laptop and Notebook test</u>	2	2	0	0	56.784 s
2	<u>Desktop test</u>	7	1	6	0	4 m 1.899 s
3	<u>My account test</u>	4	4	0	0	46.171 s
4	<u>Top menu test Feature</u>	3	3	0	0	44.480 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Laptop and Notebook test</u>	<u>User should verify products price display high to low successfully</u>	6	6	0	0	26.595 s
2		<u>User should place the order successfully</u>	29	29	0	0	30.144 s
3	<u>Desktop test</u>	<u>User should verify product arrange in alphabetical order</u>	5	5	0	0	37.091 s
4		<u>User should verify that product added to shopping cart successFully</u>	16	6	1	9	34.141 s
5		<u>User should verify that product added to shopping cart successFully</u>	16	6	1	9	32.725 s
6		<u>User should verify that product added to shopping cart successFully</u>	16	6	1	9	29.830 s
7		<u>User should verify that product added to shopping cart successFully</u>	16	6	1	9	29.756 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>User should verify that product added to shopping cart successFully</u>	16	6	1	9	29.615 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Desktop test</u>	<u>User should verify that product added to shopping cart successFully</u>	16	6	1	9	48.635 s
10	<u>My account test</u>	<u>User should navigate to register page successfully</u>	5	5	0	0	10.067 s
11		<u>User should navigate to login page successfully</u>	4	4	0	0	9.761 s
12		<u>User should Register account successfully</u>	18	18	0	0	13.711 s
13		<u>User should navigate to login and logout successfully</u>	12	12	0	0	12.617 s
14	<u>Top menu test Feature</u>	<u>User should navigate to Desktops page successfully</u>	5	5	0	0	10.620 s
15		<u>User should navigate to Laptops and Notebooks page successfully</u>	5	5	0	0	9.612 s
16		<u>User should navigate to Components page successfully</u>	5	5	0	0	24.236 s

Laptop and Notebook test

PASSED	DURATION - 56.784 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 35 Pass - 35 Fail - 0 Skip - 0	
/ 6:16:31.037 pm // 6:17:27.821 pm /					

User should verify products price display high to low successfully

<div>PASSED</div> <div>DURATION - 26.595 s</div>		Steps	
/ 6:16:31.040 pm // 6:16:57.635 pm /		Total - 6	
Laptop and Notebook test		Pass - 6	
@smoke @regression @sanity		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on Laptop and Notebooks tab	PASSED	0.317 s
3	And I call selectMenu and pass all laptop and notebook "Show AllLaptops & Notebooks"	PASSED	3.943 s
4	And I should navigate to laptop and notebook page	PASSED	0.001 s
5	And I click on sort by price "Price (High > Low)"	PASSED	1.007 s
6	Then I can see the product price will be arrange in high to low order	PASSED	0.104 s



User should place the order successfully

PASSED	DURATION - 30.144 s		Steps Total - 29 Pass - 29 Fail - 0 Skip - 0	
/ 6:16:57.677 pm // 6:17:27.821 pm /				
Laptop and Notebook test				
@regression @sanity				



#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.001 s
2	When I click on currency dropdown	PASSED	0.174 s
3	And I click on £pound Sterling	PASSED	0.895 s
4	And I click on Laptop and Notebooks tab	PASSED	0.234 s
5	And I call selectMenu and pass all laptop and notebook "Show AllLaptops & Notebooks"	PASSED	6.027 s
6	And I should navigate to laptop and notebook page	PASSED	0.001 s
7	And I click on sort by price "Price (High > Low)"	PASSED	1.254 s
8	And I click on macbook	PASSED	3.633 s
9	And I get a text macbook "MacBook"	PASSED	0.109 s
10	And I click on the add to cart button	PASSED	0.112 s
11	And I get a message for macbook is Success: You have added MacBook to your shopping cart!	PASSED	0.366 s
12	And I click on shopping cart display into the success message for macbook	PASSED	0.555 s
13	And I get a shopping cart text "Shopping Cart (0.00kg)"	PASSED	0.073 s
14	And I get a macbook product name "MacBook"	PASSED	0.064 s
15	And I change the qty to "2"	PASSED	0.225 s
16	And I click on update tab	PASSED	0.725 s
17	And I get a modify cart message Success: You have modified your shopping cart!	PASSED	0.055 s
18	And I get a price for macbook "£737.45"	PASSED	0.059 s
19	And I click on check out button	PASSED	0.521 s
20	And I get a checkout text is "Checkout"	PASSED	0.050 s
21	And I get new customer text is "New Customer"	PASSED	0.745 s
22	And I click on guest checkout button	PASSED	0.075 s
23	And I click on continue button	PASSED	0.120 s
24	And I fill all mandatory fields	PASSED	2.337 s
25	And I click on continue button for guest	PASSED	0.096 s

#	Step / Hook Details	Status	Duration
26	And I add comment about order in text area	PASSED	0.783 s
27	And I check the terms and conditions	PASSED	0.112 s
28	And I click on continue button for payment method	PASSED	0.185 s
29	Then I get a warning message Warning: Payment method required!	PASSED	0.280 s

Desktop test



FAILED	DURATION - 4 m 1.899 s	Scenarios		Steps	
/ 6:17:27.855 pm // 6:21:29.754 pm /		Total - 7		Total - 101	
		Pass - 1		Pass - 41	
		Fail - 6		Fail - 6	
		Skip - 0		Skip - 54	

User should verify product arrange in alphabetical order


<div>PASSED</div> <div>DURATION - 37.091 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:17:27.855 pm // 6:18:04.946 pm /</div>			
<div>Desktop test</div>			
<div>@smoke @regression @sanity</div>			

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on Desktops tab	PASSED	0.200 s
3	And I call selectMenu and pass all desktop "Show AllDesktops"	PASSED	7.196 s
4	And I click on sort by position Z to A "Name (Z - A)"	PASSED	0.860 s
5	Then I can see the product will be arrange in descending order	PASSED	0.324 s



User should verify that product added to shopping cart successFully

<div>FAILED</div> <div>DURATION - 34.141 s</div>			<div>Steps</div> <div>Total - 16</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 6:18:04.977 pm // 6:18:39.118 pm /				
Desktop test				
@regression @sanity				


#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.001 s
2	When I click on currency dropdown	PASSED	0.196 s
3	And I click on £pound Sterling	PASSED	1.221 s
4	And I click on Desktops tab	PASSED	0.218 s
5	And I call selectMenu and pass all desktop "Show AllDesktops"	PASSED	1.867 s
6	And I click on sort by position A to Z "Name (A - Z)"	PASSED	0.671 s
7	And I select the product "HTC Touch HD"	FAILED	20.085 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"tag name","selector":"(//div[@class='row'])[6]"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9cc407c3674993bf10400f19464fe7c5, findElement {using=tag name, value=(//div[@class='row'])[6]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\lankit\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63101}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63101/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9cc407c3674993bf10400f19464fe7c5</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source) at com.tutorialsninja.utility.Utility.sendTextToElement(Utility.java:76) at com.tutorialsninja.pages.DesktopsPage.selectProduct(DesktopsPage.java:66) at com.tutorialsninja.steps.DesktopSteps.iSelectTheProduct(DesktopSteps.java:40) at ?.I select the product "HTC Touch HD"(file:///C:/Users/ankit/IdeaProjects/tutorialsninja-sw-6/src/test/resources/features/desktopstest.feature:24) * Not displayable characters are replaced by '?'. </pre>		
8	And I get the text product "HTC Touch HD"	SKIPPED	0.001 s
9	And I enter qty one using select class	SKIPPED	0.000 s
10	And I click on add to cart button	SKIPPED	0.000 s
11	And I get the message Success: You have added "HTC Touch HD" to your shopping cart!	SKIPPED	0.000 s
12	And I click on shopping cart display into the success message	SKIPPED	0.001 s
13	Then I get a text "Shopping Cart"	SKIPPED	0.000 s
14	Then I get the product name "HTC Touch HD"	SKIPPED	0.000 s
15	Then I get the model name "Product 1"	SKIPPED	0.000 s
16	Then I get the price "£74.73"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.551 s
	User should verify that product added to shopping cart successfully		
			



User should verify that product added to shopping cart successfully

<div>FAILED</div> <div>DURATION - 32.725 s</div>			<div>Steps</div> <div>Total - 16</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 6:18:39.137 pm // 6:19:11.862 pm /				
Desktop test				
@regression @sanity				


#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on currency dropdown	PASSED	0.200 s
3	And I click on £pound Sterling	PASSED	1.013 s
4	And I click on Desktops tab	PASSED	0.239 s
5	And I call selectMenu and pass all desktop "Show AllDesktops"	PASSED	1.549 s
6	And I click on sort by position A to Z "Name (A - Z)"	PASSED	0.671 s
7	And I select the product "iPhone"	FAILED	20.090 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"tag name","selector":"(//div[@class='row'])[6]"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [097f0daea6ad9acfc7e8373e526ccc38, findElement {using=tag name, value=(//div[@class='row'])[6]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\lankit\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63128}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63128/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 097f0daea6ad9acfc7e8373e526ccc38</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source) at com.tutorialsninja.utility.Utility.sendTextToElement(Utility.java:76) at com.tutorialsninja.pages.DesktopsPage.selectProduct(DesktopsPage.java:66) at com.tutorialsninja.steps.DesktopSteps.iSelectTheProduct(DesktopSteps.java:40) at ?.I select the product "iPhone"(file:///C:/Users/ankit/IdeaProjects/tutorialsninja-sw-6/src/test/resources/features/desktopstest.feature:24) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
8	And I get the text product "iPhone"	SKIPPED	0.000 s
9	And I enter qty one using select class	SKIPPED	0.000 s
10	And I click on add to cart button	SKIPPED	0.001 s
11	And I get the message Success: You have added "iPhone" to your shopping cart!	SKIPPED	0.000 s
12	And I click on shopping cart display into the success message	SKIPPED	0.000 s
13	Then I get a text "Shopping Cart"	SKIPPED	0.000 s
14	Then I get the product name "iPhone"	SKIPPED	0.000 s
15	Then I get the model name "product 11"	SKIPPED	0.000 s
16	Then I get the price "£75.46"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.512 s
	User should verify that product added to shopping cart successfully		
			



User should verify that product added to shopping cart successfully

<div>FAILED</div> <div>DURATION - 29.830 s</div>			<div>Steps</div> <div>Total - 16</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 6:19:11.878 pm // 6:19:41.708 pm /				
Desktop test				
@regression @sanity				


#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on currency dropdown	PASSED	0.184 s
3	And I click on £pound Sterling	PASSED	1.089 s
4	And I click on Desktops tab	PASSED	0.222 s
5	And I call selectMenu and pass all desktop "Show AllDesktops"	PASSED	1.461 s
6	And I click on sort by position A to Z "Name (A - Z)"	PASSED	0.645 s
7	And I select the product "iPod Classic"	FAILED	20.048 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"tag name","selector":"(//div[@class='row'])[6]"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3aa96c447c6699243b9c3288364ad0c, findElement {using=tag name, value=(//div[@class='row'])[6]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\lankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63153}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63153/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3aa96c447c6699243b9c3288364ad0c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source) at com.tutorialsninja.utility.Utility.sendTextToElement(Utility.java:76) at com.tutorialsninja.pages.DesktopsPage.selectProduct(DesktopsPage.java:66) at com.tutorialsninja.steps.DesktopSteps.iSelectTheProduct(DesktopSteps.java:40) at ?.I select the product "iPod Classic"(file:///C:/Users/ankit/IdeaProjects/tutorialsninja-sw-6/src/test/resources/features/desktopstest.feature:24) * Not displayable characters are replaced by '?'. </pre>		
8	And I get the text product "iPod Classic"	SKIPPED	0.000 s
9	And I enter qty one using select class	SKIPPED	0.001 s
10	And I click on add to cart button	SKIPPED	0.000 s
11	And I get the message Success: You have added "iPod Classic" to your shopping cart!	SKIPPED	0.000 s
12	And I click on shopping cart display into the success message	SKIPPED	0.001 s
13	Then I get a text "Shopping Cart"	SKIPPED	0.000 s
14	Then I get the product name "iPod Classic"	SKIPPED	0.000 s
15	Then I get the model name "product 20"	SKIPPED	0.001 s
16	Then I get the price "£74.73"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.532 s
	User should verify that product added to shopping cart successfully		
			



User should verify that product added to shopping cart successfully

<div>FAILED</div> <div>DURATION - 29.756 s</div>			<div>Steps</div> <div>Total - 16</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 6:19:41.727 pm // 6:20:11.483 pm /				
Desktop test				
@regression @sanity				


#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on currency dropdown	PASSED	0.177 s
3	And I click on £pound Sterling	PASSED	0.985 s
4	And I click on Desktops tab	PASSED	0.231 s
5	And I call selectMenu and pass all desktop "Show AllDesktops"	PASSED	1.525 s
6	And I click on sort by position A to Z "Name (A - Z)"	PASSED	0.592 s
7	And I select the product "MacBook"	FAILED	20.100 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"tag name","selector":"(//div[@class='row'])[6]"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9767cb21fe65e0ab4f3011863353fc1c, findElement {using=tag name, value=(//div[@class='row'])[6]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\lankit\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63178}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63178/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9767cb21fe65e0ab4f3011863353fc1c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source) at com.tutorialsninja.utility.Utility.sendTextToElement(Utility.java:76) at com.tutorialsninja.pages.DesktopsPage.selectProduct(DesktopsPage.java:66) at com.tutorialsninja.steps.DesktopSteps.iSelectTheProduct(DesktopSteps.java:40) at ?.I select the product "MacBook"(file:///C:/Users/ankit/IdeaProjects/tutorialsninja-sw-6/src/test/resources/features/desktopstest.feature:24) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
8	And I get the text product "MacBook"	SKIPPED	0.000 s
9	And I enter qty one using select class	SKIPPED	0.000 s
10	And I click on add to cart button	SKIPPED	0.000 s
11	And I get the message Success: You have added "MacBook" to your shopping cart!	SKIPPED	0.000 s
12	And I click on shopping cart display into the success message	SKIPPED	0.000 s
13	Then I get a text "Shopping Cart"	SKIPPED	0.001 s
14	Then I get the product name "MacBook"	SKIPPED	0.000 s
15	Then I get the model name "Product 16"	SKIPPED	0.000 s
16	Then I get the price "£368.73"	SKIPPED	0.001 s
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.537 s
	User should verify that product added to shopping cart successfully		
			



User should verify that product added to shopping cart successfully

<div>FAILED</div> <div>DURATION - 29.615 s</div>		<div></div>	<div>Steps</div> <div>Total - 16</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 9</div>	<div></div>
/ 6:20:11.495 pm // 6:20:41.110 pm /				
Desktop test				
@regression @sanity				


#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on currency dropdown	PASSED	0.174 s
3	And I click on £pound Sterling	PASSED	0.988 s
4	And I click on Desktops tab	PASSED	0.220 s
5	And I call selectMenu and pass all desktop "Show AllDesktops"	PASSED	1.436 s
6	And I click on sort by position A to Z "Name (A - Z)"	PASSED	0.604 s
7	And I select the product "MacBook Air"	FAILED	20.080 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"tag name","selector":"(//div[@class='row'])[6]"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [028b1f284a80d0288db7ce4111cefd7d, findElement {using=tag name, value=(//div[@class='row'])[6]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\lankit\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63208}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63208/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 028b1f284a80d0288db7ce4111cefd7d</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source) at com.tutorialsninja.utility.Utility.sendTextToElement(Utility.java:76) at com.tutorialsninja.pages.DesktopsPage.selectProduct(DesktopsPage.java:66) at com.tutorialsninja.steps.DesktopSteps.iSelectTheProduct(DesktopSteps.java:40) at ?.I select the product "MacBook Air"(file:///C:/Users/ankit/IdeaProjects/tutorialsninja-sw-6/src/test/resources/features/desktopstest.feature:24) * Not displayable characters are replaced by '?'. </pre>		
8	And I get the text product "MacBook Air"	SKIPPED	0.000 s
9	And I enter qty one using select class	SKIPPED	0.001 s
10	And I click on add to cart button	SKIPPED	0.000 s
11	And I get the message Success: You have added "MacBook Air" to your shopping cart!	SKIPPED	0.000 s
12	And I click on shopping cart display into the success message	SKIPPED	0.000 s
13	Then I get a text "Shopping Cart"	SKIPPED	0.001 s
14	Then I get the product name "MacBook Air"	SKIPPED	0.000 s
15	Then I get the model name "Product 17"	SKIPPED	0.000 s
16	Then I get the price "£736.23"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.470 s
	User should verify that product added to shopping cart successfully		
			



User should verify that product added to shopping cart successfully

<div>FAILED</div> <div>DURATION - 48.635 s</div>			<div>Steps</div> <div>Total - 16</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 6:20:41.119 pm // 6:21:29.754 pm /				
Desktop test				
@regression @sanity				



#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on currency dropdown	PASSED	0.168 s
3	And I click on £pound Sterling	PASSED	2.161 s
4	And I click on Desktops tab	PASSED	0.180 s
5	And I call selectMenu and pass all desktop "Show AllDesktops"	PASSED	4.634 s
6	And I click on sort by position A to Z "Name (A - Z)"	PASSED	0.925 s
7	And I select the product "Sony VAIO"	FAILED	20.049 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"tag name","selector":"(//div[@class='row'])[6]"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [640062203faab98987793f74ada31fcb, findElement {using=tag name, value=(//div[@class='row'])[6]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\lankit\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63230}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63230/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 640062203faab98987793f74ada31fcb</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source) at com.tutorialsninja.utility.Utility.sendTextToElement(Utility.java:76) at com.tutorialsninja.pages.DesktopsPage.selectProduct(DesktopsPage.java:66) at com.tutorialsninja.steps.DesktopSteps.iSelectTheProduct(DesktopSteps.java:40) at ?.I select the product "Sony VAIO"(file:///C:/Users/ankit/IdeaProjects/tutorialsninja-sw-6/src/test/resources/features/desktopstest.feature:24) * Not displayable characters are replaced by '?'. </pre>		
8	And I get the text product "Sony VAIO"	SKIPPED	0.000 s
9	And I enter qty one using select class	SKIPPED	0.000 s
10	And I click on add to cart button	SKIPPED	0.000 s
11	And I get the message Success: You have added "Sony VAIO" to your shopping cart!	SKIPPED	0.000 s
12	And I click on shopping cart display into the success message	SKIPPED	0.000 s
13	Then I get a text "Shopping Cart"	SKIPPED	0.001 s
14	Then I get the product name "Sony VAIO"	SKIPPED	0.000 s
15	Then I get the model name "Product 19"	SKIPPED	0.000 s
16	Then I get the price "£736.23"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.498 s
	User should verify that product added to shopping cart successfully		
			

My account test



PASSED	DURATION - 46.171 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0		Steps Total - 39 Pass - 39 Fail - 0 Skip - 0	
/ 6:21:29.783 pm // 6:22:15.954 pm /					

User should navigate to register page successfully

<div>PASSED</div> <div>DURATION - 10.067 s</div>		<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 6:21:29.784 pm // 6:21:39.851 pm /			
My account test			
@smoke @regression @sanity			



#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.001 s
2	When I click on my account link	PASSED	0.221 s
3	And I call the method select my account option and pass parameter "Register"	PASSED	1.473 s
4	And I should navigate to register page	PASSED	0.000 s
5	Then I get a register text "Register Account"	PASSED	0.090 s

User should navigate to login page successfully

<div>PASSED</div> <div>DURATION - 9.761 s</div>		Steps	
/ 6:21:39.855 pm // 6:21:49.616 pm /		Total - 4	
My account test		Pass - 4	
@regression @sanity		Fail - 0	
		Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on my account link	PASSED	0.190 s
3	And I call the method select my account option and pass parameter "Login"	PASSED	0.671 s
4	Then I get a login page text "Returning Customer"	PASSED	0.062 s

User should Register account successfully

PASSED	DURATION - 13.711 s		Steps Total - 18 Pass - 18 Fail - 0 Skip - 0	
/ 6:21:49.621 pm // 6:22:03.332 pm /				
My account test				
@regression				

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on my account link	PASSED	0.215 s
3	And I call the method select my account option and pass parameter "Register"	PASSED	1.279 s
4	And I enter first name	PASSED	0.153 s
5	And I enter last name	PASSED	0.152 s
6	And I enter email	PASSED	0.178 s
7	And I enter telephone	PASSED	0.102 s
8	And I enter password	PASSED	0.128 s
9	And I enter confirm password	PASSED	0.116 s
10	And I select yes radio button for subscription	PASSED	0.057 s
11	And I click on privacy policy check box	PASSED	0.065 s
12	And I click on continue	PASSED	0.989 s
13	And I get account creation message "Your Account Has Been Created!"	PASSED	0.046 s
14	And I click on click after account creation message	PASSED	0.057 s
15	And I click on my account link	PASSED	0.158 s
16	And I call the method select my account option and pass parameter "Logout"	PASSED	1.067 s
17	Then I get a logout text "Logout"	PASSED	0.038 s
18	Then I click on continue logOut button	PASSED	0.481 s

User should navigate to login and logout successfully



<div>PASSED</div> <div>DURATION - 12.617 s</div>	<div></div>	<div>Steps</div> <div>Total - 12</div> <div>Pass - 12</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:22:03.337 pm // 6:22:15.954 pm /</div>			
<div>My account test</div>			
<div>@regression</div>			

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on my account link	PASSED	0.176 s
3	And I call the method select my account option and pass parameter "Login"	PASSED	0.679 s
4	And I enter email address	PASSED	0.165 s
5	And I enter password to login	PASSED	0.093 s
6	And I click on login button	PASSED	1.311 s
7	And I navigate to my account	PASSED	0.000 s
8	And I get a account text "My Account"	PASSED	0.040 s
9	And I click on my account link	PASSED	0.153 s
10	And I call the method select my account option and pass parameter "Logout"	PASSED	0.890 s
11	Then I get a logout text "Logout"	PASSED	0.036 s
12	Then I click on continue logOut button	PASSED	0.500 s

Top menu test Feature



<div>PASSED</div> <div>DURATION - 44.480 s</div>		<div>Scenarios</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 15</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div></div>
<div>/ 6:22:15.958 pm // 6:23:00.438 pm /</div>					

User should navigate to Desktops page successfully

PASSED	DURATION - 10.620 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 6:22:15.959 pm // 6:22:26.579 pm /				
Top menu test Feature				
@smoke @regression @sanity				


#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on Desktops tab	PASSED	0.189 s
3	And I call selectMenu and pass all desktop "Show AllDesktops"	PASSED	1.258 s
4	And I should navigate to desktop page	PASSED	0.000 s
5	Then I should get desktop text like "Desktops"	PASSED	0.089 s

User should navigate to Laptops and Notebooks page successfully

PASSED	DURATION - 9.612 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 6:22:26.584 pm // 6:22:36.196 pm /				
Top menu test Feature				
@regression @sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on Laptop and Notebooks tab	PASSED	0.182 s
3	And I call selectMenu and pass all laptop and notebook "Show AllLaptops & Notebooks"	PASSED	0.845 s
4	And I should navigate to laptop and notebook page	PASSED	0.000 s
5	Then I should get laptop and notebook text like "Laptops & Notebooks"	PASSED	0.048 s

User should navigate to Components page successfully



#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.001 s
2	When I click on Components tab	PASSED	0.194 s
3	And I call selectMenu and pass all components "Show AllComponents"	PASSED	1.224 s
4	And I should navigate to Components page	PASSED	0.001 s
5	Then I should get components like "Components"	PASSED	0.120 s