

# Cucumber Report

18 Dec 2023, 11:43:13

**Start : Dec 18, 11:42:22.936 am**

**End : Dec 18, 11:43:12.176 am**

**Duration : 49.240 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 15**

**FAILED - 1**

**SKIPPED - 11**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Laptop and Notebook test</u>	49.240 s	1	0	1	0	27	15	1	11

#	Feature Name	Scenario Name
1	<u>Laptop and Notebook test</u>	<u>User should place the order successfully</u>

<b><i>TAG</i></b>	<b><i>Scenario</i></b>				<b><i>Feature</i></b>			
<b><i>Name</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@ak	1	0	1	0	1	0	1	0
@regression	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Laptop and Notebook test</u>	1	0	1	0	49.240 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Laptop and Notebook test</u>	<u>User should place the order successfully</u>	27	15	1	11	49.238 s

## Laptop and Notebook test

<b>FAILED</b>	DURATION - 49.240 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 27 Pass - 15 Fail - 1 Skip - 11	
/ 11:42:22.936 am // 11:43:12.176 am /					

## User should place the order successfully

<div>FAILED</div> <div>DURATION - 49.238 s</div>		<div></div>	<div>Steps</div> <div>Total - 27</div> <div>Pass - 15</div> <div>Fail - 1</div> <div>Skip - 11</div>	<div></div>
<div>/ 11:42:22.938 am // 11:43:12.176 am /</div>				
<div>Laptop and Notebook test</div>				
<div>@ak @regression</div>				

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.002 s
2	When I click on Laptop and Notebooks tab	PASSED	0.250 s
3	And I call selectMenu and pass all laptop and notebook "Show AllLaptops & Notebooks"	PASSED	2.471 s
4	And I should navigate to laptop and notebook page	PASSED	0.000 s
5	And I click on sort by price "Price (High > Low)"	PASSED	0.669 s
6	And I click on macbook	PASSED	5.414 s
7	And I get a text macbook "MacBook"	PASSED	0.061 s
8	And I click on the add to cart button	PASSED	0.074 s
9	And I get a message for macbook is Success: You have added MacBook to your shopping cart!	PASSED	0.373 s
10	And I click on shopping cart display into the success message for macbook	PASSED	0.559 s
11	And I get a shopping cart text "Shopping Cart (0.00kg)"	PASSED	0.049 s
12	And I get a macbook product name "MacBook"	PASSED	0.041 s
13	And I change the qty to "2"	PASSED	0.158 s
14	And I click on update tab	PASSED	0.719 s
15	And I get a modify cart message Success: You have modified your shopping cart!	PASSED	0.044 s

#	Step / Hook Details	Status	Duration
16	<p>And I get a price for macbook "£737.45"</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//td[contains(text(),£737.45)][3]"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [455ddb87e5a4c29e7b9a1b0cdbcccad9, findElement {using=xpath, value=//td[contains(text(),£737.45)][3]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52203}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52203/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 455ddb87e5a4c29e7b9a1b0cdbcccad9</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source)  at com.tutorialsninja.utility.Utility.getTextFromElement(Utility.java:65)  at com.tutorialsninja.pages.ShoppingCartPage.verifyTotalPrice(ShoppingCartPage.java:130)  at com.tutorialsninja.steps.LaptopAndNotebookSteps.iGetAPriceForMacbook(LaptopAndNotebookSteps.java:84)  at ?.I get a price for macbook "£737.45"(file:///C:/Users/ankit/IdeaProjects/tutorialsninja-sw-6/src/test/resources/features/Laptopsandnotebooktest.feature:34)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	20.116 s
17	And I click on check out button	SKIPPED	0.000 s
18	And I get a checkout text is "Checkout"	SKIPPED	0.000 s
19	And I get new customer text is "New Customer"	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
20	And I click on guest checkout button	SKIPPED	0.000 s
21	And I click on continue button	SKIPPED	0.000 s
22	And I fill all mandatory fields	SKIPPED	0.000 s
23	And I click on continue button for guest	SKIPPED	0.000 s
24	And I add comment about order in text area	SKIPPED	0.000 s
25	And I check the terms and conditions	SKIPPED	0.000 s
26	And I click on continue button for payment method	SKIPPED	0.000 s
27	Then I get a warning message Warning: Payment method required!	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.404 s
	User should place the order successfully		
	