
100

Cucumber Report

100



Feature			Scenario					Step		
Name	Duration	T	P	F	S	T	P	F	S	
Find the dealers and verify	15.261 s	1	0	1	0	5	4	1	0	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Find the dealers and verify	Find the dealers and verify the dealers are in list

TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@ak	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Find the dealers and verify	1	0	1	0	15.261 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Find the dealers and verify	Find the dealers and verify the dealers are in list	5	4	1	0	15.248 s

DETAILED SECTION -- 7 --

Find the dealers and verify

FAILED	DURATION - 15.261 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 10:54:37.470 pm //	/ 10:54:52.731 pm /	Pass - 0	1	Pass - 4	5
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Find the dealers and verify the dealers are in list



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.535 s
3	And I click 'Find a Dealer'	PASSED	3.329 s
4	Then I navigate to 'car-dealers' page	PASSED	0.002 s
5	And I should see the dealer names <dealersname> are display on page</dealersname>	FAILED	0.020 s
	dealersName 3 Point Motors Epping 4WD Specialist Group 5 Star Auto A & M Car Sales Pty Ltd A1 MOTORS COMPANY ANDREA MOTORI SERVICE Oxford Motors		
	io.cucumber.core.exception.CucumberException: Step [I should see the dealer names <dealersname> are display on page] is defined with 2 parameters at 'com.carsguide.steps.FindDealerSteps.iShouldSeeTheDealerNamesDealersNameAreDisplayOnPage(io.cucumber.datatable. DataTable,java.lang.String)'. However, the gherkin step has 1 arguments: * Table: dealersName 3 Point Motors Epping </dealersname>		

#	Step / Hook Details	Status	Duration
	4WD Specialist Group 5 Star Auto A & M Car Sales Pty Ltd A1 MOTORS COMPANY ANDREA		
	MOTORI SERVICE Oxford Motors Step text: I should see the dealer names <dealersname> are display on page</dealersname>		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testing.TestNG.runSuites(CestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1214)		
	at org.testing.TestNG.run(TestNG.java:1114) at org.testing.TestNG.run(TestNG.java:1082)		
	at organistrating restrating restrating restrations		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	AFTER - com.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.088 s
	Find the dealers and verify the dealers are in list		
	CAT (Spide basis and Cat of Ca		
	Bits of PAGE Charles have to advanced by the Charles have to advance have the Charles have the C		
	2 No. 1940/1958 2 No. 1940/195		
	NATE OF THE PROPERTY OF THE PR		