

Cucumber Report

21 Dec 2023, 14:02:44

Start : Dec 21, 2:02:29.285 pm

End : Dec 21, 2:02:41.960 pm

Duration : 12.675 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 4
FAILED - 1
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Find the dealers and verify</u>	12.675 s	1	0	1	0	5	4	1	0

#	Feature Name	Scenario Name
1	<u>Find the dealers and verify</u>	<u>Find the dealers and verify the dealers are in list</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ak	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Find the dealers and verify</u>	1	0	1	0	12.675 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Find the dealers and verify</u>	<u>Find the dealers and verify the dealers are in list</u>	5	4	1	0	12.672 s

Find the dealers and verify

FAILED	DURATION - 12.675 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 4 Fail - 1 Skip - 0	
/ 2:02:29.285 pm // 2:02:41.960 pm /					

Find the dealers and verify the dealers are in list

<div>FAILED</div> <div>DURATION - 12.672 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:02:29.288 pm // 2:02:41.960 pm /</div>				
<div>Find the dealers and verify</div>				
<div>@ak</div>				

#	Step / Hook Details	Status	Duration								
1	Given I am on homepage	PASSED	0.002 s								
2	When I mouse hover on “buy+sell” tab	PASSED	0.286 s								
3	And I click ‘Find a Dealer’	PASSED	3.512 s								
4	Then I navigate to ‘car-dealers’ page	PASSED	0.001 s								
5	And I should see the dealer names <dealersName> are display on page	FAILED	0.022 s								
	<table><tr><td>dealersName</td></tr><tr><td>3 Point Motors Epping</td></tr><tr><td>4WD Specialist Group</td></tr><tr><td>5 Star Auto</td></tr><tr><td>A & M Car Sales Pty Ltd</td></tr><tr><td>A1 MOTORS COMPANY</td></tr><tr><td>ANDREA MOTORI SERVICE</td></tr><tr><td>Oxford Motors</td></tr></table>	dealersName	3 Point Motors Epping	4WD Specialist Group	5 Star Auto	A & M Car Sales Pty Ltd	A1 MOTORS COMPANY	ANDREA MOTORI SERVICE	Oxford Motors		
dealersName											
3 Point Motors Epping											
4WD Specialist Group											
5 Star Auto											
A & M Car Sales Pty Ltd											
A1 MOTORS COMPANY											
ANDREA MOTORI SERVICE											
Oxford Motors											
	io.cucumber.core.exception.CucumberException: Step [I should see the dealer names <dealersName> are display on page] is defined with 2 parameters at 'com.carsguide.steps.FindDealerSteps.iShouldSeeTheDealerNamesDealersNameAreDisplayOnPage(io.cucumber.datatable.DataTable,java.lang.String)'. However, the gherkin step has 1 arguments: * Table: dealersName 3 Point Motors Epping										

#	Step / Hook Details	Status	Duration
	<p> 4WD Specialist Group 5 Star Auto A & M Car Sales Pty Ltd A1 MOTORS COMPANY ANDREA MOTORI SERVICE Oxford Motors Step text: I should see the dealer names <dealersName> are display on page</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:56)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)</p> <p>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)</p> <p>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)</p> <p>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)</p> <p>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</p> <p>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)</p> <p>at org.testng.TestRunner.privateRun(TestRunner.java:848)</p> <p>at org.testng.TestRunner.run(TestRunner.java:621)</p> <p>at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)</p> <p>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)</p> <p>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)</p> <p>at org.testng.SuiteRunner.run(SuiteRunner.java:336)</p> <p>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)</p> <p>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)</p> <p>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)</p> <p>at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)</p> <p>at org.testng.TestNG.runSuites(TestNG.java:1114)</p> <p>at org.testng.TestNG.run(TestNG.java:1082)</p>		

#	Step / Hook Details	Status	Duration
	at com.intelij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intelij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	AFTER - com.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.241 s
	Find the dealers and verify the dealers are in list		
	