राष्ट्रीय मौसम पूर्वानुमान केन्द्र
भारत मौसम विज्ञान विभाग
पृथ्वी विज्ञान मंत्रालय

National Weather Forecasting Centre
India Meteorological Department
Ministry of Earth Sciences

2026-10-31
Time of Issue: 16:41:00 hours IST
(Evening)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather Forecast and Warnings

South Peninsular India:

- **Isolated to Scattered** rainfall likely over Tamil Nadu, Puducherry & Karaikal during 31st October-6th November; Kerala & Mahe on 31st October and during 3rd-4th November; Lakshadweep during 1st-6th November; Coastal Andhra Pradesh & Yanam, Coastal Karnataka, Rayalaseema and Telangana during 31st October-1st November and during 4th-6th November; North Interior Karnataka and South Interior Karnataka during 31st October-1st November and during 5th-6th November.
- **Fairly Widespread to Widespread** rainfall likely over Kerala & Mahe during 1st-2nd November and during 5th-6th November; Coastal Andhra Pradesh & Yanam, Coastal Karnataka, Rayalaseema and Telangana during 2nd-3rd November; North Interior Karnataka and South Interior Karnataka during 2nd-4th November.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Coastal Andhra Pradesh & Yanam on 2nd November and on 4th November; Rayalaseema during 2nd-4th November; Telangana during 2nd-3rd November, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Kerala & Mahe, North Interior Karnataka and South Interior Karnataka during 1st-4th November; Coastal Andhra Pradesh & Yanam and Rayalaseema during 31st October-1st November; Telangana during 31st October-1st November and on 4th November.
- Isolated **thunderstorm & lightning** likely over Tamil Nadu, Puducherry & Karaikal during 1st-4th November; Coastal Karnataka during 1st-3rd November.
- Isolated **heavy rainfall** likely over Tamil Nadu, Puducherry & Karaikal and Telangana during 2nd-3rd November; Kerala & Mahe during 1st-4th November; Coastal Karnataka on 4th November; North Interior Karnataka on 3rd November; South Interior Karnataka during 2nd-5th November; Coastal Andhra Pradesh & Yanam on 1st November and on 4th November with isolated **very heavy rainfall** also likely over Coastal Andhra Pradesh & Yanam on 3rd November; Rayalaseema during 2nd-3rd November.
- Isolated **extremely heavy rainfall** likely over Coastal Andhra Pradesh & Yanam on 2nd November.
- **Thundersquall (wind speed reaching 50-60 kmph gusting to 70 kmph)** likely over Coastal Andhra Pradesh & Yanam on 3rd November.
- Strong Surface Winds likely over Coastal Andhra Pradesh & Yanam and Rayalaseema during 31st October-4th November.

East India:

- **Fairly Widespread to Widespread** rainfall likely over Andaman & Nicobar Islands on 31st October.
- **Isolated to Scattered** rainfall likely over Andaman & Nicobar Islands during 1st-6th November; Gangetic West Bengal and Sub-Himalayan West Bengal & Sikkim during 31st October-3rd November; Jharkhand during 31st October-5th November; Bihar during 31st October-2nd November; Odisha during 31st October-6th November.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Andaman & Nicobar Islands on 31st October; Odisha during 31st October-4th November, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Bihar, Gangetic West Bengal and Sub-Himalayan West Bengal & Sikkim on 31st October.
- Isolated **heavy rainfall** likely over Odisha during 3rd-4th November.

Central India:

- **Isolated to Scattered** rainfall likely over East Madhya Pradesh and West Madhya Pradesh during 31st October-4th November; Vidarbha during 31st October-1st November; Chhattisgarh on 1st November and during 4th-6th November.
- **Fairly Widespread to Widespread** rainfall likely over Chhattisgarh on 31st October and during 2nd-3rd November.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely

over Chhattisgarh on 2nd November, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over West Madhya Pradesh on 31st October and on 4th November; East Madhya Pradesh during 2nd-4th November.

- Isolated **thunderstorm & lightning** likely over East Madhya Pradesh and Vidarbha during 31st October-1st November; Chhattisgarh during 31st October-1st November and during 3rd-4th November.
- Isolated **heavy rainfall** likely over Chhattisgarh during 3rd-4th November.
- **Northeast India:**
- **Isolated to Scattered** rainfall likely over Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura during 31st October-6th November.
- Isolated **thunderstorm & lightning** likely over Assam & Meghalaya on 31st October and on 2nd November; Nagaland, Manipur, Mizoram & Tripura on 31st October.
- Isolated **heavy rainfall** likely over Arunachal Pradesh during 1st-2nd November.
-

Wind warnings:

Andaman & Nicobar Islands and Andaman Sea:

- Squally weather with wind speed reaching 40-50 gusting to 60 kmph is prevailing over southeast Bay of Bengal and adjoining areas of Andaman & Nicobar Islands and Andaman Sea today, the 31st October, 2026. It is likely to continue till 1st November morning.

Southeast and adjoining Eastcentral Bay of Bengal:

- Squally weather with wind speed reaching 40-50 gusting to 60 kmph is prevailing over southeast Bay of Bengal today, the 31st October, 2026. It is likely to increase becoming 55-65 gusting to 75 kmph over southeast Bay of Bengal by early morning of 1st November. It would increase further becoming 65-75 gusting to 85 kmph over western parts of southeast Bay of Bengal from forenoon of 1st November till morning of 2nd November and decrease gradually thereafter, becoming 40-50 gusting to 60 kmph from 2nd November evening to midnight and improve thereafter.

Westcentral Bay of Bengal:

- Squally weather with wind speed reaching 40-50 gusting to 60 kmph is likely to commence from 1st November, morning. It is likely to increase becoming gale wind speed reaching 65-75 gusting to 85 kmph from afternoon of 1st November and 80-90 gusting to 100 kmph from 2nd November morning to 3rd November, forenoon. It would decrease gradually thereafter, becoming 55-65 gusting to 75 kmph by 3rd November evening and 40-50 gusting to 60 kmph by 4th morning for subsequent 6 hours and improve thereafter.

Southwest Bay of Bengal:

- Squally weather with wind speed reaching 40-50 gusting to 60 kmph is likely to commence from 1st November, morning. It is likely to increase becoming 55-65 gusting to 75 kmph from morning of 2nd to 3rd November morning. It would decrease gradually thereafter, becoming 40-50 gusting to 60 kmph from 3rd November evening till 4th November, morning.

❖ **Along & off Andhra Pradesh coast**:

- Squally wind speed reaching 40-50 gusting to 60 kmph likely to commence along and off Andhra Pradesh, North Tamil Nadu and Puducherry coasts from 1st November evening. It is very likely to increase gradually becoming gale wind speed reaching 65-75 gusting to 85 kmph by 2nd November afternoon and 80-90 gusting to 100 kmph from 2nd November evening to 3rd November, forenoon. It would decrease gradually thereafter, becoming 55-65 gusting to 75 kmph by 3rd November evening and 40-50 gusting to 60 kmph by 4th morning for subsequent 6 hours and improve thereafter.

Along & off North Tamil Nadu- Puducherry coasts:

- Squally weather with wind speed reaching 40-50 gusting to 60 kmph is likely to commence from 1st November evening. It is likely to increase becoming 55-65 gusting to 75 kmph from morning of 2nd to 3rd November morning. It would decrease gradually thereafter, becoming 40-50 gusting to 60 kmph from 3rd November evening to 4th November, morning.

Northwest Bay of Bengal and along & off South Odisha coast:

- Squally weather with wind speed reaching 40-50 gusting to 60 kmph is likely to commence from 2nd November, evening. It is likely to increase becoming 50-60 gusting to 70 kmph from 3rd November, early morning to evening. It would decrease gradually thereafter, becoming 40-50 gusting to 60 kmph from 3rd November night to 4th November, afternoon.

Sea condition:

Andaman & Nicobar Islands and Andaman Sea:

- Rough to Very Rough Sea Condition is very likely to prevail over Andaman Sea and adjoining Andaman and Nicobar Islands till 1st November morning.

Southeast and adjoining eastcentral Bay of Bengal:

- Sea condition is likely to be rough to very rough till early morning of 1st November. It would deteriorate further becoming Very Rough to High over western parts of southeast & adjoining eastcentral Bay of Bengal from forenoon of 1st November till morning of 2nd November. Thereafter, it would start improving becoming Very Rough to Rough from 2nd November evening to midnight and improve gradually thereafter.

Westcentral Bay of Bengal:

- Sea condition is likely to be Rough to Very Rough from 1st November, morning. It is very likely to deteriorate further becoming Very Rough to High from afternoon of 1st November till 3rd November, forenoon. Thereafter, it would start improving becoming Very Rough to Rough by 4th morning and improve thereafter.

Southwest Bay of Bengal:

- Sea condition is likely to be Rough to Very Rough from 1st November, morning till 3rd November noon. It would improve gradually thereafter, becoming Very Rough to Rough till 4th November, morning.

Along & off Andhra Pradesh coast:

- Sea condition is likely to be Rough to Very Rough from 1st November evening. It is very likely to deteriorate thereafter, becoming High by 2nd November afternoon till 3rd November, forenoon. Thereafter, it would start improving becoming Very Rough to Rough till 4th afternoon and improve thereafter.

Along & off North Tamil Nadu- Puducherry coasts:

- Sea condition is likely to be Rough to Very Rough from 1st November, morning till 4th November, morning. It would improve gradually thereafter.

Northwest Bay of Bengal and along & off South Odisha coast:

- Sea condition is likely to be rough to very rough from 2nd November, evening till 4th November, afternoon and would improve thereafter.

Fishermen warnings:

Fishermen are advised not to venture into:

- Andaman Sea and along & off Andaman & Nicobar Islands till 1st November morning.
- Southeast & adjoining Eastcentral Bay of Bengal on 1st and 2nd November,
- Southwest Bay of Bengal from morning of 01st November to morning of 4th November
- Westcentral Bay of Bengal from morning of 01st to 4th November afternoon
- Along & off Andhra Pradesh coast from morning of 2nd to 4th November afternoon
- Along & off North Tamil Nadu- Puducherry coasts from morning of 01st to 4th November morning.
- Northwest Bay of Bengal and along & off South Odisha coast from evening of 2nd to 4th November afternoon

Main Weather Observations:

❖ **Rainfall distribution** (from 0830 hours IST of yesterday to 0830 hours IST of today): **at most places** over Andaman & Nicobar Islands, Gangetic West Bengal, Bihar and East Uttar Pradesh; **at many places** over Sub Himalayan West Bengal & Sikkim and Jharkhand; **at a few places** over Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Odisha, West Uttar Pradesh, Uttarakhand, East Madhya Pradesh, Chhattisgarh and Coastal Andhra Pradesh & Yanam; **at isolated places** over Arunachal Pradesh, Haryana-Chandigarh-Delhi, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, East Rajasthan, West Madhya Pradesh, Gujarat Region, Saurashtra & Kutch, Konkan & Goa, Madhya Maharashtra, Vidarbha, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka and South Interior Karnataka; **Dry** over rest of the country.

❖ **Significant rainfall recorded(in cm)** (from 0830 hours IST of yesterday to 0830 hours IST of today): **Coastal Andhra Pradesh & Yanam**: Chodavaram (dist Anakapalli) 50; Tanuku (dist West Godavari) 8; Yelamanchili (dist Anakapalli) 7; **Gangetic West Bengal**: Panagarh (IAF) (dist Paschim Bardhaman) 16; Nalhati (dist Birbhum) 8; Durgapur (dist Paschim Bardhaman), Luchipur (dist Paschim Bardhaman) 6 Each; **Andaman & Nicobar Islands**: Car Nicobar (dist Nicobar) 12; Iaf Carnicobar (dist Nicobar) 8; **Telangana**: Tadwai Mlg (dist Mulugu) 12; Ramannapeta (dist Y. Bhuvanagiri), Pochampalle (dist Y. Bhuvanagiri) 7 Each; Charminar (dist Hyderabad) 6; **Bihar**: Simri (dist Buxar) 9; Chakki (dist Buxar), Raghunathpur (dist Siwan) 8 Each; Barhampur (dist Buxar), Kesath (dist Buxar), Ziradei (dist Siwan), Yogapatti (dist West Champaran) 7 Each; Chanpatia (dist West Champaran), Siswan (dist Siwan), Gopalganj (dist Gopalganj), Nawanagar (dist Buxar), Bettiah (dist West Champaran), Sikta (dist West Champaran), Dumraon (dist Buxar), Mainatand (dist West Champaran), Narkatiaganj (dist West Champaran) 6 Each; **Chhattisgarh**: Manora (dist Jashpur) 7; **Sub Himalayan West Bengal & Sikkim**: Yuksom (dist Gyalshing) 7; **East Uttar Pradesh**: Basti (dist Basti), Basti CWC (dist Basti), Basti(t) (dist Basti), Trimohani Ghat Fmo (dist Maharajganj), Birdghat (dist Gorakhpur), Bansi Tehsil (dist Siddharth Nagar) 6 Each; **Saurashtra & Kutch**: Visavadar (dist Junagadh) 6.


❖ **Heavy Rainfall observed** (from 0830 hours IST of yesterday to 0830 hours IST of today):**Heavy to very heavy rain** at isolated places over Andaman & Nicobar Islands, Gangetic West Bengal and Telangana. **Heavy rain** at isolated places over Sub Himalayan West Bengal & Sikkim, Bihar, Chhattisgarh and Coastal Andhra Pradesh & Yanam.

❖ **Minimum Temperature Departures (as on 31-10-2026): markedly above normal(> 5.1°C)** at few places over Madhya Maharashtra; at isolated places over Assam & Meghalaya, Odisha, West Uttar Pradesh, Uttarakhand, West Madhya Pradesh, East Madhya Pradesh and Saurashtra & Kutch. **appreciably above normal(3.1°C to 5.0°C)** at many places over East Uttar Pradesh; at most places over Gujarat Region; at few places over Arunachal Pradesh, Nagaland, Manipur, Mizoram & Tripura, Chhattisgarh and Telangana; at isolated places over Andaman & Nicobar Islands, Sub Himalayan West Bengal & Sikkim, Gangetic West Bengal, Jharkhand, Bihar, Himachal Pradesh, West Rajasthan, East Rajasthan, Vidarbha, Coastal Andhra Pradesh & Yanam, Rayalaseema, Tamil Nadu, Puducherry & Karaikal and North Interior Karnataka. **above normal(1.6°C to 3.0°C)** at most places over Punjab; at few places over Haryana-Chandigarh-Delhi; at isolated places over Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad and Konkan & Goa. **near normal(-1.5°C to 1.5°C)** at many places over South Interior Karnataka and Kerala & Mahe; at most places over Coastal Karnataka and Lakshadweep; at isolated places over Marathwada. **The lowest minimum temperature** of 12.4°C was reported at UNA (HIMACHAL PRADESH) over the Plains of India.

❖ **Maximum Temperature Departures (as on 30-10-2026): near normal(-1.5°C to 1.5°C)** at many places over Kerala & Mahe; at most places over Tamil Nadu, Puducherry & Karaikal; at few places over Konkan & Goa.The **highest maximum temperature** of 37.9°C was reported at RAJKOT (A) (GUJARAT).

Meteorological Analysis (Based on 1430 hours IST)

- The **Low-Pressure Area (Remnant of Very Severe Cyclonic Storm "Arnab")** over southeast Uttar Pradesh & neighbourhood persisted over the same region at 1430 hrs IST of 31stOctober, 2026. However, the associated **cyclonic circulation** now extends upto 1.5 km above mean sea level as the system is under the influence of extra tropical westerlies.
- The **Well Marked Low pressure area** over Southeast Bay of Bengal and adjoining areas of Andaman & Nicobar Islands and Andaman Sea moved west-northwestwards and concentrated into a **depression** at 1130 hrs IST of today, the 31st October 2026 over the same region near latitude 10.0N and 90.2E, about 330 km west-southwest of Sri Vijayapuram, 300 km west-northwest of Car Nicobar, 1140 km east-southeast of Chennai and 1200 km southeast of Machilipatnam. It is very likely to move west-northwestwards and intensify into a deep depression over Southeast Bay of Bengal during next 12 hours. Continuing to move west-northwestwards, it is very likely to intensify further into a **cyclonic storm** over Southeast & adjoining areas of Southwest & West-central Bay of Bengal during subsequent 12 hours and reach over Westcentral Bay of Bengal near Andhra Pradesh coast around evening of 2nd November 2026.
- The **Western Disturbance** as a **cyclonic circulation** over north Haryana & neighbourhood at 4.5 km above mean sea level persists.
- The fresh **Western Disturbance** as a trough in middle & upper tropospheric westerlies with its axis at 5.8 km above mean sea level roughly along Long. 65°E to the north of Lat. 29°N persists.
- The **upper air cyclonic circulation** over south Maharashtra coast & neighbourhoodbetween 1.5 & 3.1 km above mean sea level persists.
- The **trough** from Southeast Arabian sea off Kerala-Karnataka coast to the upper air cyclonic circulation over south Maharashtra coast & neighbourhoodat 1.5 km above mean sea level persists.



31 October (Day 1)


❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Andaman & Nicobar Islands and Odisha.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Andhra Pradesh, Bihar, Madhya Maharashtra, Telangana, Uttarakhand, West Bengal & Sikkim and West Madhya Pradesh.

❖ **Thunderstorm accompanied with Lightning** very likely at isolated places over Assam & Meghalaya, Chhattisgarh, East Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura and Vidarbha.

❖ **Strong Surface Winds** very likely at isolated places over Andhra Pradesh.

❖ Squally weather with wind speed reaching 40-50 gusting to 60 kmph is prevailing over southeast Bay of Bengal, Southwest Bay of Bengal and adjoining areas of Andaman & Nicobar Islands, Andaman Sea, southeast Bay of Bengal. It is likely to increase becoming 55-65 gusting to 75 kmph over southeast Bay of Bengal



1 November (Day 2)

❖ **Heavy Rainfall** very likely at isolated places over Arunachal Pradesh, Coastal Andhra Pradesh and Kerala & Mahe.


❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Odisha.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Andhra Pradesh, Interior Karnataka, Kerala & Mahe and Telangana.

❖ **Thunderstorm accompanied with Lightning** very likely at isolated places over Chhattisgarh, Coastal Karnataka, East Madhya Pradesh, Tamil Nadu Puducherry & Karaikal and Vidarbha.

❖ **Strong Surface Winds** very likely at isolated places over Andhra Pradesh.

❖ Squally weather with wind speed reaching 65-75 gusting to 85 kmph is prevailing over western parts of southeast Bay of Bengal. Gale wind speed reaching 65-75 gusting to 85 kmph is prevailing over Westcentral Bay of Bengal. Squally weather with wind speed reaching 40-50 gusting to 60 kmph is prevailing over along & off Andhra Pradesh and North Tamil Nadu- Puducherry coasts



2 November (Day 3)

❖ **Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall** very likely at isolated places over Coastal Andhra Pradesh.

❖ **Heavy to Very Heavy Rainfall** very likely at isolated places over Rayalaseema.

❖ **Heavy Rainfall** very likely at isolated places over Arunachal Pradesh, Kerala & Mahe, Odisha, South Interior Karnataka, Tamil Nadu Puducherry & Karaikal and Telangana.


❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Andhra Pradesh, Chhattisgarh and Odisha.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over East Madhya Pradesh, Interior Karnataka, Kerala & Mahe and Vidarbha.

❖ **Thunderstorm accompanied with Lightning** very likely at isolated places over Assam & Meghalaya, Coastal Karnataka and Tamil Nadu Puducherry & Karaikal.

❖ **Strong Surface Winds** very likely at isolated places over Andhra Pradesh.

❖ Gale wind speed reaching 80-90 gusting to 100 kmph is prevailing over Westcentral Bay of Bengal. Gale wind speed reaching 65-75 gusting to 85 kmph in afternoon and 80-90 gusting to 100 kmph by evening prevailing over Along & off Andhra Pradesh coast. Squally weather with wind speed reaching 55-65 gusting to 75 kmph prevailing over Along & off North Tamil Nadu- Puducherry coasts. Squally weather with wind speed reaching 40-50 gusting to 60 kmph is prevailing over western parts of Southeast & Southwest Bay of Bengal, Northwest Bay of Bengal and along & off South Odisha coast.



3 November (Day 4)

❖ **Heavy to Very Heavy Rainfall** likely at isolated places over Andhra Pradesh and Odisha.

❖ **Heavy Rainfall** likely at isolated places over Chhattisgarh, Karnataka, Kerala & Mahe, Tamil Nadu Puducherry & Karaikal and Telangana.

❖ **Thundersquall with wind speed reaching(50-60kmph)** likely at isolated places over Coastal Andhra Pradesh.


❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Odisha and Rayalaseema.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over East Madhya Pradesh, Interior Karnataka, Kerala & Mahe and Vidarbha.

❖ **Thunderstorm accompanied with Lightning** likely at isolated places over Chhattisgarh, Coastal Karnataka and Tamil Nadu Puducherry & Karaikal.

❖ **Strong Surface Winds** likely at isolated places over Andhra Pradesh.

❖ Squally weather with wind speed reaching 55-65 gusting to 75 kmph is prevailing over Westcentral Bay of Bengal, Along & off Andhra Pradesh coast. Squally weather with wind speed reaching 50-60 gusting to 70 kmph prevailing over Northwest Bay of Bengal and along & off South Odisha coast. Squally weather with wind speed reaching 40-50 gusting to 60 kmph is prevailing over Southwest Bay of Bengal.



4 November (Day 5)

❖ **Heavy to Very Heavy Rainfall** likely at isolated places over Odisha.

❖ **Heavy Rainfall** likely at isolated places over Chhattisgarh, Coastal Andhra Pradesh, Kerala & Mahe and South Interior Karnataka.


❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Andhra Pradesh and Odisha.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Interior Karnataka, Kerala & Mahe, Madhya Pradesh and Telangana.

❖ **Thunderstorm accompanied with Lightning** likely at isolated places over Chhattisgarh, Coastal Karnataka, Tamil Nadu Puducherry & Karaikal and Vidarbha.

❖ **Strong Surface Winds** likely at isolated places over Andhra Pradesh.

❖ Bay of Bengal: Squally weather with wind speed 40-50 kmph gusting to 60 kmph is likely to prevail along and off Andhra Pradesh coasts adjoining westcentral Bay of Bengal.




5 November (Day 6)

❖ **Heavy Rainfall** likely at isolated places over South Interior Karnataka.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over West Madhya Pradesh.

No Fishermen Warning



6 November (Day 7)

No Warning

No Fishermen Warning

Table-1

7 Days Rainfall Forecast

S.No.	Subdivision	31-Oct	1- Nov	2- Nov	3- Nov	4- Nov	5- Nov	6- Nov
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	FWS	SCT	SCT	SCT	ISOL	ISOL	ISOL
2	ARUNACHAL PRADESH	SCT	SCT	SCT	ISOL	ISOL	ISOL	ISOL
3	ASSAM & MEHGHALAYA	ISOL	ISOL	SCT	ISOL	ISOL	ISOL	ISOL
4	N. M. M. & T.	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
5	S.H. WEST BENGAL & SIKKIM	SCT	ISOL	ISOL	ISOL	DRY	DRY	DRY
6	GANGETIC WEST BENGAL	SCT	ISOL	ISOL	ISOL	DRY	DRY	DRY
7	ODISHA	SCT	SCT	FWS	WS	WS	FWS	SCT
8	JHARKHAND	SCT	ISOL	SCT	ISOL	ISOL	ISOL	DRY
9	BIHAR	SCT	ISOL	ISOL	DRY	DRY	DRY	DRY
10	EAST UTTAR PRADESH	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
11	WEST UTTAR PRADESH	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
12	UTTARAKHAND	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
13	HARYANA, CHD & DELHI	DRY	DRY	SCT	DRY	DRY	DRY	DRY
14	PUNJAB	DRY	DRY	DRY	DRY	DRY	DRY	DRY
15	HIMACHAL PRADESH	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
16	JAMMU AND KASHMIR AND LADAKH	ISOL	ISOL	ISOL	DRY	DRY	ISOL	DRY
17	WEST RAJASTHAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
18	EAST RAJASTHAN	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
19	WEST MADHYA PRADESH	ISOL	ISOL	ISOL	ISOL	ISOL	DRY	DRY
20	EAST MADHYA PRADESH	ISOL	ISOL	ISOL	ISOL	ISOL	DRY	DRY
21	GUJRAT REGION	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
22	SAURASHTRA & KUTCH	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
23	KONKAN & GOA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	DRY
24	MADHYA MAHARASHTRA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	DRY
25	MARATHWADA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	DRY
26	VIDARBHA	ISOL	ISOL	DRY	DRY	DRY	DRY	DRY
27	CHATTISGARH	FWS	SCT	FWS	FWS	SCT	ISOL	ISOL
28	COASTAL ANDHRA PRADESH	ISOL	SCT	WS	WS	SCT	ISOL	ISOL
29	TELANGANA	ISOL	SCT	FWS	FWS	SCT	ISOL	ISOL
30	RAYALASEEMA	ISOL	ISOL	FWS	FWS	SCT	ISOL	ISOL
31	TAMILNADU & PUDUCHERRY	ISOL	ISOL	SCT	ISOL	ISOL	SCT	SCT
32	COSTAL KARNATAKA	ISOL	ISOL	FWS	FWS	SCT	SCT	ISOL
33	NORTH INTERIOR KARNATAKA	ISOL	SCT	FWS	FWS	FWS	SCT	ISOL
34	SOUTH INTERIOR KARNATAKA	ISOL	SCT	FWS	FWS	FWS	SCT	ISOL
35	KERALA	ISOL	FWS	FWS	SCT	SCT	FWS	FWS
36	LAKSHDWEEP	DRY	SCT	SCT	SCT	SCT	SCT	SCT

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

*Red color warning does not mean "Red Alert" Red color warning means "Take Action"
Forecast and warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day
For more details kindly visit https://mausam.imd.gov.in or contact 011-2434-4599
(Service to the nation since 1875)

Fig. 1: Maximum Temperatures Dated 2026-10-30




Fig. 2: Departure of Maximum Temp. Dated 2026-10-30




Fig. 3: Minimum Temperatures Dated 2026-10-31






Fig. 4: Departure of Minimum Temp. Dated 2026-10-31



24 Hr cumulative rainfall recorded over different stations during 0830 IST of 30-10-2026 to 0830 IST of 31-10-2026



Impace and Actions

Impact Expected and Action Suggested due to very heavy / heavy rainfall:

- Isolated **extremely heavy rainfall** likely over Coastal Andhra Pradesh & Yanam on 2nd November.
- Isolated **very heavy rainfall** also likely over Coastal Andhra Pradesh & Yanam on 3rd November; Rayalaseema during 2nd-3rd November; Odisha on 3rd-4th November.

Impact expected:

- Breaking of tree branches, uprooting of small trees like banana, papaya, drum sticks. Strong wind and rain may damage plantation, horticulture and standing crops.
- Partial damage to vulnerable structures due to strong winds and rain.
- Minor damage to kutcha houses/walls, huts and roads due to heavy rain.
- Loose objects may fly.
- Small ships, trawlers and boats may be affected.
- Road and rail traffic may be affected due to heavy rain and squally winds.
- There could be localised landslides, mudslides, landslips, water logging, inundation and flooding over low lying areas.
- Occasional reduction in visibility due to heavy rainfall.
- Helicopter services may get affected.

Action suggested:

- People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.
- Take safe shelters; do not take shelter under trees, as there could be lightning.
- In case of expected lightning, unplug electrical/ electronic appliances, immediately, get out of water bodies and keep away from all the objects that conduct electricity.
- Tourism and recreational activities to be regulated.
- Onshore and offshore activities to be judiciously regulated.
- Helicopter services to be regulated.

Agromet advisories for various parts of the country

Agromet advisories for likely impact of Heavy Rainfall

- In **Sub-Himalayan West Bengal**, keep the harvested produce at safer places. Maintain proper draiage in standing crops fields and vegetables.
- In **Bihar**, ensure proper drainage in standing crops and vegetables. Harvest the early duration rice immediately wherever feasible and move the already harvested produce to safer places or cover with plastic / polythene sheets.
- In **Jharkhand**, Maintain effective drainage in standing crop fields and vegetables. Keep the harvested produce of early sown rice, maize, pigeon pea, finger millets immediately to safer places or cover with plastic / polythene sheets.
- In **Uttar Pradesh**, keep the harvested produce to a safe place or cover it with plastic or polythene sheets. Ensure proper drainage in sugarcane, basmati rice, other standing crops and vegetables; prop sugarcane and stake vegetable plants.
- In **Uttarakhand,** harvest mature rice immediately if feasible and shift the already harvested produce to safer places. Maintain proper drainage in standing crop fields and vegetables.
- In **Andaman & Nicobar Islands**, ensure proper drainage in crop fields and nurseries, and harvest mature rice and vegetables during rain-free intervals, drying the produce under cover. Support banana plants with props and raise vegetable nurseries on raised beds under rain shelter.


- In **Arunachal Pradesh** - Undertake harvesting of mature WRC rice & finger millets and dry them properly during sunny weather and keep the harvested produce in safe places. Maintain proper drainage in standing crops and vegetables.
- In **Odisha**, provide adequate drainage in rice, cotton, maize, groundnut, pulses and sugarcane to remove excess water and avoid prolonged water logging. After cessation of rainfall, apply 2 % salt solution on early maturing paddy varieties to reduce the risk of grain sprouting in the field. Support rain affected newly planted fruit plants and vegetables by providing bamboo stakes to prevent further lodging and mechanical injury.
- In **Chhattisgarh**, drain out excess water in standing crops and vegetables.
- **Agromet advisories for likely impact of Thunderstorm / Gusty Winds**
- Shift the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields. Tie the harvested crops securely and cover them to minimize the risk of displacement from strong surface winds.
- Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.
-

Advisories for likely impact of Heavy Rainfall for Livestock / Poultry / Fisheries

- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store the feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain excess water, thereby preventing fish from escaping in the event of overflow.

LEGENDS

1 अंडमान और निकोबार द्वीप समुह
2 अरुणाचल प्रदेश
3 असम और मेघालय
4 नागालैंड मनीपुर मीजोरम और त्रिपुरा
5 उप हिमालय पश्चिम बंगाल एंवम् सिक्किम
6 पश्चिम गांगेय बंगाल
7 ओडिसा
8 झारखंड
9 बिहार
10 पूर्वी उत्तर प्रदेश
11 पश्चिम उत्तर प्रदेश
12 उत्तराखंड
13 हरियाणा चंडिगढ़ एंवम् दिल्ली
14 पंजाब
15 हिमाचल प्रदेश
16 जम्मू एवंम कश्मीर एवंम लद्दाख
17 पश्चिम राजस्थान
18 पूर्वी राजस्थान
19 पश्चिम मध्य प्रदेश
20 पूर्वी मध्य प्रदेश
21 गुजरात क्षेत्र
22 सौराष्ट्र एंवम् कच्छ
23 कोंकण एंवम् गोवा
24 मध्य महाराष्ट्र
25 मराठावाडा
26 विदर्भ
27 छत्तीसगढ़
28 तटीय आंध्र प्रदेश एवं यनम
29 तेलंगाना
30 रायलसीमा
31 तमिलनाडु ,पुदुचेरी एवंम कराईकल
32 तटिय कर्नाटक
33 आंतरिक उत्तरी कर्नाटक
34 आंतरिक दक्षिणी कर्नाटक
35 केरल एवंम माहे
36 लक्षद्वीप



1. Andaman & Nicobar Islands
2. Arunachal Pradesh
3. Assam & Meghalaya
4. Nagaland, Manipur, Mizoram & Tripura
5. Sub-Himalayan West Bengal & Sikkim
6. Gangetic West Bengal
7. Orissa
8. Jharkhand
9. Bihar
10. East Uttar Pradesh
11. West Uttar Pradesh
12. Uttarakhand
13. Haryana, Chd & Delhi
14. Punjab
15. Himachal Pradesh
16. Jammu & Kashmir and Ladakh
17. West Rajsthan
18. East Rajasthan
19. West Madhya Pradesh
20. East Madhya Pradesh
21. Gujarat
22. Saurashtra
23. Konkan & Goa
24. Madhya Maharashtra
25. Marathawada
26. Vidharbha
27. Chhattisgarh
28. Coastal Andhra Pradesh & Yanam
29. Telangana
30. Rayalaseema
31. Tamilnadu, Puducherry & Karaikal
32. Coastal Karnataka
33. North Interior Karnataka
34. South Interior Karnataka
35. Kerala & Mahe
36. Lakshadweep

SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

- NO WARNING
- WATCH (BE UPDATED)
- ALERT (BE PREPARED TO TAKE ACTION)
- WARNING (TAKE ACTION)

Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

Heavy Rain
Very Heavy Rain
Extremely Heavy Rain
Heavy Snow
Thunderstorm & Lightning
Hailstrom
Dust Strom
Dust Raising Winds
Strong surface winds
Heat Wave
Hot Day
Warm Night
Cold Wave
Cold Day
Ground Frost
Fog
Hot & Humid

LEGENDS

WARNING

WARNING (TAKE ACTION)
ALERT (BE PREPARED)
WATCH (BE UPDATED)
NO WARNING (NO ACTION)

Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

Rain/ Snow *

- **Heavy:** 64.5 to 115.5 mm/cm *
- **Very Heavy:** 115.6 to 204.4 mm/cm*
- **Extremely Heavy:** > 204.4 mm/cm *

Heat Wave

When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions

(a) Based on Departure from normal

- **Heat Wave:** Maximum Temperature Departure from normal 4.5° C to 6.4° C.
- **Severe Heat Wave:** Maximum Temperature Departure from normal ≥6.5° C

(b). Based on Actual maximum temperature

- **Heat Wave:** When actual maximum temperature ≥45°C.
- **Severe Heat Wave:** When actual maximum temperature ≥47°C

(c). Criteria for heat wave for coastal stations

When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C

Warm Night

When maximum temperature remains 40°C

- **Warm Night:** When minimum temperature departure 4.5 °C to 6.4 °C.
- **Severe Warm Night:** When minimum temperature departure >6.4 °C.

Cold Wave

When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions.

(a). Based on departure

- **Cold Wave:** Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
- **Severe Cold Wave:** Minimum Temperature Departure from normal ≤ -6.5 °C

(b) Based on actual Minimum Temperature (for Plains only)

- **Cold Wave :** When Minimum Temperature is ≤ 4.0 °C
- **Severe Cold Wave:** When Minimum Temperature is ≤ 2.0 °C

(c) For Coastal Stations

When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C

Cold Day

When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions

Based on departure

- **Cold Day:** Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.
- **Severe Cold Day:** Maximum Temperature Departure from normal ≤ -6.5 °C

Fog

Phenomenon of small droplets suspended in air and the horizontal visibility < 1km

- **Moderate Fog:** When the visibility between 500-200 metres
- **Dense Fog:** when the visibility between 50- 200 metres
- **Very Dense Fog:** when the visibility < 50 metres

Thunderstorm

Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)

Dust/Sand Storm

An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.

Frost

Ice deposits on ground

- Air temperature ≤4°C (over Plains)

Squall

A strong wind that rises suddenly, lasts for atleast 1 minute.

- **Moderate**: Wind speed 52-61 kmph
- **Severe**: Wind speed 62-87 kmph
- **Very Severe**: Wind speed >87 kmph

Sea State

Effect of various waves in the sea over specific area

- **Rough to very rough**: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre
- **High to very high**: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre
- **Phenomenal**: Wind speed >117 kmph (>63 knots) & Wave height >14 metre

Cyclone

- **Cyclonic Storm**: Wind speed 62-87 kmph (34-47 knots)
- **Severe Cyclonic Storm**: Wind speed 88-117 kmph (48-63 knots)
- **Very Severe Cyclonic Storm**: Wind speed 118-165 kmph (64 - 89 knots)
- **Extremely Severe Cyclonic Storm**: Wind speed 166-220 kmph (90 -119 knots)
- **Super Cyclone Strom**: Wind speed >220 kmph (>119 knots)