2026-11-12
Time of Issue: 16:30:00 hours IST
(Evening)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather Systems, Forecast and Warnings

Northwest India:

- **Fairly Widespread to Widespread** rainfall likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 12th-13th November.
- **Isolated to Scattered** rainfall likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 14th-15th November; Himachal Pradesh and Uttarakhand during 12th-15th November.
- **Isolated to Scattered** rainfall likely over Punjab during 12th-13th November; West Rajasthan during 14th-15th November.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 12th-14th November.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over West Rajasthan on 14th November.
- Isolated **thunderstorm & lightning** likely over Himachal Pradesh during 12th-14th November.
- Isolated **heavy rainfall** likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad on 12th November.
- Isolated **Hailstorm** activity likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad on 12th November.

East India:

- **Fairly Widespread to Widespread** rainfall likely over Andaman & Nicobar Islands during 12th-18th November.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Andaman & Nicobar Islands during 12th-16th November.
- Isolated **heavy rainfall** likely over Andaman & Nicobar Islands during 12th-16th November.

Northeast India:

- **Isolated to Scattered** rainfall likely over Arunachal Pradesh and Assam & Meghalaya on 12th November and during 15th-17th November; Nagaland, Manipur, Mizoram & Tripura on 12th November and during 16th-18th November.
- Isolated **thunderstorm & lightning** likely over Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura on 12th November.
- Isolated **Hailstorm** activity likely over Assam & Meghalaya on 12th November.

West, Central and South Peninsular India:

- **No significant weather likely over West, Central and South Peninsular during the week**.

Main Weather Observations:

❖ **Rainfall distribution** (from 0830 hours IST of yesterday to 0830 hours IST of today): **at most places** over Andaman & Nicobar Islands; **at a few places** over Arunachal Pradesh, Nagaland, Manipur, Mizoram & Tripura and Lakshadweep; **at isolated places** over Assam & Meghalaya, Sub Himalayan West Bengal & Sikkim, Gangetic West Bengal, Odisha, Jharkhand, Bihar, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe; **Dry** over rest of the country.

❖ **Significant rainfall recorded(in cm)** (from 0830 hours IST of yesterday to 0830 hours IST of today): **Andaman & Nicobar Islands**: Long Island (dist North & Middle Andaman) 6; Port Blair (dist South Andaman), Maya Bandar (dist North & Middle Andaman) 4 Each; Hut Bay (dist South Andaman) 2; **Assam & Meghalaya**: Jiagaon (dist Tinsukia) 6; Cherrapunji (dist East Khasi Hills) 5; Shillong CSO (dist East Khasi Hills), Shillong AWS (dist East Khasi Hills), Barapani (dist Ri Bhoi), Cherrapunji(rkm) (dist East Khasi Hills) 3 Each; Laban ARG (dist East Khasi Hills), Mawryngkneng ARG (dist East Khasi Hills), Meecl Lumjingshai (dist East Khasi Hills) 2 Each; **Tamil Nadu, Puducherry & Karaikal**: Kurunthancode (dist Kanyakumari) 4; Neyveli AWS (dist Cuddalore) 3; **Kerala & Mahe**: Neryamangalam ARG (dist Ernakulam) 4; Vadakara AWS (dist Kozhikode) 2; **Gangetic West Bengal**: Uluberia (dist Howrah) 4; Barrackpur(Iaf) (dist North 24 Parganas) 3; Rampurhat (DRMS) (dist Birbhum), Sri Niketan (dist Birbhum) 2 Each; **Jharkhand**: Madhupur (dist Deoghar) 4; **Nagaland, Manipur, Mizoram & Tripura**: Taidu AWS (dist Gomati) 3; **Sub Himalayan West Bengal & Sikkim**: Saraswatipur Tea Estate (dist Jalpaiguri) 2; **Arunachal Pradesh**: Namsai (dist Lohit) 2.


❖ **Minimum Temperature Departures (as on 12-11-2026): below normal(-1.6°C to -3.0°C)** at many places over Chhattisgarh; at few places over Konkan & Goa; at isolated places over East Uttar Pradesh, West Rajasthan, East Rajasthan, East Madhya Pradesh, Gujarat Region, Saurashtra & Kutch, Madhya Maharashtra, Vidarbha, Coastal Andhra Pradesh & Yanam, Telangana, Tamil Nadu, Puducherry & Karaikal, South Interior Karnataka and Kerala & Mahe. **appreciably below normal(-5.0°C to -3.1°C)** at most places over North Interior Karnataka; at few places over Rayalaseema and Coastal Karnataka; at isolated places over Jharkhand, East Uttar Pradesh, Himachal Pradesh, West Madhya Pradesh, East Madhya Pradesh, Vidarbha, Telangana and Tamil Nadu, Puducherry & Karaikal. **markedly below normal(< -5.0°C)** at few places over East Madhya Pradesh and Coastal Karnataka; at isolated places over East Uttar Pradesh, West Uttar Pradesh, Himachal Pradesh, West Madhya Pradesh, Konkan & Goa, Coastal Andhra Pradesh & Yanam, Telangana and Rayalaseema. **The lowest minimum temperature** of 8.4°C was reported at MANDI (HIMACHAL PRADESH).

❖ **Maximum Temperature Departures (as on 11-11-2026): below normal(-1.6°C to -3.0°C)** at few places over Punjab and West Rajasthan. **appreciably below normal(-5.0°C to -3.1°C)** at few places over West Uttar Pradesh, Haryana-Chandigarh-Delhi, Madhya Maharashtra and Marathwada; at isolated places over West Madhya Pradesh, East Madhya Pradesh, Vidarbha, Telangana, North Interior Karnataka and South Interior Karnataka. **markedly below normal(< -5.0°C)** at most places over Jharkhand, East Uttar Pradesh, Chhattisgarh and Rayalaseema. **The highest maximum temperature** of 37.8°C was reported at BARMER (RAJASTHAN), and KARWAR (KARNATAKA).

.

Meteorological Analysis (Based on 1430 hours IST)

- The **Western Disturbance** as a cyclonic circulation over Kashmir division & neighbourhood at 3.1 km above mean sea level with the trough aloft in middle tropospheric westerlies with its axis at 5.8 km above mean sea level roughly along long 72°E to the north of Lat 32°N persists.
- The **upper air cyclonic circulation** over central Andaman Sea & adjoining Andaman & Nicobar Islands persisted over the same region at 1430 hours IST of today, 12th November, 2026 and extends upto 5.8 km above mean sea level.Under its influence, a **Low Pressure Area** is likely to form over Southeast Bay of Bengal around 13th November, 2026. It is likely to move northwestwards and become **Well Marked Low pressure area** around 14th November and **Depression** around 15th November over the same region.
- The **upper air cyclonic circulation** over southeast Bay of Bengal extending upto 1.5 km above mean sea level persists.
- The **upper air cyclonic circulation** over Sikkim & neighbourhood at 3.1 km above mean sea level persists.
- The **trough** from the above cyclonic circulation over Sikkim & neighbourhood to Northwest Bay of Bengalacross Bangladesh and Gangetic West Bengal at 3.1 km above mean sea level persists.
- The **upper air cyclonic circulation** over southeast Arabian Sea & adjoining south Lakshadweep area at 1.5 km above mean sea level persists.
- The **upper air cyclonic circulation** over Gulf of Mannar & neighbourhood at 0.9km above mean sea level persists.



12 November (Day 1)

❖ **Heavy Rainfall** very likely at isolated places over Andaman & Nicobar Islands and Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad.


❖ **Thunderstorm accompanied with Hailstorm** very likely at isolated places over Assam & Meghalaya and Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad.

❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Andaman & Nicobar Islands.

❖ **Thunderstorm accompanied with Lightning** very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Himachal Pradesh, Kerala & Mahe, Lakshadweep and Nagaland, Manipur, Mizoram and Tripura.

❖ **Squally weather with wind speed 40-50 kmph gusting to 60 kmph** is likely to prevail over Andaman Sea.



13 November (Day 2)


❖ **Heavy Rainfall** very likely at isolated places over Andaman & Nicobar Islands.

❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Andaman & Nicobar Islands.

❖ **Thunderstorm accompanied with Lightning** very likely at isolated places over Himachal Pradesh.

❖ **Squally weather with wind speed 40-50 kmph gusting to 60 kmph** is likely to prevail over Andaman Sea and some parts of southeast Bay of Bengal.



14 November (Day 3)


❖ **Heavy Rainfall** very likely at isolated places over Andaman & Nicobar Islands.

❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Andaman & Nicobar Islands and West Rajasthan.

❖ **Thunderstorm accompanied with Lightning** very likely at isolated places over Himachal Pradesh.

❖ **Squally weather with wind speed 40-50 kmph gusting to 60 kmph** is likely to prevail over Andaman Sea and some parts of southeast Bay of Bengal.




15 November (Day 4)

❖ **Heavy Rainfall** likely at isolated places over Andaman & Nicobar Islands.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Andaman & Nicobar Islands.

❖ **Squally weather with wind speed 40-50 kmph gusting to 60 kmph** is likely to prevail over Andaman Sea and some parts of southeast adjoining eastcentral Bay of Bengal.

❖ S**qually weather with wind speed 45-55 kmph gusting to 65 kmph** is likely to prevail over some parts of southeast Bay of Bengal.




16 November (Day 5)

❖ **Heavy Rainfall** likely at isolated places over Andaman & Nicobar Islands.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Andaman & Nicobar Islands.

❖ **Squally weather with wind speed 40-50 kmph gusting to 60 kmph** is likely to prevail over Andaman Sea and some parts of southeast adjoining eastcentral Bay of Bengal.


❖ **Squally weather with wind speed 45-55 kmph gusting to 65 kmph** is likely to prevail over some parts of southeast adjoining eastcentral Bay of Bengal.



17 November (Day 6)

No Warning

No Fishermen Warning



18 November (Day 7)

No Warning

No Fishermen Warning

Table-1

7 Days Rainfall Forecast

S.No.	Subdivision	12-Nov	13-Nov	14-Nov	15-Nov	16-Nov	17-Nov	18-Nov
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	WS	WS	WS	WS	WS	FWS	FWS
2	ARUNACHAL PRADESH	SCT	DRY	DRY	ISOL	SCT	ISOL	DRY
3	ASSAM & MEHGHALAYA	ISOL	DRY	DRY	ISOL	ISOL	ISOL	DRY
4	N. M. M. & T.	ISOL	DRY	DRY	DRY	ISOL	ISOL	ISOL
5	S.H. WEST BENGAL & SIKKIM	DRY	DRY	DRY	DRY	DRY	DRY	DRY
6	GANGETIC WEST BENGAL	DRY	DRY	DRY	DRY	DRY	DRY	DRY
7	ODISHA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
8	JHARKHAND	DRY	DRY	DRY	DRY	DRY	DRY	DRY
9	BIHAR	DRY	DRY	DRY	DRY	DRY	DRY	DRY
10	EAST UTTAR PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
11	WEST UTTAR PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
12	UTTARAKHAND	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DRY
13	HARYANA, CHD & DELHI	DRY	DRY	DRY	DRY	DRY	DRY	DRY
14	PUNJAB	ISOL	ISOL	DRY	DRY	DRY	DRY	DRY
15	HIMACHAL PRADESH	SCT	SCT	ISOL	ISOL	DRY	DRY	DRY
16	JAMMU AND KASHMIR AND LADAKH	WS	FWS	SCT	ISOL	DRY	DRY	DRY
17	WEST RAJASTHAN	DRY	DRY	ISOL	ISOL	DRY	DRY	DRY
18	EAST RAJASTHAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
19	WEST MADHYA PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
20	EAST MADHYA PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
21	GUJRAT REGION	DRY	DRY	DRY	DRY	DRY	DRY	DRY
22	SAURASHTRA & KUTCH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
23	KONKAN & GOA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
24	MADHYA MAHARASHTRA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
25	MARATHWADA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
26	VIDARBHA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
27	CHATTISGARH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
28	COASTAL ANDHRA PRADESH	DRY	DRY	ISOL	ISOL	ISOL	ISOL	ISOL
29	TELANGANA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
30	RAYALASEEMA	DRY	DRY	ISOL	ISOL	ISOL	ISOL	ISOL
31	TAMILNADU & PUDUCHERRY	ISOL	ISOL	SCT	FWS	SCT	SCT	SCT
32	COSTAL KARNATAKA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
33	NORTH INTERIOR KARNATAKA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
34	SOUTH INTERIOR KARNATAKA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
35	KERALA	SCT	ISOL	SCT	SCT	FWS	FWS	FWS
36	LAKSHDWEEP	SCT	SCT	SCT	SCT	SCT	SCT	SCT

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

*Red color warning does not mean "Red Alert" Red color warning means "Take Action"
Forecast and warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day
For more details kindly visit https://mausam.imd.gov.in or contact 011-2434-4599
(Service to the nation since 1875)

Fig. 1: Maximum Temperatures Dated 2026-11-11




Fig. 2: Departure of Maximum Temp. Dated 2026-11-11




Fig. 3: Minimum Temperatures Dated 2026-11-12






Fig. 4: Departure of Minimum Temp. Dated 2026-11-12



24 Hr cumulative rainfall recorded over different stations during 0830 IST of 11-11-2026 to 0830 IST of 12-11-2026



Impace and Actions

Impact Expected and Action Suggested due to heavy rainfall:

- **Isolated heavy rainfall likely over Andaman & Nicobar Islands during 12th-16th and Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad on 12th November.**

Impact expected:

- Breaking of tree branches, uprooting of small trees like banana, papaya, drum sticks. Strong wind and rain may damage plantation, horticulture and standing crops.
- Partial damage to vulnerable structures due to strong winds and rain.
- Minor damage to kutcha houses/walls, huts and roads due to heavy rain.
- Loose objects may fly.
- Small ships, trawlers and boats may be affected.
- Road and rail traffic may be affected due to heavy rain and squally winds.
- There could be localised landslides, mudslides, landslips, water logging, inundation and flooding over low lying areas.
- Occasional reduction in visibility due to heavy rainfall.
- Helicopter services may get affected.

Action suggested:

- People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.
- Take safe shelters; do not take shelter under trees, as there could be lightning.
- In case of expected lightning, unplug electrical/ electronic appliances, immediately, get out of water bodies and keep away from all the objects that conduct electricity.
- Tourism and recreational activities to be regulated.
- Onshore and offshore activities to be judiciously regulated.
- Helicopter services to be regulated.

- Isolated **Hailstorm** activity likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Assam & Meghalaya on 12th November.

Impact expected:

- Strong wind/hail may damage plantation, horticulture and standingcrops.
- Hail may injure people and cattle at openplaces.
- Partial damage to vulnerable structures due to strongwinds.
- Minor damage to kutcha houses/walls andhuts.
- Loose objects mayfly.

Action suggested:

- Stay indoors, close windows & doors and avoid travel if possible.
- Take safe shelters; do not take shelter under trees.
- Do not lie on concrete floors and do not lean against concrete walls.
- Unplug electrical/ electronic appliances.
- Immediately get out of water bodies.
- Keep away from all the objects that conduct electricity.

Agromet advisories for various parts of the country

Agromet advisories for likely impact of Heavy Rainfall

- In **Andaman and Nicobar Islands**, make necessary arrangements to drain out excess water from fields of rice and plantations of areca nut, coconut and black pepper. Postpone irrigation, intercultural operations, fertilizer application and plant protection sprays during the rainy spell. Ensure pond outlets are clear and secure to prevent fish escape; suspend fish feeding during heavy rainfall and resume gradually after the rain subsides.
- **Jammu & Kashmir,** harvest basmati paddy at the earliest and keep the harvested produce in safer place or cover them in the field with tarpaulin sheets to avoid any loss or damage due to rain. Avoid sowing of wheat, mustard, oat and field pea during periods of heavy rainfall. Ensure adequate drainage facilities in already sown crops.

Agromet advisories for likely impact of Hailstorm

- In **Jammu & Kashmir,** use hail nets or caps in fruit orchards and vegetable fields to protect crops from mechanical damage.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds

- Shift the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields. Tie the harvested crops securely and cover them to minimize the risk of displacement from strong surface winds.
- Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.

Advisories for likely impact of Heavy Rainfall for Livestock / Poultry / Fisheries

- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store the feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain excess water, thereby preventing fish from escaping in the event of overflow.


Legends & abbreviations:

Region wise classification of meteorological Sub-Divisions:

- **Northwest India:** Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana Chandigarh & Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.
- **Central India:** West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.
- **East India:** Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.
- **Northeast India:** Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.
- **West India:** Gujarat Region, Saurashtra & Kutch, Coastal Maharashtra (Konkan) & Goa, Madhya Maharashtra and Marathawada.
- **South India:** Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Keralam & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.

LEGENDS

1 अंडमान और निकोबार द्वीप समुह
2 अरुणाचल प्रदेश
3 असम और मेघालय
4 नागालैंड मनीपुर मीजोरम और त्रिपुरा
5 उप हिमालय पश्चिम बंगाल एंवम् सिक्किम
6 पश्चिम गांगेय बंगाल
7 ओडिसा
8 झारखंड
9 बिहार
10 पूर्वी उत्तर प्रदेश
11 पश्चिम उत्तर प्रदेश
12 उत्तराखंड
13 हरियाणा चंडिगढ़ एंवम् दिल्ली
14 पंजाब
15 हिमाचल प्रदेश
16 जम्मू एवंम कश्मीर एवंम लद्दाख
17 पश्चिम राजस्थान
18 पूर्वी राजस्थान
19 पश्चिम मध्य प्रदेश
20 पूर्वी मध्य प्रदेश
21 गुजरात क्षेत्र
22 सौराष्ट्र एंवम् कच्छ
23 कोंकण एंवम् गोवा
24 मध्य महाराष्ट्र
25 मराठावाडा
26 विदर्भ
27 छत्तीसगढ़
28 तटीय आंध्र प्रदेश एवं यनम
29 तेलंगाना
30 रायलसीमा
31 तमिलनाडु ,पुदुचेरी एवंम कराईकल
32 तटिय कर्नाटक
33 आंतरिक उत्तरी कर्नाटक
34 आंतरिक दक्षिणी कर्नाटक
35 केरल एवंम माहे
36 लक्षद्वीप



1. Andaman & Nicobar Islands
2. Arunachal Pradesh
3. Assam & Meghalaya
4. Nagaland, Manipur, Mizoram & Tripura
5. Sub-Himalayan West Bengal & Sikkim
6. Gangetic West Bengal
7. Orissa
8. Jharkhand
9. Bihar
10. East Uttar Pradesh
11. West Uttar Pradesh
12. Uttarakhand
13. Haryana, Chd & Delhi
14. Punjab
15. Himachal Pradesh
16. Jammu & Kashmir and Ladakh
17. West Rajsthan
18. East Rajasthan
19. West Madhya Pradesh
20. East Madhya Pradesh
21. Gujarat
22. Saurashtra
23. Konkan & Goa
24. Madhya Maharashtra
25. Marathawada
26. Vidharbha
27. Chhattisgarh
28. Coastal Andhra Pradesh & Yanam
29. Telangana
30. Rayalaseema
31. Tamilnadu, Puducherry & Karaikal
32. Coastal Karnataka
33. North Interior Karnataka
34. South Interior Karnataka
35. Kerala & Mahe
36. Lakshadweep

SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

- NO WARNING
- WATCH (BE UPDATED)
- ALERT (BE PREPARED TO TAKE ACTION)
- WARNING (TAKE ACTION)

Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

Heavy Rain
Very Heavy Rain
Extremely Heavy Rain
Heavy Snow
Thunderstorm & Lightning
Hailstrom
Dust Strom
Dust Raising Winds
Strong surface winds
Heat Wave
Hot Day
Warm Night
Cold Wave
Cold Day
Ground Frost
Fog
Hot & Humid

LEGENDS

WARNING

WARNING (TAKE ACTION)
ALERT (BE PREPARED)
WATCH (BE UPDATED)
NO WARNING (NO ACTION)

Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

Rain/ Snow *

Heavy: 64.5 to 115.5 mm/cm *
Very Heavy: 115.6 to 204.4 mm/cm*
Extremely Heavy: > 204.4 mm/cm *

Heat Wave

When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions

(a) Based on Departure from normal

Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.
Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C

(b). Based on Actual maximum temperature

Heat Wave: When actual maximum temperature ≥45°C.
Severe Heat Wave: When actual maximum temperature ≥47°C

(c). Criteria for heat wave for coastal stations

When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C

Warm Night

When maximum temperature remains 40°C

Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.
Severe Warm Night: When minimum temperature departure >6.4 °C.

Cold Wave

When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions.

(a). Based on departure

Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C

(b) Based on actual Minimum Temperature (for Plains only)

Cold Wave : When Minimum Temperature is ≤ 4.0 °C
Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C

(c) For Coastal Stations

When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C

Cold Day

When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions

Based on departure

Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.
Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C

Fog

Phenomenon of small droplets suspended in air and the horizontal visibility < 1km

Moderate Fog: When the visibility between 500-200 metres
Dense Fog: when the visibility between 50- 200 metres
Very Dense Fog: when the visibility < 50 metres

Thunderstorm

Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)

Dust/Sand Storm

An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.

Frost

Ice deposits on ground

Air temperature ≤4°C (over Plains)

Squall

A strong wind that rises suddenly, lasts for atleast 1 minute.

Moderate: Wind speed 52-61 kmph
Severe: Wind speed 62-87 kmph
Very Severe: Wind speed >87 kmph

Sea State

Effect of various waves in the sea over specific area

Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre
High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre
Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre

Cyclone

Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)
Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)
Very Severe Cyclonic Storm: Wind speed 118-165 kmph (64 - 89 knots)
Extremely Severe Cyclonic Storm: Wind speed 166-220 kmph (90 -119 knots)
Super Cyclone Strom: Wind speed >220 kmph (>119 knots)