राष्ट्रीय मौसम पूर्वानुमान केन्द्र
भारत मौसम विज्ञान विभाग
पृथ्वी विज्ञान मंत्रालय

National Weather Forecasting Centre
India Meteorological Department
Ministry of Earth Sciences

2026-10-29
Time of Issue: 20:51:00 hours IST
(Night)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather Systems and Warnings:

- The **Depression (Remnant of Very Severe Cyclonic Storm "Arnab")** over central Chhattisgarh and adjoining Odisha moved nearly northwards and weakened into a **Well Marked Low Pressure Area** over central parts of Chhattisgarh and adjoining Odisha at 1730 hrs IST of 29th October, 2026. It is very likely to continue to move north-northeastwards, and weaken further into a low pressure area over Northeast Chhattisgarh & neighbourhood during next 24 hours.

South Peninsular India:

- **Isolated to Scattered** rainfall likely over Rayalaseema and Tamil Nadu, Puducherry & Karaikal during 29th October-4th November; Kerala & Mahe and South Interior Karnataka during 29th October-1st November; Lakshadweep during 2nd-4th November; Coastal Karnataka on 29th October and during 31st October-1st November; North Interior Karnataka during 30th October-4th November; Coastal Andhra Pradesh & Yanam during 29th October-1st November and on 4th November; Telangana during 29th October-1st November and during 3rd-4th November.
- **Fairly Widespread to Widespread** rainfall likely over Coastal Karnataka, Kerala & Mahe and South Interior Karnataka during 2nd-4th November; Coastal Andhra Pradesh & Yanam during 2nd-3rd November; Telangana on 2nd November.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Coastal Andhra Pradesh & Yanam on 2nd November, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Kerala & Mahe, North Interior Karnataka and South Interior Karnataka during 1st-2nd November; Coastal Andhra Pradesh & Yanam during 29th October-1st November; Rayalaseema during 29th October-2nd November.
- Isolated **thunderstorm & lightning** likely over Tamil Nadu, Puducherry & Karaikal during 3rd-4th November; Coastal Karnataka during 1st-2nd November.
- Isolated **heavy rainfall** likely over Tamil Nadu, Puducherry & Karaikal during 3rd-4th November; Coastal Karnataka, Kerala & Mahe and South Interior Karnataka during 2nd-3rd November; Coastal Andhra Pradesh & Yanam on 1st and 4th November with isolated **very heavy rainfall** also likely over Coastal Andhra Pradesh & Yanam during 2nd-3rd November.
- **Thundersquall (wind speed reaching 50-60 kmph gusting to 70 kmph)** likely over Telangana during 1st-2nd November.
- Strong Surface Winds likely over North Interior Karnataka and South Interior Karnataka during 1st-2nd November; Coastal Andhra Pradesh & Yanam and Rayalaseema during 29th October-2nd November.

East India:

- **Fairly Widespread to Widespread** rainfall likely over Andaman & Nicobar Islands and Sub-Himalayan West Bengal & Sikkim during 29th-31st October; Bihar, Gangetic West Bengal and Jharkhand during 29th-30th October; Odisha during 29th-30th October and on 1st November.
- **Isolated to Scattered** rainfall likely over Andaman & Nicobar Islands and Sub-Himalayan West Bengal & Sikkim during 1st-4th November; Bihar, Gangetic West Bengal and Jharkhand during 31st October-4th November; Odisha on 31st October and during 2nd-4th November.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Andaman & Nicobar Islands on 29th October and on 31st October; Gangetic West Bengal and Jharkhand on 29th October; Bihar during 29th-31st October; Odisha during 29th-30th October and during 1st-2nd November, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Sub-Himalayan West Bengal & Sikkim during 29th-31st October; Gangetic West Bengal on 30th October.
- Isolated **heavy rainfall** likely over Andaman & Nicobar Islands on 29th October and on 31st October; Jharkhand on 30th; Gangetic West Bengal and Sub-Himalayan West Bengal & Sikkim on 29th October; Odisha on 1st November and on 3rd November with isolated **very heavy rainfall** also likely over

Andaman & Nicobar Islands and Sub-Himalayan West Bengal & Sikkim on 30th October; Bihar and Jharkhand on 29th October; Odisha on 2nd November.
- Isolated **extremely heavy rainfall** likely over north Bihar on 30th October.
- **Thundersquall (wind speed reaching 50-60 kmph gusting to 70 kmph)** likely over Andaman & Nicobar Islands on 30th October.

Northwest India:

- **Isolated to Scattered** rainfall likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 29th-30th October and on 1st November; Himachal Pradesh during 29th October-2nd November; Uttarakhand during 30th October-2nd November.
- **Isolated to Scattered** rainfall likely over Punjab and West Uttar Pradesh during 29th-31st October; Haryana Chandigarh & Delhi on 31st October; East Uttar Pradesh during 31st October-4th November; West Rajasthan during 29th-30th October; East Rajasthan during 29th October-1st November.
- **Fairly Widespread to Widespread** rainfall likely over Uttarakhand on 29th October.
- **Fairly Widespread to Widespread** rainfall likely over East Uttar Pradesh and Haryana Chandigarh & Delhi during 29th-30th October.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 29th-30th October; Himachal Pradesh on 29th October; Uttarakhand on 30th October, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Uttarakhand on 29th October.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Punjab on 30th October; East Rajasthan during 29th-30th October, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over East Uttar Pradesh, West Rajasthan and West Uttar Pradesh during 29th-30th October.
- Isolated **thunderstorm & lightning** likely over Himachal Pradesh on 30th October.
- Isolated **heavy rainfall** likely over Uttarakhand on 29th & 30th October with isolated **very heavy rainfall** also likely over East Uttar Pradesh during 29th-30th October.
- **Thundersquall (wind speed reaching 50-60 kmph gusting to 70 kmph)** likely over Punjab on 29th October; Haryana Chandigarh & Delhi during 29th-30th October.
- Isolated **Hailstorm** activity likely over Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Punjab on 29th October; Uttarakhand and West Uttar Pradesh on 30th October; East Rajasthan and Haryana Chandigarh & Delhi during 29th-30th October.

Central India:

- **Isolated to Scattered** rainfall likely over West Madhya Pradesh during 29th October-4th November; East Madhya Pradesh during 30th October-4th November; Vidarbha during 29th October-1st November; Chhattisgarh during 1st-2nd November.
- **Fairly Widespread to Widespread** rainfall likely over East Madhya Pradesh on 29th October; Chhattisgarh during 29th-31st October and during 3rd-4th November.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over East Madhya Pradesh on 29th October; Chhattisgarh during 1st-2nd November, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over West Madhya Pradesh during 29th-31st October; East Madhya Pradesh during 30th October-2nd November.
- Isolated **thunderstorm & lightning** likely over Vidarbha during 29th October-1st November; Chhattisgarh during 30th-31st October.
- Isolated **heavy rainfall** likely over East Madhya Pradesh and Vidarbha on 29th October; Chhattisgarh during 1st-2nd November.
- Isolated **extremely heavy rainfall** likely over East Chhattisgarh on 29th October.
- **Thundersquall (wind speed reaching 50-60 kmph gusting to 70 kmph)** likely over Chhattisgarh on 29th October.

Northeast India:

- **Isolated to Scattered** rainfall likely over Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur,

Mizoram & Tripura during 29th October-4th November.

- Isolated **thunderstorm & lightning** likely over Assam & Meghalaya during 29th-30th October; Nagaland, Manipur, Mizoram & Tripura on 29th October.
- Isolated **heavy rainfall** likely over Arunachal Pradesh during 2nd-3rd November; Assam & Meghalaya on 3rd November.

West India:

- **Isolated to Scattered** rainfall likely over Konkan & Goa and Marathawada during 29th-30th October; Gujarat Region and Madhya Maharashtra during 29th-31st October; Saurashtra & Kutch during 30th-31st October.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Konkan & Goa, Madhya Maharashtra and Marathawada on 29th October.

Main Weather Observations:

❖ **Rainfall distribution** (from 0830 hours IST to 1730 hours IST of today): **at most places** over Odisha, Gangetic West Bengal, Sub-himalayan West Bengal & Sikkim, Bihar, Haryana Chandigarh & Delhi and Chhattisgarh; **at many places** over West Uttar Pradesh, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Jharkhand, East Rajasthan, Uttarakhand, Himachal Pradesh, Jammu & Kashmir and Ladakh, East Uttar Pradesh, West Madhya Pradesh, Andaman & Nicobar Islands, Coastal Andhra Pradesh & Yanam, Vidarbha and East Madhya Pradesh; **Dry** over rest of the country.


❖ **Significant rainfall recorded(in cm)** (from 0830 hours IST to 1730 hours IST of today): **Odisha**: Keonjhargarh (dist Kendujhar) 6.

❖ **Minimum Temperature Departures (as on 29-10-2026): markedly above normal(> 5.1°C)** at few places over East Uttar Pradesh; at isolated places over Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Odisha, Himachal Pradesh, West Madhya Pradesh, East Madhya Pradesh, Madhya Maharashtra, Marathwada and Vidarbha. **appreciably above normal(3.1°C to 5.0°C)** at many places over Bihar, Uttarakhand and Madhya Maharashtra; at most places over West Uttar Pradesh; at few places over Nagaland, Manipur, Mizoram & Tripura, Sub Himalayan West Bengal & Sikkim, Gangetic West Bengal, East Uttar Pradesh, West Madhya Pradesh, Marathwada, Vidarbha and Lakshadweep; at isolated places over Assam & Meghalaya, Odisha, Haryana-Chandigarh-Delhi, East Madhya Pradesh, Konkan & Goa, Chhattisgarh, Telangana and North Interior Karnataka. **above normal(1.6°C to 3.0°C)** at many places over Sub Himalayan West Bengal & Sikkim and Lakshadweep; at few places over Assam & Meghalaya, Odisha, Jharkhand, Bihar, Haryana-Chandigarh-Delhi, Himachal Pradesh, Gujarat Region, Konkan & Goa, Vidarbha, Chhattisgarh, Telangana, Tamil Nadu, Puducherry & Karaikal and North Interior Karnataka; at isolated places over Andaman & Nicobar Islands, Nagaland, Manipur, Mizoram & Tripura, Gangetic West Bengal, East Uttar Pradesh, West Uttar Pradesh, Uttarakhand, Punjab, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, West Madhya Pradesh, East Madhya Pradesh, Saurashtra & Kutch, Madhya Maharashtra, Marathwada, South Interior Karnataka and Kerala & Mahe. **near normal(-1.5°C to 1.5°C)** at many places over Punjab, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, West Rajasthan, East Rajasthan, Saurashtra & Kutch, Rayalaseema and North Interior Karnataka; at most places over Andaman & Nicobar Islands, Arunachal Pradesh, Coastal Andhra Pradesh & Yanam and Coastal Karnataka; at few places over Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Gangetic West Bengal, Odisha, Jharkhand, Haryana-Chandigarh-Delhi, Himachal Pradesh, East Madhya Pradesh, Gujarat Region, Konkan & Goa, Chhattisgarh, Telangana, Tamil Nadu, Puducherry & Karaikal, South Interior Karnataka and Kerala & Mahe; at isolated places over East Uttar Pradesh, West Uttar Pradesh, Uttarakhand, West Madhya Pradesh, Madhya Maharashtra and Vidarbha. **The lowest minimum temperature** of 11.0°C was reported at UNA (HIMACHAL PRADESH) over the Plains of India.

❖ **Maximum Temperature Departures (as on 29-10-2026): markedly above normal(> 5.1°C)** at isolated places over Assam & Meghalaya, Coastal Andhra Pradesh & Yanam and Tamil Nadu, Puducherry & Karaikal. **appreciably above normal(3.1°C to 5.0°C)** at many places over Rayalaseema; at few places over Nagaland, Manipur, Mizoram & Tripura and South Interior Karnataka; at isolated places over Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, Madhya Maharashtra and North Interior Karnataka. **above normal(1.6°C to 3.0°C)** at many places over Lakshadweep; at most places over Arunachal Pradesh and Marathwada; at few places over Himachal Pradesh, Saurashtra & Kutch and Kerala & Mahe; at isolated places over Konkan & Goa and Telangana. **near normal(-1.5°C to 1.5°C)** at many places over Punjab; at most places over Gujarat Region and Coastal Karnataka; at few places over Andaman & Nicobar Islands, Sub Himalayan West Bengal & Sikkim, Odisha, East Uttar Pradesh, West Uttar Pradesh and West Rajasthan; at isolated places over Gangetic West Bengal, East Rajasthan and Vidarbha. **The highest maximum temperature** of 38.2°C was reported at RAJKOT (A) (GUJARAT).

Meteorological Analysis (Based on 1730 hours IST)

- The **Depression (Remnant of Very Severe Cyclonic Storm "Arnab")** over central Chhattisgarh and adjoining Odisha moved nearly northwards and weakened into a **Well Marked Low Pressure Area** over central parts of Chhattisgarh and adjoining Odisha at 1730 hrs IST of 29th October, 2026. It is very likely to continue to move north-northeastwards, and weaken further into a low pressure area over Northeast Chhattisgarh & neighbourhood during next 24 hours.
- The **Low Pressure Area** over south Andaman Sea & neighbourhood persisted over the same region at 1730 hrs IST of today, the 29th October 2026. It is very likely to move west-northwestwards and concentrate into a **depression** over southeast Bay of Bengal and adjoining areas of Andaman & Nicobar Islands and Andaman Sea around 31st October. Thereafter, it is likely to intensify further and continue to move west-northwestwards towards Andhra Pradesh coast during subsequent 2 days.
- The **Western Disturbance** as a cyclonic circulation over north Pakistan and neighbourhood between 3.1 and 4.5 km above mean sea level with the trough aloft in middle & upper tropospheric westerlies with axis at 5.8 km above mean sea level runs roughly along Long. 68°E to the north of Lat. 22°N persists.
- The Induce **upper air cyclonic circulation** over south Punjab & neighbourhood at 1.5 km above mean sea level persists.
- The **upper air cyclonic circulation** over south Konkan and neighbourhood extending upto 3.1 km above mean sea level persists.
- The **trough** from the cyclonic circulation associated with the **Wall marked low pressure area** over central parts of Chhattisgarh and adjoining Odisha to the cyclonic circulation over south Konkan across Telangana and North Interior Karnataka extending upto 3.1 km above mean sea level.
- The **upper air cyclonic circulation** over north Haryana & neighbourhood at 0.9 km above mean sea levelpersists.



29 October (Day 1)

❖ **Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall** very likely at isolated places over Chhattisgarh.

❖ **Heavy to Very Heavy Rainfall** very likely at isolated places over Bihar, East Uttar Pradesh, Jharkhand and Odisha.

❖ **Heavy Rainfall** very likely at isolated places over Andaman & Nicobar Islands, East Madhya Pradesh, Uttarakhand, Vidarbha and West Bengal & Sikkim.

❖ **Thunderstorm accompanied with Hailstorm** very likely at isolated places over East Rajasthan, Haryana, Chandigarh & Delhi, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Punjab.

❖ **Thundersquall with wind speed reaching(50-60kmph)** very likely at isolated places over Chhattisgarh, Haryana, Chandigarh & Delhi and Punjab.

❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Andaman & Nicobar Islands, Bihar, East Madhya Pradesh, East Rajasthan, Gangetic West Bengal, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand and Odisha.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Andhra Pradesh, Konkan & Goa, Madhya Maharashtra, Marathwada, Sub Himalayan West Bengal & Sikkim, Uttar Pradesh, Uttarakhand, West Madhya Pradesh and West Rajasthan.


❖ **Thunderstorm accompanied with Lightning** very likely at isolated places over Assam & Meghalaya, Nagaland, Manipur, Mizoram and Tripura and Vidarbha.

❖ **Strong Surface Winds** very likely at isolated places over Andhra Pradesh.

❖ **Adjoining Northwest Bay of Bengal and along & off Odisha & West Bengal Coast**: Squally weather with wind speed reaching 35-45 gusting to 55 kmph is very likely to prevail till 29th October noon and decrease gradually thereafter.

❖ Squally weather with wind speed reaching 35-45 gusting to 55 kmph is very likely to prevail over North Andaman Sea on 29th October.

❖ Squally weather with wind speed reaching 35-45 gusting to 55 kmph is very likely to prevail over South Andaman Sea and adjoining Andaman & Nicobar Islands on 29th October.



30 October (Day 2)

❖ **Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall** very likely at isolated places over Bihar.

❖ **Heavy to Very Heavy Rainfall** very likely at isolated places over Andaman & Nicobar Islands, East Uttar Pradesh and Sub Himalayan West Bengal & Sikkim.

❖ **Heavy Rainfall** very likely at isolated places over Jharkhand and Uttarakhand.

❖ **Thunderstorm accompanied with Hailstorm** very likely at isolated places over East Rajasthan, Haryana, Chandigarh & Delhi, Uttarakhand and West Uttar Pradesh.

❖ **Thundersquall with wind speed reaching(50-60kmph)** very likely at isolated places over Andaman & Nicobar Islands and Haryana, Chandigarh & Delhi.

❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Bihar, East Rajasthan, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Odisha, Punjab and Uttarakhand.


❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Andhra Pradesh, Madhya Pradesh, Uttar Pradesh, West Bengal & Sikkim and West Rajasthan.

❖ **Thunderstorm accompanied with Lightning** very likely at isolated places over Assam & Meghalaya, Chhattisgarh, Himachal Pradesh and Vidarbha.

❖ **Strong Surface Winds** very likely at isolated places over Andhra Pradesh.

❖ Squally weather with wind speed reaching 40-50 gusting to 60 kmph is very likely to prevail over South Andaman Sea and adjoining Andaman & Nicobar Islands on 30th October.

❖ Squally weather with wind speed reaching 35-45 gusting to 55 kmph prevailing over adjoining areas of southeast Bay of Bengal, likely to increase becoming 40-50 gusting to 60 kmph over southeast Bay of Bengal along & off Andaman and Nicobar islands on 30th October.



31 October (Day 3)

❖ **Heavy Rainfall** very likely at isolated places over Andaman & Nicobar Islands.


❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Andaman & Nicobar Islands and Bihar.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Andhra Pradesh, Madhya Pradesh and Sub Himalayan West Bengal & Sikkim.

❖ **Thunderstorm accompanied with Lightning** very likely at isolated places over Chhattisgarh and Vidarbha.

❖ **Strong Surface Winds** very likely at isolated places over Andhra Pradesh.

❖ Squally weather with wind speed reaching 45-55 gusting to 65 kmph prevailing over adjoining areas of southeast Bay of Bengal along & off Andaman and Nicobar islands on 31st October.



1 November (Day 4)

❖ **Heavy Rainfall** likely at isolated places over Chhattisgarh, Coastal Andhra Pradesh and Odisha.

❖ **Thundersquall with wind speed reaching(50-60kmph)** likely at isolated places over Telangana.


❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Chhattisgarh and Odisha.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Andhra Pradesh, East Madhya Pradesh, Interior Karnataka and Kerala & Mahe.

❖ **Thunderstorm accompanied with Lightning** likely at isolated places over Coastal Karnataka and Vidarbha.

❖ **Strong Surface Winds** likely at isolated places over Andhra Pradesh and Interior Karnataka.

No Fishermen Warning



2 November (Day 5)

❖ **Heavy to Very Heavy Rainfall** likely at isolated places over Coastal Andhra Pradesh and Odisha.

❖ **Heavy Rainfall** likely at isolated places over Arunachal Pradesh, Chhattisgarh, Coastal Karnataka, Kerala & Mahe and South Interior Karnataka.

❖ **Thundersquall with wind speed reaching(50-60kmph)** likely at isolated places over Telangana.


❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Chhattisgarh, Coastal Andhra Pradesh and Odisha.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over East Madhya Pradesh, Interior Karnataka, Kerala & Mahe and Rayalaseema.

❖ **Thunderstorm accompanied with Lightning** likely at isolated places over Coastal Karnataka and Vidarbha.

❖ **Strong Surface Winds** likely at isolated places over Andhra Pradesh and Interior Karnataka.

No Fishermen Warning




3 November (Day 6)

❖ **Heavy to Very Heavy Rainfall** likely at isolated places over Coastal Andhra Pradesh.

❖ **Heavy Rainfall** likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Coastal Karnataka, Kerala & Mahe, Odisha, South Interior Karnataka and Tamil Nadu Puducherry & Karaikal.

❖ **Thunderstorm accompanied with Lightning** likely at isolated places over Tamil Nadu Puducherry & Karaikal.

No Fishermen Warning



4 November (Day 7)

❖ **Heavy Rainfall** likely at isolated places over Coastal Andhra Pradesh and Tamil Nadu Puducherry & Karaikal.

❖ **Thunderstorm accompanied with Lightning** likely at isolated places over Tamil Nadu Puducherry & Karaikal.

No Fishermen Warning

Flash Flood Warnings

Flash Flood Risk (FFR) till 1730 IST of 30-10-2026:

Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours.

Chhattisgarh: Jashpur, Korba, Koriya, Surajpur, Surguja, and Balrampur districts

Odisha: Balasore, Bhadrak, Keonjhargarh, Dhenkanal, Deogarh, Sambalpur, Sundargarh and Jharsuguda districts

Jharkhand: Palamu, Gharwa, Simdega and West Singhbhum districts

Bihar: Aurangabad, Rohtas, Bhabua, Buxar, Bhojpur, Saran, Siwan, East Champaran, West Champaran, Sheoghar and Sitamarhi districts.

East Uttar Pradesh : Sonbahdra, Chandauli, Ghazipur and Balia districts

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map




Table-1

7 Days Rainfall Forecast

S.No.	Subdivision	29-Oct	30-Oct	31-Oct	1- Nov	2- Nov	3- Nov	4- Nov
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	WS	WS	FWS	SCT	SCT	SCT	SCT
2	ARUNACHAL PRADESH	ISOL	ISOL	ISOL	ISOL	SCT	SCT	SCT
3	ASSAM & MEHGHALAYA	ISOL	ISOL	ISOL	SCT	SCT	SCT	SCT
4	N. M. M. & T.	SCT	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
5	S.H. WEST BENGAL & SIKKIM	WS	WS	FWS	ISOL	ISOL	ISOL	ISOL
6	GANGETIC WEST BENGAL	WS	FWS	ISOL	ISOL	ISOL	SCT	SCT
7	ODISHA	WS	FWS	SCT	FWS	SCT	ISOL	ISOL
8	JHARKHAND	WS	WS	SCT	SCT	SCT	SCT	ISOL
9	BIHAR	WS	WS	SCT	ISOL	ISOL	ISOL	ISOL
10	EAST UTTAR PRADESH	FWS	FWS	SCT	ISOL	ISOL	ISOL	ISOL
11	WEST UTTAR PRADESH	SCT	SCT	ISOL	DRY	DRY	DRY	DRY
12	UTTARAKHAND	FWS	SCT	ISOL	ISOL	ISOL	DRY	DRY
13	HARYANA, CHD & DELHI	FWS	FWS	ISOL	DRY	DRY	DRY	DRY
14	PUNJAB	SCT	SCT	ISOL	DRY	DRY	DRY	DRY
15	HIMACHAL PRADESH	SCT	SCT	ISOL	ISOL	ISOL	DRY	DRY
16	JAMMU AND KASHMIR AND LADAKH	SCT	ISOL	DRY	ISOL	DRY	DRY	DRY
17	WEST RAJASTHAN	ISOL	ISOL	DRY	DRY	DRY	DRY	DRY
18	EAST RAJASTHAN	ISOL	SCT	SCT	ISOL	DRY	DRY	DRY
19	WEST MADHYA PRADESH	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
20	EAST MADHYA PRADESH	FWS	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
21	GUJRAT REGION	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
22	SAURASHTRA & KUTCH	DRY	ISOL	ISOL	DRY	DRY	DRY	DRY
23	KONKAN & GOA	ISOL	ISOL	DRY	DRY	DRY	DRY	DRY
24	MADHYA MAHARASHTRA	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
25	MARATHWADA	ISOL	ISOL	DRY	DRY	DRY	DRY	DRY
26	VIDARBHA	SCT	ISOL	ISOL	ISOL	DRY	DRY	DRY
27	CHATTISGARH	WS	WS	FWS	SCT	SCT	FWS	FWS
28	COASTAL ANDHRA PRADESH	ISOL	ISOL	ISOL	SCT	FWS	FWS	SCT
29	TELANGANA	ISOL	ISOL	ISOL	SCT	FWS	ISOL	ISOL
30	RAYALASEEMA	ISOL	ISOL	ISOL	ISOL	SCT	SCT	ISOL
31	TAMILNADU & PUDUCHERRY	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
32	COSTAL KARNATAKA	ISOL	DRY	ISOL	SCT	FWS	FWS	FWS
33	NORTH INTERIOR KARNATAKA	DRY	ISOL	ISOL	ISOL	ISOL	SCT	SCT
34	SOUTH INTERIOR KARNATAKA	ISOL	ISOL	ISOL	SCT	FWS	FWS	FWS
35	KERALA	ISOL	ISOL	ISOL	SCT	FWS	FWS	FWS
36	LAKSHDWEEP	DRY	DRY	DRY	DRY	SCT	SCT	SCT

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

*Red color warning does not mean "Red Alert" Red color warning means "Take Action"
Forecast and warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day
For more details kindly visit https://mausam.imd.gov.in or contact 011-2434-4599
(Service to the nation since 1875)

Fig. 1: Maximum Temperatures Dated 2026-10-29




Fig. 2: Departure of Maximum Temp. Dated 2026-10-29




Fig. 3: Minimum Temperatures Dated 2026-10-29






Fig. 4: Departure of Minimum Temp. Dated 2026-10-29




24 Hr cumulative rainfall recorded over different stations during 0830 IST of 28-10-2026 to 0830 IST of 29-10-2026
Very Light to Light Rainfall (0.1 - 15.5 mm)
Moderate Rainfall (15.6 - 64.4 mm)
Heavy Rainfall (64.5 - 115.5 mm)
Very Heavy Rainfall (115.6 - 204.4 mm)
Extremely Heavy Rainfall (>=204.5 mm)
Arabian Sea
Bay of Bengal
Indian Ocean
0 250 500 km
40°0.000′
35°0.000′
30°0.000′
25°0.000′
20°0.000′
15°0.000′
10°0.000′
5°0.000′
70°0.000′
75°0.000′
80°0.000′
85°0.000′
90°0.000′
95°0.000′

Impace and Actions

Impact Expected and Action Suggested due to very heavy / heavy rainfall:

- Isolated **extremely heavy rainfall** likely over Odisha on 29th; over north Bihar on 30th; over Chhattisgarh on 29th October.
- Isolated **very heavy rainfall** also likely over Coastal Andhra Pradesh & Yanam during 2nd-3rd November.

Impact expected:

- Breaking of tree branches, uprooting of small trees like banana, papaya, drum sticks. Strong wind and rain may damage plantation, horticulture and standing crops.
- Partial damage to vulnerable structures due to strong winds and rain.
- Minor damage to kutcha houses/walls, huts and roads due to heavy rain.
- Loose objects may fly.
- Small ships, trawlers and boats may be affected.
- Road and rail traffic may be affected due to heavy rain and squally winds.
- There could be localised landslides, mudslides, landslips, water logging, inundation and flooding over low lying areas.
- Occasional reduction in visibility due to heavy rainfall.
- Helicopter services may get affected.

Action suggested:

- People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.
- Take safe shelters; do not take shelter under trees, as there could be lightning.
- In case of expected lightning, unplug electrical/ electronic appliances, immediately, get out of water bodies and keep away from all the objects that conduct electricity.
- Tourism and recreational activities to be regulated.
- Onshore and offshore activities to be judiciously regulated.
- Helicopter services to be regulated.

Agromet advisories for various parts of the country

Agromet advisories for likely impact of Heavy/ Very Heavy/ Extremely Heavy Rainfall

- In **Odisha**, ensure proper and continuous drainage in standing crops and nurseries, particularly in low-lying fields. Keep the harvested produce at safe place. Maintain drainage channels in fields and postpone sowing, transplanting, fertilizer application and plant protection measures until rainfall subsides.
- In **Chhattisgarh**, ensure proper drainage in standing crops and vegetables. Postpone fresh sowing/transplantation of winter vegetables.Protect the fruit and vegetable nurseries with polythene sheets and tarpaulin.
- In **Bihar**, harvest the early duration rice immediately wherever feasible and move the already harvested produce to safer places or cover with plastic / polythene sheets. Make drainage channels clear and ensure proper drainage in standing crops and vegetables. Postpone sowing/transplanting of mustard, chickpea, potato and winter vegetables.
- In **Jharkhand**, shift the harvested produce of early sown rice, maize, pigeon pea, finger millets immediately to safer places or cover with plastic / polythene sheets. Maintain effective drainage in standing crop fields and vegetables. Postpone sowing of potato and mustard.
- In **East Uttar Pradesh**, keep the harvested produce to a safe place or cover it with plastic or polythene sheets. Postpone sowing of chickpea, lentil, mustard, toria, wheat, potato and winter vegetables. Ensure proper drainage in sugarcane, basmati rice, other standing crops and vegetables; prop sugarcane and stake vegetable plants.
- In **West Bengal**, harvest mature groundnut pods during suitable dry weather and keep in safe places. Maintain

proper draiage in standing crops fields and vegeatbles.

- In **Coastal Andhra Pradesh**, drain excess water promptly to prevent waterlogging in rice, pigeon pea, maize, cotton, other standing crops and vegetables. Support the lodged maize and chilli plants wherever feasible after the weather improves. Postpone sowing of rabi crops in the Southern Zone until rainfall recedes and soil conditions become suitable.
- In **East Madhya Pradesh**, harvest mature soybean, maize and pick opened cotton bolls if feasible and shift the already harvested produce to safer places. Keep the drainage channels clear in already planted vegetable fields.
- In **Andaman & Nicobar Islands**, ensure proper drainage in crop fields and nurseries, and harvest mature rice and vegetables during rain-free intervals, drying the produce under cover. Support banana plants with props and raise vegetable nurseries on raised beds under rain shelter. Avoid fertilizer and pesticide application during rainfall, and undertake arecanut protection measures against fruit rot only during rain-free weather.

Agromet advisories for likely impact of Hails

- In regions with a risk of hail-especially **Himachal Pradesh, Uttarakhand, East Rajasthan, Haryana, Punjab** and **West Uttar Pradesh**, use hail nets or caps in fruit orchards and vegetable fields to protect crops from mechanical damage.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds

- Shift the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields. Tie the harvested crops securely and cover them to minimize the risk of displacement from strong surface winds.
- Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.

Advisories for likely impact of Heavy Rainfall/Hailstorm for Livestock / Poultry / Fisheries


- Keep the animals inside the shed during heavy rainfall/ hailstorm and provide them balanced feed.
- Store the feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain excess water, thereby preventing fish from escaping in the event of overflow.

Legends & abbreviations:

- **Heavy Rain:**64.5115.5mm; **Very Heavy Rain:**115.6204.4mm; **Extremely Heavy Rain:** >204.4mm.
- **Obsy:** Observatory; Automatic Weather Station; **ARG:** Automatic Rain Gauge; **dist:** District: **NH:** National Highway; **KVK**: Krishi Vigyan Kendra; **DVC:** Damodar Valley Corporation; **PTO**: Part Time Office, **Aero:** Aerodrome, **IAF:** Indian Air Force.
- **Region wise classification of meteorological Sub-Divisions:**
- **Northwest India:** Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana Chandigarh & Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.
- **Central India:** West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.
- **East India:** Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.
- **Northeast India:** Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.
- **West India:** Gujarat Region, Saurashtra & Kutch, Coastal Maharashtra (Konkan) & Goa, Madhya Maharashtra and Marathawada.
- **South India:** Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.

LEGENDS

1 अंडमान और निकोबार द्वीप समुह
2 अरुणाचल प्रदेश
3 असम और मेघालय
4 नागालैंड मनीपुर मीजोरम और त्रिपुरा
5 उप हिमालय पश्चिम बंगाल एंवम् सिक्किम
6 पश्चिम गांगेय बंगाल
7 ओडिसा
8 झारखंड
9 बिहार
10 पूर्वी उत्तर प्रदेश
11 पश्चिम उत्तर प्रदेश
12 उत्तराखंड
13 हरियाणा चंडिगढ़ एंवम् दिल्ली
14 पंजाब
15 हिमाचल प्रदेश
16 जम्मू एवंम कश्मीर एवंम लद्दाख
17 पश्चिम राजस्थान
18 पूर्वी राजस्थान
19 पश्चिम मध्य प्रदेश
20 पूर्वी मध्य प्रदेश
21 गुजरात क्षेत्र
22 सौराष्ट्र एंवम् कच्छ
23 कोंकण एंवम् गोवा
24 मध्य महाराष्ट्र
25 मराठावाडा
26 विदर्भ
27 छत्तीसगढ़
28 तटीय आंध्र प्रदेश एवं यनम
29 तेलंगाना
30 रायलसीमा
31 तमिलनाडु ,पुदुचेरी एवंम कराईकल
32 तटिय कर्नाटक
33 आंतरिक उत्तरी कर्नाटक
34 आंतरिक दक्षिणी कर्नाटक
35 केरल एवंम माहे
36 लक्षद्वीप



1. Andaman & Nicobar Islands
2. Arunachal Pradesh
3. Assam & Meghalaya
4. Nagaland, Manipur, Mizoram & Tripura
5. Sub-Himalayan West Bengal & Sikkim
6. Gangetic West Bengal
7. Orissa
8. Jharkhand
9. Bihar
10. East Uttar Pradesh
11. West Uttar Pradesh
12. Uttarakhand
13. Haryana, Chd & Delhi
14. Punjab
15. Himachal Pradesh
16. Jammu & Kashmir and Ladakh
17. West Rajsthan
18. East Rajasthan
19. West Madhya Pradesh
20. East Madhya Pradesh
21. Gujarat
22. Saurashtra
23. Konkan & Goa
24. Madhya Maharashtra
25. Marathawada
26. Vidharbha
27. Chhattisgarh
28. Coastal Andhra Pradesh & Yanam
29. Telangana
30. Rayalaseema
31. Tamilnadu, Puducherry & Karaikal
32. Coastal Karnataka
33. North Interior Karnataka
34. South Interior Karnataka
35. Kerala & Mahe
36. Lakshadweep

SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

- NO WARNING
- WATCH (BE UPDATED)
- ALERT (BE PREPARED TO TAKE ACTION)
- WARNING (TAKE ACTION)

Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

Heavy Rain
Very Heavy Rain
Extremely Heavy Rain
Heavy Snow
Thunderstorm & Lightning
Hailstrom
Dust Strom
Dust Raising Winds
Strong surface winds
Heat Wave
Hot Day
Warm Night
Cold Wave
Cold Day
Ground Frost
Fog
Hot & Humid

*Red color warning does not mean "Red Alert" Red color warning means "Take Action"
Forecast and warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day
For more details kindly visit https://mausam.imd.gov.in or contact 011-2434-4599
(Service to the nation since 1875)

LEGENDS

WARNING

WARNING (TAKE ACTION)
ALERT (BE PREPARED)
WATCH (BE UPDATED)
NO WARNING (NO ACTION)

Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

Rain/ Snow *

Heavy: 64.5 to 115.5 mm/cm *
Very Heavy: 115.6 to 204.4 mm/cm*
Extremely Heavy: > 204.4 mm/cm *

Heat Wave

When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions

(a) Based on Departure from normal

Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.
Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C

(b). Based on Actual maximum temperature

Heat Wave: When actual maximum temperature ≥45°C.
Severe Heat Wave: When actual maximum temperature ≥47°C

(c). Criteria for heat wave for coastal stations

When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C

Warm Night

When maximum temperature remains 40°C

Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.
Severe Warm Night: When minimum temperature departure >6.4 °C.

Cold Wave

When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions.

(a). Based on departure

Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C

(b) Based on actual Minimum Temperature (for Plains only)

Cold Wave : When Minimum Temperature is ≤ 4.0 °C
Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C

(c) For Coastal Stations

When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C

Cold Day

When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions

Based on departure

Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.
Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C

Fog

Phenomenon of small droplets suspended in air and the horizontal visibility < 1km

Moderate Fog: When the visibility between 500-200 metres
Dense Fog: when the visibility between 50- 200 metres
Very Dense Fog: when the visibility < 50 metres

Thunderstorm

Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)

Dust/Sand Storm

An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.

Frost

Ice deposits on ground

Air temperature ≤4°C (over Plains)

Squall

A strong wind that rises suddenly, lasts for atleast 1 minute.

Moderate: Wind speed 52-61 kmph
Severe: Wind speed 62-87 kmph
Very Severe: Wind speed >87 kmph

Sea State

Effect of various waves in the sea over specific area

Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre
High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre
Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre

Cyclone

Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)
Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)
Very Severe Cyclonic Storm: Wind speed 118-165 kmph (64 - 89 knots)
Extremely Severe Cyclonic Storm: Wind speed 166-220 kmph (90 -119 knots)
Super Cyclone Strom: Wind speed >220 kmph (>119 knots)