

IBPS SO IT OFFICER PRACTICE QUESTIONS

Professional Knowledge Questions of All subjects

12/6/2016



Mentor for Bank Exams

This is the document consisting of all the important questions of all the subjects that are most important in the exam point of view for the upcoming IBPS SO IT Officers recruitment. I have included most important questions that are repeatedly asked in previous exams.

IBPS SO IT OFFICER PRACTICE QUESTIONS

TABLE OF CONTENTS

Topic	Page Numbers
<u>Database Management System</u>	2 – 29
<u>Web Technologies</u>	30 – 47
<u>Data Structures</u>	48 – 65
<u>Operating Systems</u>	66 – 83
<u>Computer Networking</u>	84 – 107

IBPS SO IT OFFICER PRACTICE QUESTIONS

DATABASE MANAGEMENT PRACTICE SETS

A collection of conceptual tools for describing data, relationships, semantics and constraints is referred to as

- (A) Data Model**
- (B) E-R Model
- (C) DBMS
- (D) All of the above

Dr.E.F. Codd represented rules that a database must obey if it has to be considered truly relational.

- (A) 10
- (B) 15
- (C) 14
- (D) 12**

In E-R Diagram, weak entity is represented by.....

- (A) Rectangle
- (B) Square
- (C) Double Rectangle**
- (D) Circle

An entity that is related with itself is known as.....

- (A) binary relationship
- (B) recursive relationship**
- (C) ternary relationship
- (D) None of the above

..... is a bottom-up approach in which two lower level entities combine to form a higher level entity.

- (A) Aggregation
- (B) Specialization
- (C) Generalization**
- (D) None of the above

An entity set that does not have sufficient attributes to form a primary key, is a

IBPS SO IT OFFICER PRACTICE QUESTIONS

(A) Primary entity set

(B) Weak entity set

(C) Strong entity set

(D) None of the above

Which SQL command delete all the records and does not remove the structure?

(A) Drop

(B) Insert

(C) Truncate

(D) None of the above

Which of the following is a Data Definition Language (DDL) command?

(A) Delete

(B) Insert

(C) Drop

(D) Merge

In database, data is organized in the form of trees with nodes.

(A) Hierarchical

(B) Relational

(C) Network

(D) None of the above

Which command is used to retrieve records from one or more table?

(A) Delete

(B) Insert

(C) Drop

(D) Select

Rows of a relation are called _____

(A) entity

(B) degree

(C) tuples

IBPS SO IT OFFICER PRACTICE QUESTIONS

(D) None of the above

The number of tuples in a relation is termed as _____

(A) cardinality

(B) entity

(C) column

(D) None of the above

In SQL, Which of the following is a Data Manipulation Language(DML) command?

(A) create

(B) alter

(C) merge

(D) drop

..... is a top-down approach in which one higher level entity can be divided into two lower level entities.

(A) Aggregation

(B) Specialization

(C) Generalization

(D) None of the above

Which of the following is not a type of database?

(A) Hierarchical

(B) Relational

(C) Network

(D) Transition

In a relational database, each tuple is divided into fields called _____

(A) Relations

(B) Domains

(C) Queries

(D) None of the above

In E-R Diagram, attribute is represented by.....

(A) Rectangle

IBPS SO IT OFFICER PRACTICE QUESTIONS

(B) Square

(C) Double Rectangle

(D) eclipse

In SQL, TCL stands for_____

(A) Transmission Control Language

(B) Transaction Central Language

(C) Ternary Control Language

(D) Transaction Control Language

Which of the following is a part of the Oracle database system?

(A) Free lists

(B) Front end

(C) Network

(D) None of the above

Which of the following is used with database?

(A) ATM

(B) Payment gateway

(C) Data Mining

(D) None of the above

The language used in application programs to request data from the DBMS is referred to as the _____

(A) DML

(B) DDL

(C) DCL

(D) None of the above

In Oracle, who owns the data dictionary?

(A) DBA

(B) SYS

(C) SYSTEM

(D) None of the above

IBPS SO IT OFFICER PRACTICE QUESTIONS

In SQL, which command is used to update existing row in a table?

- (A) Insert
- (B) Delete
- (C) Update**
- (D) None of the above

A _____ contains the smallest unit of meaningful data, so you might call it the basic building block for a data file.

- (A) Record
- (B) Field**
- (C) Table
- (D) None of the above

A relation between two entities is treated as a single entity is called _____

- (A) Aggregation**
- (B) Specialization
- (C) Generalization
- (D) None of the above

Data mining evolve as a mechanism to cater the limitations of _____ systems to deal massive data sets with high dimensionality.

- (A) OLAP
- (B) OLTP**
- (C) DWH
- (D) None of the above

In Relational table, the term "Attribute" is also used to represent _____

- (A) row
- (B) column (or) field**
- (C) entity
- (D) None of the above

Which of the following categories of the data integrity RDBMS will enforce specific business rules?

IBPS SO IT OFFICER PRACTICE QUESTIONS

- (A) Entity Integrity
- (B) Domain Integrity
- (C) User-Defined Integrity**
- (D) None of the above

E-R Modeling technique is a _____

- (A) top-down approach**
- (B) bottom-up approach
- (C) User-Defin
- (D) None of the above

The number of attributes in a relation is called its _____

- (A) row
- (B) column
- (C) degree**
- (D) None of the above

A top to bottom relationship among the items in a database is established by a _____

- (A) Network Schema
- (B) Relational Schema
- (C) Hierarchical Schema**
- (D) None of the above

Aggregation is a special form of _____

- (A) Specialization
- (B) Association**
- (C) Generalization
- (D) None of the above

In E-R Diagram, _____ represents Key Attribute.

- (A) Ellipse with underlying line**
- (B) Rectangle with underlying line
- (C) Double rectangle

IBPS SO IT OFFICER PRACTICE QUESTIONS

(D) None of the above

Which TCL command is used to permanently save any transaction into database?

(A) rollback

(B) savepoint

(C) commit

(D) None of the above

Which TCL command restores the database to last committed state?

(A) rollback

(B) savepoint

(C) commit

(D) None of the above

_____ is used to control privilege in Database.

(A) Data Manipulation Language

(B) Data Definition Language

(C) Data Query Language

(D) Data Control Language

Which model remains operative until the software is required?

(A) Waterfall model

(B) Incremental model

(C) Prototyping model

(D) Spiral model

In oracle, which tablespace is the minimum required when creating a database?

(A) System tablespace

(B) Undo tablespace

(C) temporary tablespace

(D) None of the above

Which of the following is another name for weak entity?

(A) Dominant

IBPS SO IT OFFICER PRACTICE QUESTIONS

(B) Child

(C) Owner

(D) None of the above

ODBC is based on _____

(A) C++ language

(B) RDBMS

(C) Structured Query Language

(D) C language

OLAP stands for _____

(A) Online Arithmetic Processing

(B) Online Analysis Processing

(C) Online Analytical Processing

(D) None of the above

The _____ operation allows the combining of two relations by merging pairs of tuples, one from each relation, into a single tuple.

(A) Join

(B) Intersection

(C) Union

(D) None of the above

_____ is the multiplication of all the values in the attributes.

(A) Set difference

(B) Cartesian product

(C) Intersection

(D) None of the above

Which command is used to remove a relation from an SQL database?

(A) Delete

(B) Remove

(C) Drop

IBPS SO IT OFFICER PRACTICE QUESTIONS

(D) None of the above

In SQL, the spaces at the end of the string are removed by _____ function .

(A) Lower

(B) String

(C) Trim

(D) None of the above

_____ is used to save permanently any transaction into database.

(A) commit

(B) rollback

(C) savepoint

(D) None of the above

A unit of storage that can store one or more records in a hash file organization is denoted as _____

(A) Bucket

(B) Disk pages

(C) Blocks

(D) Nodes

Which of the following operator used for appending two strings?

(A) %

(B) &

(C) +

(D) ||

The management information system (MIS) structure with one main computer system is called a _____

(A) Decentralized MIS structure

(B) Distributed MIS structure

(C) Centralized MIS structure

(D) None of the above

The highest level in the hierarchy of data organization is called _____

(A) data base

IBPS SO IT OFFICER PRACTICE QUESTIONS

(B) data file

(C) data record

(D) None of the above

_____ is the complex search criteria in the where clause.

(A) Substring

(B) Drop Table

(C) Predicate

(D) None of the above

Which of the following clause is an additional filter that is applied to the result?

(A) Having

(B) Group-by

(C) Select

(D) Order by

_____ is the process of organizing data into related tables.

(A) Generalization

(B) Normalization

(C) Specialization

(D) None of the above

Which of the following is used to determine whether of a table contains duplicate rows?

(A) Unique predicate

(B) Like Predicate

(C) Null predicate

(D) In predicate

The candidate key is that you choose to identify each row uniquely is called _____

(A) Primary Key

(B) Foreign Key

(C) Alternate Key

(D) None of the above

IBPS SO IT OFFICER PRACTICE QUESTIONS

An operator is basically a join followed by a project on the attributes of first relation is known as_____

- (A) Join
- (B) Inner Join
- (C) Full Join
- (D) Semi-Join**

Which of the following is a special type of integrity constraint that relates two relations and maintains consistency across the relations?

- (A) Entity Integrity Constraints
- (B) Referential Integrity Constraints**
- (C) Domain Integrity Constraints
- (D) None of the above

Each modification done in database transaction are first recorded into the_____

- (A) Hard Drive
- (B) Disk
- (C) Log File**
- (D) Data Mart

Which of the following is preferred method for enforcing data integrity?

- (A) Cursors
- (B) Constraints**
- (C) Triggers
- (D) None of the above

Which allows to make copies of the database periodically to help in the cases of crashes and disasters?

- (A) Recovery utility
- (B) Data loading utility
- (C) Monitoring utility
- (D) Backup Utility**

_____ allows a unique number to be generated when a new record is inserted into a table.

- (A) Insert Into Select

IBPS SO IT OFFICER PRACTICE QUESTIONS

(B) Insert Into

(C) Select Into

(D) Auto Increment

Which of the following constraint is used to limit the value range that can be placed in a column?

(A) Check

(B) Default

(C) Unique

(D) None of the above

A Foreign key in one table points to a _____ key in another table.

(A) Alternate

(B) Default

(C) Primary

(D) None of the above

Domain constraints, functional dependency and referential integrity are special forms of _____

(A) Foreign key

(B) Primary key

(C) Referential constraint

(D) Assertion

4NF stands for _____

(A) Fourth Normal File

(B) Fourth Normal Form

(C) Fourth Normal Fraction

(D) Fourth Negative File

Which of the following field type is used to store photograph of employees?

(A) Memo

(B) Picture

(C) OLE

(D) Photo

IBPS SO IT OFFICER PRACTICE QUESTIONS

_____ statement is used in conjunction with the aggregate functions to group the result-set by one or more columns.

- (A) Select
- (B) Group By**
- (C) Distinct
- (D) None of the above

Which of the following method can be used to add more tables in a database?

- (A) Design View
- (B) Table Wizard
- (C) Both (A) & (B)**
- (D) None of the above

Which of the following field type is the best to store serial numbers?

- (A) Number
- (B) Auto Number**
- (C) Text
- (D) Memo

The feature that database allows to access only certain records in database is _____

- (A) Queries**
- (B) Reports
- (C) Forms
- (D) Tables

Which of the following is used to generate a square root of a number?

- (A) MySQL SQRT Function**
- (B) MySQL RAND Function
- (C) MySQL AVG Function
- (D) None of the above

Which datatype is used to store up to 65,536 characters?

- (A) Memo**

IBPS SO IT OFFICER PRACTICE QUESTIONS

(B) Text

(C) Integer

(D) None of the above

Which of the following operator combines two or more SELECT statements?

(A) In

(B) Like

(C) Union

(D) None of the above

Long datatype allows whole numbers between _____

(A) 0 to 255

(B) -32,768 to 32,767

(C) -2,147,483,648 to 2,147,483,647

(D) None of the above

Which of the following datatype holds a string with maximum length of 255 characters?

(A) Text

(B) Medium Text

(C) Long Text

(D) Tiny Text

In E-R Diagram, the total participation by entities is represented as _____

(A) Dashed line

(B) Rectangle

(C) Double rectangle

(D) Double line

Intersection operator is used to obtain the _____ tuples.

(A) Unique

(B) Common

(C) Different

(D) None of the above

IBPS SO IT OFFICER PRACTICE QUESTIONS

Which is a low level operator?

- (A) Insert
- (B) Update
- (C) Directory**
- (D) None of the above

The LAST() function is only supported in _____

- (A) MS Word
- (B) MS Access**
- (C) MS Excel
- (D) None of the above

_____ are used to specify the rules for the data in a table.

- (A) Constraints**
- (B) Aliases
- (C) Wildcards
- (D) None of the above

What type of failure occurs when Oracle fails due to an operating system or computer hardware failure?

- A. Application failure
- B. Instance Failure**
- C. Media Failure
- D. Roll back failure

Which Oracle backup and recovery file contains user and system data?

- A. Control file
- B. Data file**
- C. Offline Redo file
- D. None of the Above

When is the System Global Area (SGA) created in an Oracle database environment?

- A. When the database is created
- B. When a user process is started**

IBPS SO IT OFFICER PRACTICE QUESTIONS

C. When the database is mounted

D. When the instance is started

What is the type of Oracle backup in which all uncommitted changes have been removed from the data files?

A. Full backup

B. Consistent backup

C. Inconsistent backup

D. Differential backup

Which type of file is a part of the Oracle database?

A. Control file

B. Password file

C. Parameter files

D. log files

Which password management feature ensures a user cannot reuse a password for a specified time interval?

A. Account Locking

B. Password History

C. Password Verification

D. None of the Above

Which privilege is required to create a database?

A. SYSDBA

B. DBA

C. SYSOPER

D. RESOURCE

The most open source DBMS is _____

A. Oracle

B. Microsoft Access

C. MySQL

D. None of the Above

Which database level is the closest level to the users?

IBPS SO IT OFFICER PRACTICE QUESTIONS

- A. Internal
- B. External**
- C. Conceptual
- D. None of the Above

Which Normal Form(NF) is considered adequate for normal relational database design?

- A. 2NF
- B. 5NF
- C. 4NF
- D. 3NF**

Which of the following is/are feature(s) of Oracle 9i?

- A. Scalability
- B. Reliability
- C. One Development model
- D. All of the above**

Which of the following is an example for Embedded SQL Statement?

- A. ROLLBACK
- B. SETROLE
- C. ALTER SYSTEM
- D. FETCH**

_____ is a tool for entering and running ad-hoc based database statements.

- A. MySQL
- B. PL/SQL
- C. SQL*PLUS**
- D. None of the above

_____ Database is the only database specifically designed as an Internet development and deployment platform

- A. Oracle 6i
- B. Oracle 7i

IBPS SO IT OFFICER PRACTICE QUESTIONS

C. Oracle 8i

D. Oracle 9i

Oracle 9i can scale tens of thousands of concurrent users support upto _____ petabytes data.

A. 124

B. 256

C. 512

D. 624

Oracle 9i Reports gives us _____ options for building a Web report.

A. two

B. three

C. four

D. five

Oracle 9i Reports is the solution of _____

A. Paper publishing

B. Web publishing

C. Both (A) and (B)

D. None of the above

The _____ process is used for inter-instance locking in Real Application Clusters.

A. Front Manager Server

B. Back Manager Server

C. Lock Manager Server

D. None of the above

The _____ performs recovery when a failed instance starts up again.

A. Log Writer(LGWR)

B. Checkpoint(CKPT)

C. System Monitor(SMON)

D. Process Monitor(PMON)

The _____ performs process recovery when a user process fails.

IBPS SO IT OFFICER PRACTICE QUESTIONS

- A. Log Writer(LGWR)
- B. Checkpoint(CKPT)
- C. System Monitor(SMON)
- D. Process Monitor(PMON)**

An important purpose of the shared pool is to cache the executable versions of _____ statements.

- A. SQL
- B. PL/SQL
- C. Both (A) and (B)**
- D. None of the above

Which of the following is/are main component(s) of the shared pool?

- A. library Cache
- B. dictionary Cache
- C. Both (A) and (B)**
- D. None of the above

Oracle Database segregates a small amount of the shared pool for large objects(Over 5KB).The segregated area of the shared pool is called _____

- A. Fixed Pool
- B. Reserved Pool**
- C. Allocated Pool
- D. None of the above

Which stores the executable(parsed) form of SQL cursors and PL/SQL programs?

- A. library Cache**
- B. dictionary Cache
- C. Both (A) and (B)
- D. None of the above

Information stored in dictionary cache includes _____

- A. User names
- B. Profile data

IBPS SO IT OFFICER PRACTICE QUESTIONS

C. table space information

D. All of the above

When a query is submitted to oracle server for execution, oracle checks if same query has been executed previously. If found the same then this event is known as _____

A. Library cache hit

B. soft parsing

C. Both (A) and (B)

D. None of the above

If the parsed form of the statement is not found in the shared pool then new statement is parsed and its parsed version is stored in Shared SQL area. This is known as _____

A. Library cache hit

B. Soft parsing

C. Hard parsing

D. None of the above

Shared pool size is an important factor for _____ applications.

A. On-line Transaction Processing (OLTP)

B. Decision Support Systems (DSS)

C. Both (A) and (B)

D. None of the above

The shared pool is also able to support _____ in data warehousing applications.

A. Shared SQL

B. Stored SQL

C. Unsorted SQL

D. Unshared SQL

Reuse of shared SQL for multiple users running the same application avoids _____

A. Library cache hit

B. Soft parsing

C. Hard parsing

IBPS SO IT OFFICER PRACTICE QUESTIONS

D. None of the above

_____ is described as extracting the information from large amount of data in a database.

A. Data Modeling

B. Data Warehousing

C. Data Mining

D. None of the Above

_____ is a type of data mining used in Customer Relationship Management(CRM)

A. Clustering

B. Web mining

C. Both (A) and (B)

D. None of the Above

_____ is the process of using graph theory to analyse the node and connection structure of a web site.

A. Web structure mining

B. Web content mining

C. Web usage mining

D. None of the Above

The information gathered through web mining is evaluated by using _____

A. clustering

B. classification

C. Association

D. All of the Above

Which of the following is used to examine data collected by search engines and web spiders?

A. Web structure mining

B. Web content mining

C. Web usage mining

D. None of the Above

_____ a special type of computational cluster that is specifically designed for storing and analysing large amount of unstructured data.

IBPS SO IT OFFICER PRACTICE QUESTIONS

- A. Hadoop Cluster**
- B. Failover Cluster
- C. Both (A) and (B)
- D. None of the Above

The process of grouping a set of objects into classes of similar objects is called _____

- A. clustering**
- B. classification
- C. Association
- D. All of the Above

Which parameter is used to discover patterns in data that can lead to reasonable predictions about the future?

- A. clustering
- B. classification
- C. Association
- D. Forecasting**

Which of the following is the process of detecting and correcting the wrong data?

- A. Data Selection
- B. Data Cleaning**
- C. Data Integration
- D. None of the Above

Which of the following is the process of combining data from different resources?

- A. Data Selection
- B. Data Cleaning
- C. Data Integration**
- D. None of the Above

_____ is a centralized repository that stores data from multiple sources and transforms them into a common, multi dimensional model for efficient querying and analysis.

- A. Data Selection
- B. Data Cleaning

IBPS SO IT OFFICER PRACTICE QUESTIONS

C. Data Integration

D. Data Warehouse

Who is known as the father of data warehousing?

A. Grace Hopper

B. Niklaus Wirth

C. James Gosling

D. William H. Inmon

_____ is a simple form of Data Warehouse that is focused on single subject.

A. Spread Mart

B. Data Mart

C. Both (A) and (B)

D. None of the Above

Which is/are the basic operation(S) in Online Analytical Processing (OLAP)?

A. Consolidation

B. Drill- down

C. Slicing and Dicing

D. All of the Above

_____ is a class of software programs capable of supporting large number of short online transactions?

A. OLAP

B. OLTP

C. Both (A) and (B)

D. None of the Above

Which performs multidimensional analysis of business data and provides the capability for complex calculations, trend analysis and sophisticated data modeling?

A. OLAP

B. OLTP

C. Both (A) and (B)

D. None of the Above

IBPS SO IT OFFICER PRACTICE QUESTIONS

Which of the following is the simplest and less technical type of data warehouse?

- A. Real Time Data Warehouse
- B. Integrated Data Warehouse
- C. Offline Data Warehouse
- D. Offline operational Data Warehouse**

Which of the following Data Warehouse is updated from data in the operational systems on a regular basis?

- A. Real Time Data Warehouse
- B. Integrated Data Warehouse
- C. Offline Data Warehouse**
- D. Offline operational Data Warehouse

_____ is a data warehouse that can assemble data from different areas of business.

- A. Real Time Data Warehouse
- B. Integrated Data Warehouse**
- C. Offline Data Warehouse
- D. Offline operational Data Warehouse

_____ is updated for every transaction performed on the source data.

- A. Real Time Data Warehouse**
- B. Integrated Data Warehouse
- C. Offline Data Warehouse
- D. Offline operational Data Warehouse

Which handles the SQL requests and converts it into a request the individual database understands?

- A. Graphical User Interface (GUI)
- B. ActiveX Data Objects (ADO)
- C. Universal Data Access (UDA)
- D. Open Database Connectivity (ODBC)**

_____ is a database that contains billions of table rows.

- A. Very Large Database (VLDB)**
- B. Holographic storage

IBPS SO IT OFFICER PRACTICE QUESTIONS

- C. Both (A) and (B)
- D. None of the Above

ACID is a concept that defines four transaction properties of a database. ACID stands for _____

- A. Accuracy, Characteristics, Interface, Data mart
- B. Atomicity, Consistency, Interface, Data mart
- C. Accuracy, Characteristics, Isolation, Data mart
- D. Atomicity, Consistency, Isolation, Durability**

Which of the following is middle ware designed to support rapid high volume on-line transactions?

- A. Oracle
- B. Customer Information Control System(CICS)**
- C. Both (A) and (B)
- D. None of the Above

Which of the following middle ware technology might need the Interface Definition Language (IDL)?

- A. COBOL
- B. RAI
- C. CORBA**
- D. None of the Above

CORBA stands for _____

- A. Common Object Request Broker Application
- B. Common Oriented Request Broker Application
- C. Common Oriented Request Broker Architecture
- D. Common Object Request Broker Architecture**

The basic unit of PL/SQL is called _____

- A. Array
- B. Row
- C. Unit
- D. Block**

IBPS SO IT OFFICER PRACTICE QUESTIONS

_____ is a refinement process of organizing data in the database to avoid data redundancy and anomalies in insert, delete and update operations.

- A. Data Modeling
- B. Normalization**
- C. Clustering
- D. None of the Above

Which term is used to describe the process of forecasting or discovering pattern in data?

- A. Data Modeling
- B. Data Warehousing
- C. Data Mining**
- D. Normalization

Which of the following technology was Microsoft's first attempt at an object-oriented database interface?

- A. Data Access Objects (DAO)**
- B. ActiveX Data Objects (ADO)
- C. Universal Data Access (UDA)
- D. None of the Above

_____ manages clients in remote locations where network bandwidth control is required.

- A. Secondary Site**
- B. Central Administration Site
- C. Primary Site
- D. All of the Above
- E. None of the Above

Which of the following is the top-level site that has one or more primary child sites?

- A. Secondary Site
- B. Central Administration Site**
- C. Primary Site
- D. All of the Above
- E. None of the Above

IBPS SO IT OFFICER PRACTICE QUESTIONS

Which of the following manages clients in connected networks?

- A. Secondary Site
- B. Central Administration Site
- C. Primary Site**
- D. All of the Above
- E. None of the Above

_____ is the frequent electronic copying data from a database in one computer or server to a database in another.

- A. Database Management
- B. Database Replication**
- C. Database Mirroring
- D. All of the Above
- E. None of the Above

Which of the following can be used in conjunction with replication to improve availability for the publication database?

- A. Database Management
- B. Database Replication
- C. Database Mirroring**
- D. All of the Above
- E. None of the Above

Database replication can be divided into _____ types

- A. One
- B. Two
- C. Three**
- D. Four
- E. None of the Above

In, which of the following replication, users receive full initial copies of the database and then receive automated periodic updates as data changes between databases?

- A. Snapshot replication

IBPS SO IT OFFICER PRACTICE QUESTIONS

B. Merging replication

C. Transactional replication

D. Remote replication

E. Synchronous replication

_____ refers to a simple replication method between databases.

A. Snapshot replication

B. Merging replication

C. Transactional replication

D. Remote replication

E. All of the Above

Which of the following writes data to the primary and secondary sites at the same time?

A. Snapshot replication

B. Merging replication

C. Transactional replication

D. Remote replication

E. Synchronous replication

A process where there is a delay before data is copied to a secondary site is called _____

A. Snapshot replication

B. Merging replication

C. Transactional replication

D. Remote replication

E. Asynchronous replication

IBPS SO IT OFFICER PRACTICE QUESTIONS

WEB TECHNOLOGIES PRACTICE QUESTIONS

Which of the following provide additional information about HTML elements?

- (A) Headings
- (B) Paragraphs
- (C) Styles
- (D) Attributes**

The _____ method requests data from a specified source.

- (A) GET**
- (B) POST
- (C) Both (A) & (B)
- (D) None of the above

Symbol used at the beginning of the HERF text is _____

- (A) #**
- (B) \$
- (C) &
- (D) ^

Which of the following method converts the request connection to a transparent TCP/IP tunnel?

- (A) HEAD
- (B) PUT
- (C) OPTIONS
- (D) CONNECT**

HTML is a subset of _____

- (A) SGMT
- (B) SGML**
- (C) SGMD
- (D) None of the above

The MIME text file is saved with _____

IBPS SO IT OFFICER PRACTICE QUESTIONS

(A) THM extension

(B) HTML extension

(C) HMT extension

(D) None of the above

SGML stands for _____

(A) Standard General Mark Language

(B) Security General Markup Language

(C) Standard Generalized Markup Language

(D) Standard Generalized Mark Language

HTML tags are surrounded by _____

(A) Square Brackets

(B) Curly Brackets

(C) Angle Brackets

(D) None of the above

Extensible Markup Language (XML) tags are _____

(A) Case Insensitive

(B) Case Sensitive

(C) Both (A) & (B)

(D) None of the above

Document Object Model(DOM) is a _____

(A) Character User Interface (CUI)

(B) Application Programming Interface (API)

(C) Both (A) & (B)

(D) None of the above

The _____ method submits data to be processed to a specified resource.

(A) GET

(B) POST

(C) Both (A) & (B)

IBPS SO IT OFFICER PRACTICE QUESTIONS

(D) None of the above

Which of the following specifies a short cut key to activate or focus an element?

(A) class

(B) hidden

(C) draggable

(D) access key

_____ specifies the tabbing order of an element.

(A) class

(B) hidden

(C) draggable

(D) tabindex

HTTP works as a _____ protocol between a Client and Server.

(A) request – response

(B) Standard

(C) Both (A) & (B)

(D) None of the above

Which of the following method has length restrictions?

(A) GET

(B) POST

(C) Both (A) & (B)

(D) None of the above

_____ converts character into a format which can be transmitted over the Internet?

(A) URL Encoding

(B) URL Decoding

(C) Both (A) & (B)

(D) None of the above

Which of the following method draws a “filled” rectangle?

(A) rect()

IBPS SO IT OFFICER PRACTICE QUESTIONS

- (B) clearRect()
- (C) StrokeRect()
- (D) fillRect()**

Which is the standard response for successful HTTP requests?

- (A) 202 Accepted
- (B) 201 created
- (C) 200 OK**
- (D) None of the above

_____ creates an arc/curve between two tangents.

- (A) arc()
- (B) arcTo()**
- (C) quadraticCurveTO()
- (D) None of the above

_____ sets or returns whether the audio/video should start playing as soon as it is loaded.

- (A) audioTracks
- (B) autoplay**
- (C) Controller
- (D) None of the above

The default display value for most elements is _____

- (A) line
- (B) block
- (C) (A) or (B)**
- (D) None of the above

XHTML stands for _____

- (A) Extensible Hyper Text Markup Language**
- (B) Extended Hyper Text Markup Language
- (C) Expensive Hyper Text Markup Language
- (D) Extensible Hyper Text Marked Language

IBPS SO IT OFFICER PRACTICE QUESTIONS

The attributes and elements of XHTML are must be in _____

- (A) Upper-case
- (B) Lower-case**
- (C) Both (A) and (B)
- (D) None of the above

Which of the following message denotes the requested page has moved to a new URL?

- (A) 202 Accepted
- (B) 201 created
- (C) 302 Found
- (D) 301 Moved Permanently**

Which of the following method uploads a representation of the specified URI?

- (A) HEAD
- (B) PUT**
- (C) DELETE
- (D) OPTIONS

Which is a uniform naming scheme for locating resources on the web?

- (A) Uniform Resource Identifier(URI)**
- (B) HTTP
- (C) Resource Name
- (D) None of the above

Which of the following method cannot be bookmarked?

- (A) GET
- (B) POST**
- (C) Both (A) and (B)
- (D) None of the above

Which of the following property returns the length of the current audio/video?

- (A) error
- (B) loop

IBPS SO IT OFFICER PRACTICE QUESTIONS

(C) ended

(D) duration

Which method pauses the currently playing the audio/video?

(A) play()

(B) pause()

(C) load()

(D) None of the above

XHTML is almost similar to _____

(A) HTML

(B) XML

(C) HTTP

(D) None of the above

Which of the following property sets or returns the CORS settings of the audio/video?

(A) controls

(B) crossOrigin

(C) currentSrc

(D) None of the above

The Javascript allows _____

(A) single line comment

(B) multi line comment

(C) Both(A) & (B)

(D) None of the above

CSS Stands for _____

(A) Combined Styling Sheets

(B) Cascading Style Sheets

(C) Current Style Sheets

(D) Cascading Script Sheets

Which of the following message denotes the requested page has moved temporarily to a new URL?

IBPS SO IT OFFICER PRACTICE QUESTIONS

- (A) 202 Accepted
- (B) 201 created
- (C) 301 Moved Permanently
- (D) 302 Found**

In CSS, _____ property is used to control the behaviour of floating elements?

- (A) float
- (B) clear**
- (C) Both(A) & (B)
- (D) None of the above

Which method returns the HTTP methods that the server supports?

- (A) HEAD
- (B) PUT
- (C) DELETE
- (D) OPTIONS**

In Java Script, the single line comment is denoted as _____

- (A) //**
- (B) /*/
- (C) /* */
- (D) None of the above

Java Script can be used to create _____

- (A) cookies**
- (B) spam
- (C) cache
- (D) None of the above

Which determines whether a value is a finite number?

- (A) Number()
- (B) isNaN()
- (C) isFinite()**

IBPS SO IT OFFICER PRACTICE QUESTIONS

(D) None of the above

How many types of pop up boxes are used in JavaScript?

(A) One

(B) Two

(C) Four

(D) Three

Which of the following is used to specify the layout of web pages?

(A) HTML

(B) CSS

(C) Java Script

(D) None of the above

In Java Script, the multi-line comment is denoted as _____

(A) //

(B) /*/

(C) /* */

(D) None of the above

In JS, The _____ method searches a string for a specified value and returns the position of match.

(A) slice()

(B) substr()

(C) index()

(D) search()

In Java Script, the _____ method returns the new array length.

(A) shift()

(B) substr()

(C) index()

(D) unshift()

In Java Script, which statement lets you to handle the error?

(A) try

IBPS SO IT OFFICER PRACTICE QUESTIONS

(B) catch

(C) Both (A) & (B)

(D) None of the above

Which property is very useful for getting or replacing the content of HTML elements?

(A) innerHTML

(B) outerHTML

(C) Both(A) & (B)

(D) None of the above

Which of the following function converts an object's value to a number?

(A) Number()

(B) isNaN()

(C) isFinite()

(D) None of the above

_____ message denotes the requested page could not be found and it may be available in future?

(A) 202 Accepted

(B) 201 created

(C) 403 Forbidden

(D) 404 Not Found

Which of the following method can be cached?

(A) GET

(B) POST

(C) Both (A) and (B)

(D) None of the above

Which can reduce the number of server requests and save bandwidth?

(A) Image Gallery

(B) Image Opacity

(C) Image Sprites

(D) None of the above

IBPS SO IT OFFICER PRACTICE QUESTIONS

Which of the following was designed to store and transport data?

- (A) Java Script
- (B) HTML
- (C) XML**
- (D) None of the above

_____ language has no predefined tags.

- (A) XML**
- (B) HTML
- (C) Both (A) and (B)
- (D) None of the above

_____ message denotes the request has been fulfilled and a new source is created.

- (A) 202 Accepted
- (B) 201 created**
- (C) 403 Forbidden
- (D) 404 Not Found

Cascading Style Sheets(CSS) can be used to create an _____

- (A) Image Gallery**
- (B) Image Opacity
- (C) Image Sprites
- (D) None of the above

JavaScript can change all the _____ in the web page.

- (A) HTML elements
- (B) CSS Styles
- (C) HTML attributes
- (D) All of the above**

In JS, the _____ method returns the index of the last occurrence of a specified text in a string.

- (A) slice()
- (B) substr()

IBPS SO IT OFFICER PRACTICE QUESTIONS

(C) `lastIndex()`

(D) `search()`

_____ message denotes the request can not be fulfilled due to the wrong syntax.

(A) 202 Accepted

(B) 400 Bad Request

(C) 403 Forbidden

(D) 404 Not Found

In JavaScript, _____ method returns a number as a string.

(A) `valueOf()`

(B) `toPrecision()`

(C) `toExponential()`

(D) `toString()`

Which properties are used to generate space around content?

(A) CSS Borders

(B) CSS Margins

(C) CSS Padding

(D) None of the above

In CSS, _____ property can be used to wrap text around images?

(A) `float`

(B) `clear`

(C) Both(A) & (B)

(D) None of the above

In CSS, _____ property controls the capitalization of text.

(A) `text-decoration`

(B) `text-indent`

(C) `text-shadow`

(D) `text-transform`

Which properties are used to generate space around elements?

IBPS SO IT OFFICER PRACTICE QUESTIONS

(A) CSS Borders

(B) CSS Margins

(C) CSS Padding

(D) None of the above

In CSS, _____ property creates or resets one or more counters.

(A) Content

(B) Counter-increment

(C) Counter-reset

(D) None of the above

_____ method replaces a specified value with another value in a string?

(A) CharCodeAt()

(B) CharAt()

(C) Concat()

(D) replace()

In JavaScript, _____ method returns a number as a number.

(A) valueOf()

(B) toPrecision()

(C) toExponential()

(D) toString()

Which method is used to replace an element to the HTML DOM(Document Object Model)?

(A) removeChild()

(B) replaceChild()

(C) Both(A) & (B)

(D) None of the above

Which of the following attribute is a boolean attribute?

(A) autocomplete

(B) placeholder

(C) step

IBPS SO IT OFFICER PRACTICE QUESTIONS

(D) autofocus

Which of the following message denotes the server is currently unavailable?

(A) 500 Internal server Error

(B) 501 Not Implemented

(C) 503 Service Unavailable

(D) 504 Gateway Time out

Which of the following is used to define the content of web pages?

(A) HTML

(B) CSS

(C) Java Script

(D) None of the above

In JS, _____ returns a number, converted from its argument.

(A) parseFloat()

(B) toPrecision()

(C) toExponential()

(D) number()

Which one of the following objects is passed to a JavaBean when one of its properties is set via a JSP action?

A. ServletRequest

B. HttpServletRequest

C. ServletResponse

D. HttpServletResponse

Which of the following are used by servlet containers to set JavaBean properties?

A. cookies

B. form fields

C. memory

D. disk

_____ header gives the MIME type of the response document.

A. Content Encoding

IBPS SO IT OFFICER PRACTICE QUESTIONS

B. Content Language

C. Content Length

D. Content Type

The term "Hypertext" means _____

A. Hypermedia

B. Non-Sequential writing

C. Blinking text

D. None of the Above

Which of the following is not a JSP Implicit Object?

A. In

B. Out

C. Page

D. Response

Where are cookies stored?

A. on the server

B. In Web.xml

C. On the Client

D. In HTML

Document Type Declaration includes _____

A. Element Declarations

B. Attribute Declarations

C. Entity Declarations

D. All of the Above

The XML DOM object is _____

A. Entity Reference

B. Comment Reference

C. Both (A) and (B)

D. All of the Above

IBPS SO IT OFFICER PRACTICE QUESTIONS

Any part of the graphic that is not included in another hot zone is considered to be part of _____

- A. rect
- B. point
- C. default**
- D. polygon

SAX stands for _____

- A. Simple Application for XML
- B. Smart Application for XML
- C. Smart API for XML
- D. Simple API for XML**

Which of the following is not an advantage of CSS?

- A. Easy Maintenance
- B. Offline Browsing
- C. Multiple Device Compatibility
- D. Platform Dependent**

In CSS, which cursor indicates that an edge of a box is to be moved down?

- A. se-resize
- B. sw-resize
- C. w-resize
- D. s-resize**

Which of the following is a front-end framework for web development?

- A. Ruby
- B. Bootstrap**
- C. PHP
- D. Python

An alternative of JavaScript on windows platform is _____

- A. VBScript**
- B. ASP.NET

IBPS SO IT OFFICER PRACTICE QUESTIONS

C. JSP

D. PHP

AJAX stands for_____

A. Advanced JSP and XML

B. Asynchronous JSP and XML

C. Advanced JS and XML

D. Asynchronous JavaScript and XML

Which of the following is a boolean cookie attribute in JS?

A. domain

B. lookup

C. secure

D. None of the Above

_____ method returns the character at a specified index in a string?

A. CharCodeAt()

B. substring()

C. charAt()

D. None of the Above

Which of the following is used to describe elements in CSS?

A. Selectors

B. Protectors

C. Both (A) & (B)

D. None of the Above

What are the events generated by the Node objects called?

A. generators

B. highevents

C. emitters

D. None of the Above

Which of the following is a stateless protocol?

IBPS SO IT OFFICER PRACTICE QUESTIONS

- A. TCP
- B. HTTP**
- C. HTML
- D. XHTML

In CSS, you can override precedence rules by adding the ____ property to a style declaration.

- A. !override
- B. !main
- C. !important**
- D. !priority

Which of the following class in JSP provides the capability to implement a growable array of objects?

- A. Array class
- B. GrowAbleArray class
- C. Container class
- D. Vector class**

Which XML extension is a standard way to describe how to transform the structure of an XML document into an XML document with a different structure?

- A. tree structure
- B. XSLT**
- C. Both (A) & (B)
- D. None of the Above

In JSP, the classes that allow primitive types to be accessed as objects are known as _____

- A. Primitive classes
- B. Object classes
- C. Boxing classes
- D. Wrapper classes.**

Which XML-based registry is intended as an online Internet registry for businesses worldwide?

- A. Universal Plug and Play(UPnP)
- B. UDF

IBPS SO IT OFFICER PRACTICE QUESTIONS

C. Uniform Resource Locator(URL)

D. Universal Description Discovery and Integration(UDDI)

Which language is considered to be extensible because of its unlimited and self-defining markup symbols?

A. HTML

B. XHTML

C. XML

D. None of the Above.

In JSP, a Canvas object provides access to a Graphics object via one of its method called_____

A. getCanvas()

B. getGraphics()

C. accessGraphics().

D. paint()

HTML defines _____ levels of headings.

A. Five

B. Four

C. Six

D. Three

Which method of the Component class is used to set the position and size of a component in JSP?

A. setSize()

B. setPositionSize()

C. setPosition()

D. setBounds()

What method is used to specify a container's layout in JSP?

A. setLayout()

B. Layout()

C. setContainerLayout()

D. setConLayout()

IBPS SO IT OFFICER PRACTICE QUESTIONS

DATA STRUCTURES – PRACTICE SETS

A linear list in which elements can be added/removed at either end but not in the middle is called

- (A) Deque**
- (B) Stack
- (C) List
- (D) Queue

Which of the following is the best sorting algorithm when the list is already sorted?

- (A) Bubble Sort
- (B) Insertion Sort**
- (C) Quick Sort
- (D) Heap Sort

The representation of data structure in memory is called

- (A) memory structure
- (B) abstract data type**
- (C) recursive
- (D) file structure

The complexity of Heap sort algorithm is

- (A) $O(n^2)$
- (B) $O(n \log n)$**
- (C) $O(1)$
- (D) None of these

In Queue, the items deleted at.....end

- (A) front**
- (B) rear
- (C) top
- (D) base

Which data structure is needed to convert infix notation to post fix notation?

- (A) Branch

IBPS SO IT OFFICER PRACTICE QUESTIONS

(B) Queue

(C) Tree

(D) Stack

In a circular linked list, insertion of a record involves modification of

(A) Multiple pointer

(B) One pointer

(C) Two pointer

(D) None of these

Which data structure is used for implementing recursion?

(A) Queue

(B) Stack

(C) Arrays

(D) List

The drawback of the binary tree sort is remedied by

(A) Bubble Sort

(B) Insertion Sort

(C) Quick Sort

(D) Heap Sort

Which of the following is the method of graph traversal?

(A) Breadth first search

(B) Depth first Search

(C) Both (A) & (B)

(D) None of these

..... contains the information about an array used in a program.

(A) Dope vector

(B) Record

(C) Table

(D) None of the above

IBPS SO IT OFFICER PRACTICE QUESTIONS

The term DEQUE refers.....

- (A) single ended queue
- (B) double ended queue**
- (C) Both (A) & (B)
- (D) None of the above

A sort that compares each element with its adjacent element in a list is called.....

- (A) Bubble Sort**
- (B) Insertion Sort
- (C) Quick Sort
- (D) Heap Sort

Which of the following data structure is required to evaluate a post fix expression?

- (A) Stack**
- (B) linked list
- (C) Array
- (D) None of the above

A linked list that has no beginning and no end is called.....

- (A) Doubly linked list
- (B) Singly linked list
- (C) Circular linked list**
- (D) None of the above

In order traversal is also known as.....

- (A) Pre order
- (B) Symmetric order**
- (C) End order
- (D) None of the above

A matrix in which number of zero elements are much higher than the number of non zero elements is called

- (A) Scalar Matrix
- (B) Identity Matrix

IBPS SO IT OFFICER PRACTICE QUESTIONS

(C) Sparse Matrix

(D) None of the above

Which of the following is the slowest sorting algorithm?

(A) Heap Sort

(B) Insertion Sort

(C) Quick Sort

(D) Bubble Sort

The smallest element of an Array's index is known as.....

(A) Range

(B) Upper bound

(C) Lower bound

(D) None of the above

Which data structure is required to check balanced parenthesis in an expression?

(A) Linked List

(B) Queue

(C) Tree

(D) Stack

In Queue, the elements added at.....end

(A) front

(B) rear

(C) top

(D) base

The terms "POP" and "PUSH" are related to.....

(A) queue

(B) stack

(C) linked list

(D) None of the above

Stack is also called a

IBPS SO IT OFFICER PRACTICE QUESTIONS

(A) Last In First Out

(B) First In First Out

(C) LIFO & FIFO

(D) None of the above

The largest element of an Array Index is called.....

(A) Range

(B) Upper bound

(C) lower bound

(D) None of the above

The memory address of the first element of an array is called...

(A) first address

(B) floor address

(C) base address

(D) None of the above

The complexity of shell sort is

(A) $O(\log)$

(B) $O(n^2)$

(C) $O(n (\log n)^2)$

(D) None of the above

Which of the following is a linear data structure?

(A) Array

(B) Graph

(C) Tree

(D) None of the above

..... is a technique to convert a range of key values into a range of Indices of an Array?

(A) Thrashing

(B) Hashing

(C) Interpolation

IBPS SO IT OFFICER PRACTICE QUESTIONS

(D) None of the above

..... is a queue with limited number of elements.

(A) Bounded queue

(B) Unbounded queue

(C) Both (A) & (B)

(D) None of the above

An odd-even sort is also called.....

(A) Bubble Sort

(B) Heap Sort

(C) Quick Sort

(D) Brick Sort

The term "PUSH" is used to an element into a stack

(A) Update

(B) Edit

(C) Insert

(D) None of the above

The condition "FRONT = NULL" represents that the queue is.....

(A) Overflow

(B) Empty

(C) Full

(D) None of the above

A linked list is also called

(A) One way list

(B) Multi way list

(C) Single way list

(D) None of the above

Which data structure represents hierarchical relationship between various elements?

(A) Linked List

IBPS SO IT OFFICER PRACTICE QUESTIONS

(B) Tree

(C) Array

(D) None of the above

The process of accessing data stored in a tape is similar to handle data on.....

(A) Linked List

(B) Tree

(C) Array

(D) Queue

Which of the following search start at the beginning of the list and each element in the list?

(A) Linear Search

(B) Binary Tree Search

(C) Hash Search

(D) None of the above

In Binary Tree Traversal, the node is visited between the sub trees is called.....

(A) Pre-order traversal

(B) In-order traversal

(C) Post-order traversal

(D) None of the above

Which of the following data structure is indexed data structure?

(A) Linked List

(B) Stack

(C) Queue

(D) Linear Array

..... is a data structure in which each node has at most two children.

(A) Red-Black Tree

(B) Binary Tree

(C) AVL Tree

(D) None of the above

IBPS SO IT OFFICER PRACTICE QUESTIONS

Which of the following sorting algorithm is not an internal sort?

- (A) Bubble Sort
- (B) Insertion Sort
- (C) Merge Sort**
- (D) Heap Sort

Print Server uses which is a buffer that holds data before it is send to the printer

- (A) Queue
- (B) Stack
- (C) Spool**
- (D) None of the above

..... is a balanced binary search tree in which the difference between the height of any node's left and right sub tree is at most one.

- (A) AVL Tree**
- (B) Red-Black Tree
- (C) 2-3-4 Tree
- (D) None of the above

Enqueue means to insert an item into the of the Queue

- (A) front
- (B) rear**
- (C) middle
- (D) None of the above

The process of deleting an element from the top of stack is called operation

- (A) POP**
- (B) PUSH
- (C) Both (A) & (B)
- (D) None of the above

Merge Sort is based on

- (A) Greedy approach
- (B) Backtracking algorithm

IBPS SO IT OFFICER PRACTICE QUESTIONS

(C) Divide and Conquer method

(D) None of the above

Post order traversal is also known as.....

(A) depth-first order

(B) end order

(C) symmetric order

(D) None of the above

A queue is a data structure

(A) Last In First Out (LIFO)

(B) Linear Array

(C) First In First Out (FIFO)

(D) None of the above

Which of the following data structure stores homogeneous data elements?

(A) Record

(B) Pointer

(C) Linear Array

(D) None of the above

An algorithm that calls itself directly or indirectly is called

(A) Iteration

(B) Recursion

(C) Traversal

(D) None of the above

Which of the following is used to find the location of an element with a given value?

(A) Search

(B) Iteration

(C) Traversal

(D) None of the above

The complexity of Bubble sort algorithm is

IBPS SO IT OFFICER PRACTICE QUESTIONS

- (A) $O(\log n)$
- (B) $O(n \log n)$
- (C) $O(n^2)$**
- (D) None of the above

Which of the following data structure stores heterogeneous data elements?

- (A) Record**
- (B) Pointer
- (C) Linear Array
- (D) None of the above

..... is required for languages that support dynamic data structure.

- (A) Stack allocation
- (B) Static allocation
- (C) Heap allocation**
- (D) None of the above

In Binary Tree Traversal, the node is visited before its left and right sub trees is called.....

- (A) pre order**
- (B) In order
- (C) post order
- (D) None of the above

Which of the following is non linear data structure?

- (A) Stack
- (B) Tree**
- (C) Queue
- (D) None of the above

Which algorithm solves the all pairs shortest path problem ?

- (A) Floyd's algorithm**
- (B) Prim's algorithm
- (C) Both (A) & (B)

IBPS SO IT OFFICER PRACTICE QUESTIONS

(D) None of the above

Pre order traversal is also known as

(A) depth-first order

(B) end order

(C) symmetric order

(D) None of the above

Queues can be used to implement

(A) recursion

(B) quick sort

(C) radix sort

(D) None of the above

..... is a header list in which the last node contains the null pointer.

(A) Circular Header list

(B) Grounded Header list

(C) Both (A) & (B)

(D) None of the above

Quick sort is also called

(A) Partition exchange sort

(B) Diminishing increment sort

(C) Both (A) & (B)

(D) None of the above

Linear search is also called

(A) Interpolation Search

(B) Transpose Sequential Search

(C) Sequential Search

(D) None of the above

The Array as an Abstract Data Type (ADT) supports operations.

(A) Store

IBPS SO IT OFFICER PRACTICE QUESTIONS

(B) Retrieve

(C) Both (A) & (B)

(D) None of the above

Each position of the hash table is called

(A) Bucket

(B) Entry

(C) Cell

(D) Slot

The common way of keeping subsequent items within the table and computing possible positions is termed as

(A) Direct Chaining

(B) Open Addressing

(C) Both (A) & (B)

(D) None of the above

An extra key inserted at the end of an Array is known as.....

(A) Sentinel

(B) Stop key

(C) Both (A) & (B)

(D) None of the above

In Binary Tree Traversal, the node is visited after both trees is called.....

(A) pre order

(B) In order

(C) post order

(D) None of the above

Shell Sort is also called

(A) Partition exchange sort

(B) Diminishing increment sort

(C) Both (A) & (B)

(D) None of the above

IBPS SO IT OFFICER PRACTICE QUESTIONS

The complexity of Merge sort algorithm is.....

- (A) $O(\log n)$
- (B) $O(n \log n)$**
- (C) $O(n^2)$
- (D) None of the above

..... is a header list in which the last node points back to the header node.

- (A) Circular Header linked list**
- (B) Grounded Header linked list
- (C) Both (A) & (B)
- (D) None of the above

A pointer that contains the address of a heap-dynamic variable is called

- (A) Dangling pointer**
- (B) Null pointer
- (C) Void pointer
- (D) None of the above

The performance of an algorithm is measured on the basis of _____

- (A) Time Complexity
- (B) Space Complexity
- (C) Both (A) & (B)**
- (D) None of the above

A set of functions that grow slower than or at the same rate as expression is represented by _____

- (A) Big Omega notation
- (B) Theta notation
- (C) Big O notation**
- (D) None of the above

The average time complexity of Insertion sort algorithm is _____

- (A) $O(n^2)$**
- (B) $O(n \log n)$

IBPS SO IT OFFICER PRACTICE QUESTIONS

(C) O (n)

(D) None of the above

Which of the following is not a stable sort?

(A) Insertion Sort

(B) Heap Sort

(C) Merge Sort

(D) None of the above

The space required to store the values of all the constants and variables is called _____

(A) Instruction space

(B) Data Space

(C) Environment Space

(D) None of the above

In Heap data structure, If the parent nodes are greater than their children nodes then it is called _____

(A) Max-Heap

(B) Min-Heap

(C) Both (A) & (B)

(D) None of the above

The Quick sort algorithm divides the list into _____ main parts

(A) Four

(B) Six

(C) Five

(D) Three

Circular linked list can also be used to create _____

(A) Priority Queue

(B) Double ended Queue

(C) Circular queue

(D) None of the above

Which of the following is/are real-time application(s) of Queue?

IBPS SO IT OFFICER PRACTICE QUESTIONS

- (A) Printer
- (B) CPU task scheduling
- (C) Interrupts handling in real-time systems
- (D) All of the above**

Linked Lists are used to implement_____

- (A) Stacks
- (B) Graphs
- (C) Queues
- (D) All of the above**

In linked list, an element can be inserted at _____

- (A) beginning of the list
- (B) end of the list
- (C) middle of the list
- (D) Both (A) & (B)**

Which of the following is/are real time application(s) of Circular linked list?

- (A) Printer
- (B) Multi player games**
- (C) Interrupts handling in real-time systems
- (D) All of the above

Stack is also called_____

- (A) Pop up array
- (B) Pop down list
- (C) Push down list**
- (D) None of the above

Prim's algorithm is a _____

- (A) Greedy algorithm**
- (B) Backtracking algorithm
- (C) Divide and Conquer method

IBPS SO IT OFFICER PRACTICE QUESTIONS

(D) None of the above

A heap allows a very efficient implementation of a _____

(A) Stack

(B) Tree

(C) priority queue

(D) None of the above

_____ is an algorithm that builds a solution by repeated selecting the cheapest among all options at each stage.

(A) Greedy algorithm

(B) Backtracking algorithm

(C) Divide and Conquer method

(D) None of the above

The Complexity of Quick Sort algorithm is _____

(A) $O(n^2)$

(B) $O(n \log n)$

(C) $O(n)$

(D) None of the above

The best average behaviour is shown by _____

(A) Heap Sort

(B) Insertion Sort

(C) Quick Sort

(D) Bubble Sort

A mathematical-model of user defined type along with the collection of all operations defined on that model is known as _____

(A) Data Structure

(B) Primitive Data Type

(C) Algorithm

(D) Abstract Data Type

In _____ traversal we can convert a binary tree into its mirror image.

IBPS SO IT OFFICER PRACTICE QUESTIONS

- (A) In order
- (B) Pre order
- (C) Post order**
- (D) None of the above

A postfix expression is merely the _____ of the prefix expression.

- (A) Forward
- (B) Reverse**
- (C) Inverse
- (D) None of the above

Which of the following begins the search with the element that is located in the middle of the Array?

- (A) Random Search
- (B) Parallel Search
- (C) Binary Search
- (D) Serial Search**

In a Circular linked list, insertion of a record involves the modification of _____

- (A) 1 Pointer
- (B) 2 Pointer**
- (C) 3 Pointer
- (D) None of the above

Which of the following is useful in traversing a given graph by breadth first search?

- (A) Stack
- (B) List
- (C) Queue**
- (D) None of the above

A characteristic of the data that binary search uses but linear search ignores is _____

- (A) Order of the list**
- (B) length of the list
- (C) Both (A) & (B)

IBPS SO IT OFFICER PRACTICE QUESTIONS

(D) None of the above

A sort which iteratively passes through a list to exchange the first element with any element less than it and then repeats with a new first element is called _____

(A) Heap Sort

(B) Quick Sort

(C) Selection Sort

(D) None of the above

To insert a node in a circular list at rear position, it should be inserted at _____ of the Queue.

(A) Front – 1 position

(B) Rear position

(C) Front position

(D) None of the above

In an extended-binary tree, the nodes with two children are called

(A) Interior node

(B) Domestic node

(C) Internal node

(D) Inner node

A terminal node in a binary tree is called _____

(A) Child

(B) Leaf

(C) Branch

(D) None of the above

Sequential representation of binary tree uses _____

(A) Three dimensional arrays

(B) Array with pointers

(C) Two dimensional arrays

(D) None of the above

IBPS SO IT OFFICER PRACTICE QUESTIONS

OPERATING SYSTEMS – PRACTICE QUESTIONS

..... is mainly responsible for allocating the resources as per process requirement?

- (A) RAM
- (B) Compiler
- (C) Operating Systems**
- (D) Software

Which of the following plays an important role in modern Operating Systems(OS)?

- (A) Kernel**
- (B) Shell
- (C) Fork
- (D) None

FAT stands for

- (A) File Allocation Table**
- (B) File Application Table
- (C) First Allocation Table
- (D) First Application Table

BAT refers to...

- (A) Executable Files
- (B) Batch Files**
- (C) Boot Files
- (D) None

..... occur commonly in multi-tasking when two or more threads waiting for each other.

- (A) Kernel
- (B) Shell
- (C) Fork
- (D) Deadlock**

In DOS the DIR command is used to.....

- (A) Display Information

IBPS SO IT OFFICER PRACTICE QUESTIONS

(B) Display list of files & Sub directories

(C) Delete files

(D) Copy files

..... is the program which interprets commands given by the user?

(A) Kernel

(B) Shell

(C) Fork

(D) None

Which of the following is an MS-DOS external command?

(A) DIR

(B) COPY

(C) FORMAT

(D) PROMPT

In DOS label command is used to....

(A) Create the label of disk

(B) Change the label of disk

(C) Both (A) & (B)

(D) None

NTFS stands for.....

(A) New Technology File System

(B) New Transmission File System

(C) Net Transmission File System

(D) None

An Integer variable that is used to manage concurrent processes is called.....

(A) Thread

(B) Semaphore

(C) Counter

(D) None of the above

IBPS SO IT OFFICER PRACTICE QUESTIONS

Dijkstra's banking algorithm for resource allocation is used for

- (A) Deadlock detection
- (B) Deadlock prevention
- (C) Deadlock avoidance**
- (D) Deadlock recovery

In UNIX, cached disk blocks are managed by the Kernel and referred to as.....

- (A) Cache
- (B) Disk Cache
- (C) Buffer Cache**
- (D) None of the above

..... is the smallest unit for processing that consists of a program counter, a stack & a set of registers.

- (A) Compiler
- (B) Thread**
- (C) Heap
- (D) None of the above

Which of the following services is not supported by the OS?

- (A) I/O Operation
- (B) Protection
- (C) Compilation**
- (D) None of the above

Which of the following is used to remove deadlock?

- (A) Preemption**
- (B) Mutual Exclusion
- (C) Circular Wait
- (D) None of the above

First Come First Serve (FCFS) Scheduling is.....

- (A) used to reduce waiting time
- (B) easy to understand and implement**

IBPS SO IT OFFICER PRACTICE QUESTIONS

(C) impossible to implement

(D) None of the Above

..... is a system call of OS that is used to create a new process?

(A) Shell

(B) Kernel

(C) Fork

(D) Thread

Which of the following is an example of Cooperative Multi-Tasking OS?

(A) Lynx OS

(B) Mac OS

(C) MS DOS

(D) None of the above

The performance of Round Robin(RR) scheduling depends on.....

(A) quantum

(B) priority

(C) preemption

(D) None of the above

Round Robin (RR) scheduling algorithm is suitable for.....

(A) Real Time Operating Systems

(B) Embedded Operating Systems

(C) Distributed Operating Systems

(D) Time Sharing Operating Systems

..... is a special system software that is used to handle process scheduling in different ways.

(A) Fork

(B) Scheduler

(C) Spawn

(D) None of the above

Short term scheduler is a.....

IBPS SO IT OFFICER PRACTICE QUESTIONS

(A) CPU scheduler

(B) process swapping scheduler

(C) job scheduler

(D) None of the above

Which one of the following scheduler controls the degree of multiprogramming?

(A) Long Term Scheduler

(B) Medium Term Scheduler

(C) Short Term Scheduler

(D) None of the above

Which of the following is a scheduling algorithm that allows a process to move up and down between queues?

(A) Round Robin(RR) scheduling

(B) First Come First Served (FCFS) scheduling

(C) Multilevel feedback queue scheduling

(D) Shortest Job First (SJF) scheduling

..... commands are automatically loaded into main memory when the booting process gets completed.

(A) External

(B) Internal

(C) Both (A) & (B)

(D) None

Which of the following is an Internal command?

(A) DEBUG

(B) EDIT

(C) EXTRACT

(D) COPY

Which of the following is an example of Batch Processing Operating Systems?

(A) Lynx OS

(B) Mac OS

(C) UNIX

IBPS SO IT OFFICER PRACTICE QUESTIONS

(D) None of the above

In DOS, TYPE command is used to....

(A) display message on screen

(B) display the contents of a text file

(C) Both (A) & (B)

(D) None

..... process checks to ensure the components of the computer are operating and connected properly.

(A) Editing

(B) Saving

(C) Booting

(D) None of the above

First Come First Serve(FCFS) is

(A) Preemptive scheduling

(B) Non-preemptive scheduling

(C) deadline scheduling

(D) None of the above

A variant of deadlock is called....

(A) Mutex lock

(B) Live lock

(C) Both(A) & (B)

(D) None of the above

..... is a system call that causes the caller to block.

(A) Await

(B) Sleep

(C) Wakeup

(D) None of the above

..... is the most used method to communicate over a network.

(A) Sockets

IBPS SO IT OFFICER PRACTICE QUESTIONS

(B) Semaphores

(C) Pipes

(D) None of the above

..... is the process of switching of CPU from one thread to another.

(A) Process handling

(B) interrupt handling

(C) Context switching

(D) None of the above

Which of the following is an example of Real Time Operating Systems?

(A) Lynx OS

(B) Mac OS

(C) UNIX

(D) None of the above

Which of the following is a function of an OS?

(A) Process Management

(B) I/O Management

(C) Memory Management

(D) All of the above

In DOS, ECHO command is used to....

(A) display message on screen

(B) display the contents of a text file

(C) Both (A) & (B)

(D) None of the above

Which of the following is an external command of DOS?

(A) CALL

(B) SHIFT

(C) TITLE

(D) FORMAT

IBPS SO IT OFFICER PRACTICE QUESTIONS

..... is a technique used to speed up communication with slow devices.

- (A) Fragmentation
- (B) Caching**
- (C) Segmentation
- (D) None of the above

Which of the following scheduling algorithms provide minimum average waiting time?

- (A) Round Robin (RR)
- (B) First come First Serve (FCFS)
- (C) Shortest Job First Scheduling**
- (D) None of the above

Medium term scheduler is based on

- (A) Scroll in, Scroll out
- (B) Fetch in, Fetch out
- (C) Swap in, Swap out**
- (D) None of the above

A computer is restarted by restart button or by pressing the Combination of (Ctrl+Alt+Del). This type of booting is called

- (A) Cold Booting
- (B) Warm Booting**
- (C) Both (A) and (B)
- (D) None of the above

Which of the following is a type of Semaphores?

- (A) Binary Semaphore
- (B) Counting Semaphore
- (C) Both(A) & (B)**
- (D) None of the above

..... are required to complete a critical task within a guaranteed amount of time.

- (A) Real Time Operating Systems**
- (B) Multi Tasking Operating Systems

IBPS SO IT OFFICER PRACTICE QUESTIONS

(C) Distributed Operating Systems

(D) None of the above

Long Term Scheduler is a.....

(A) CPU scheduler

(B) process swapping scheduler

(C) job scheduler

(D) None of the above

..... is a way of processing data serially.

(A) spooling

(B) caching

(C) Paging

(D) All of the above

Which of the following is true for the algorithms for memory allocation?

(A) First Fit

(B) Best Fit

(C) Worst Fit

(D) All of the above

Which type of scheduler typically uses a FIFO or Priority queue?

(A) Short Term Scheduler

(B) Medium Term Scheduler

(C) Long Term Scheduler

(D) All of the above

Which of the following is a solution to fragmentation problem?

(A) Thread

(B) Kernel

(C) Paging

(D) All of the above

..... holds the address of the next instruction to be executed?

IBPS SO IT OFFICER PRACTICE QUESTIONS

- (A) Accumulator
- (B) Stack Pointer
- (C) Status Register
- (D) Program Counter**

Which of the following condition leads to deadlock?

- (A) Hold and Wait**
- (B) Preemption
- (C) Rollback
- (D) None of the above

Which type of scheduler is used in batch systems?

- (A) Medium Term Scheduler
- (B) Short Term Scheduler
- (C) Long Term Scheduler**
- (D) None of the above

Message queuing is managed by?

- (A) Shell
- (B) Kernel**
- (C) Fork
- (D) None of the above

Interrupt latency should be..... for Real Time Operating Systems (RTOS)?

- (A) minimal**
- (B) maximum
- (C) zero
- (D) None of the above

In DOS, MD command is used to....

- (A) display message on screen
- (B) create new files
- (C) create new folders**

IBPS SO IT OFFICER PRACTICE QUESTIONS

(D) None of the above

Which of the following is the delay that occur during the playback of a stream is called?

(A) jitter

(B) playback delay

(c) stream delay

(D) None of the above

The high paging activity is called.....

(A) Fragmentation

(B) Segmentation

(C) Thrashing

(D) None of the above

Which is not a valid state of a thread?

(A) running

(B) blocked

(C) parsing

(D) None of the above

The register is read by the host to get input

(A) data out

(B) data in

(C) flow out

(D) None of the above

A register that can be used for memory protection is called.....

(A) memory data register

(B) fence register

(C) memory buffer register

(D) index register

..... occurs in a dynamic memory allocation system when most of the free blocks are too small to satisfy any request?

(A) Paging

IBPS SO IT OFFICER PRACTICE QUESTIONS

(B) Segmentation

(C) Fragmentation

(D) None of the above

Which of the following holds the data currently being worked on?

(A) Stack pointer

(B) Program Counter

(C) Accumulator

(D) None of the above

The total number of processes completed per unit time is termed as

(A) throughput

(B) response time

(C) waiting time

(D) None of the above

..... is generic and that can run on any OS.

(A) Kernel level thread

(B) User level thread

(C) Both (A) & (B)

(D) None of the above

Which of the following is multi threading model?

(A) many to many relationship

(B) many to one relationship

(C) one to One relationship

(D) All of the above

.....files represent physical devices like printers, terminals etc.,

(A) Ordinary files

(B) Directory files

(C) Special files

(D) None of the above

IBPS SO IT OFFICER PRACTICE QUESTIONS

An interrupt that is reserved for unrecoverable memory errors is called.....

- (A) maskable interrupt
- (B) non maskable interrupt**
- (C) Both (A) & (B)
- (D) None of the above

Process Control Block (PCB) is also called.....

- (A) Program Control Block
- (B) Memory Control Block
- (C) Task Control Block**
- (D) None of the above

The process that is currently being executed is called

- (A) Waiting State
- (B) Running State**
- (C) Ready state
- (D) None of the above

..... is an user interface that uses only keyboard for input.

- (A) Graphical User Interface
- (B) Command Line Interface**
- (C) Both (A) & (B)
- (D) None of the above

Which of the following is an example of Preemptive Multi-Tasking OS?

- (A) MS-DOS
- (B) Linux
- (C) OS/2**
- (D) Mac OS

An Operating System that can predict the exact time duration for operations is called

- (A) Hard RTOS**
- (B) Soft RTOS

IBPS SO IT OFFICER PRACTICE QUESTIONS

(C) Both (A) & (B)

(D) None of the above

The use of software to allow system hardware to run multiple applications on different OS is termed as

(A) OS Virtualization

(B) OS level Virtualization

(C) Both (A) & (B)

(D) None of the above

The command interpreter in Linux is known as

(A) Fork

(B) Kernel

(C) Shell

(D) None of the above

Which is a hardware register that contains status information of the Processor?

(A) Stack pointer

(B) Program Counter

(C) Accumulator

(D) Status register

Physical memory can be divided into a number of equal sized blocks called.....

(A) Page

(B) Frame

(C) Block

(D) None of the above

The most commonly used Linux shell is.....

(A) C Shell

(B) Korn Shell

(C) Bourne Shell

(D) Bash Shell

A table that contains the base address of each page in physical memory is called.....

IBPS SO IT OFFICER PRACTICE QUESTIONS

(A) Page table

(B) Frame table

(C) Memory table

(D) None of the above

Virtual memory can be implemented with

(A) Thrashing

(B) Synchronization

(C) Demand Paging

(D) None of the above

..... provides an Interface between the process and the Operating System

(A) Synchronization

(B) System call

(C) Segmentation

(D) None of the above

The resolution of externally defined symbols is performed by?

(A) Compiler

(B) Assembler

(C) Linker

(D) None of the above

Which of the following is not used on multiprogramming systems?

(A) Memory Management

(B) File Management

(C) Process Management

(D) None of the above

..... is a system call that runs an executable file into an existing process.

(A) fork

(B) wait

(C) exec

IBPS SO IT OFFICER PRACTICE QUESTIONS

(D) None of the above

Which of the following technique is used to convert a blocking system call into a non blocking system call?

(A) Segmentation

(B) Jacketing

(C) Fragmentation

(D) None of the above

One user-level thread is mapped to many kernel level thread is known as....

(A) One to Many model

(B) One to One model

(C) Many to One model

(D) None of the above

In Operating Systems, a single thread is termed as

(A) Light Weight Process (LWP)

(B) Heavy Weight Process (HWP)

(C) Both (A) & (B)

(D) None of the above

..... is a system call that returns the process ID of current process.

(A) getpid

(B) wait

(C) getppid

(D) None of the above

In Unix, "cat" command is used to display

(A) file names

(B) folder names

(C) file contents

(D) None of the above

Which of the following command is used to create terminal connection to another host in Unix?

(A) ssh

IBPS SO IT OFFICER PRACTICE QUESTIONS

(B) scp

(C) telnet

(D) None of the above

Producer – Consumer problem, one of the classical problems of synchronization is also called.....

(A) Bounded Buffer Problem

(B) Readers Writers Problem

(C) Dining Philosophers Problem

(D) None of the above

Which of the following command is used to print current working directory in Unix?

(A) mkdir

(B) pwd

(C) rm

(D) None of the above

..... is a classic synchronization problem that involves the allocation of limited resources amongst a group of processes in a deadlock free and starvation free manner.

(A) Bounded Buffer Problem

(B) Dining Philosophers Problem

(C) Readers Writers Problem

(D) None of the above

..... is a system call that returns the process ID of the parent of the current process.

(A) getpid

(B) wait

(C) getppid

(D) None of the above

Which of the following is standard print command in Unix?

(A) ncftp

(B) grep

(C) ls

(D) lpr

IBPS SO IT OFFICER PRACTICE QUESTIONS

In Unix, "file" command is used to determine

- (A) file name
- (B) file type**
- (C) file content
- (D) None of the above

What is the full form of RTSP?

- (A) Real Time System Protocol
- (B) Real Transfer System Protocol
- (C) Real Time Streaming Protocol**
- (D) Real Trigger Streaming Protocol

Which of the following is a System call that can be used to send signal to a process?

- (A) kill**
- (B) wait
- (C) exec
- (D) None of the above

..... allows a thread to terminate the execution of other threads in the process.

- (A) Thread Scheduling
- (B) Thread Safety
- (C) Thread Cancellation**
- (D) None of the above

Which of the following scheduling algorithm is impossible to implement?

- (A) FCFS Scheduling
- (B) Priority Scheduling
- (C) Shortest Job First (SJF) Scheduling**
- (D) None of the above

IBPS SO IT OFFICER PRACTICE QUESTIONS

COMPUTER NETWORKING – PRACTICE QUESTIONS

Which of the following are the types of Internal Network Cards?

- (A) Peripheral Component Interconnect (PCI), Wireless Network Card
- (B) Industry Standard Architecture (ISA), Wireless Network Card
- (C) Peripheral Component Interconnect (PCI), Industry Standard Architecture (ISA)**
- (D) None of the Above

A networking device that forwards data packets along networks and acts as a central point of network is called

- (A) Repeater
- (B) Router**
- (C) Bridge
- (D) Hub

Repeater operates in which layer of OSI model?

- (A) Application layer
- (B) Presentation layer
- (C) Physical layer**
- (D) Transport layer

Where does Bridge operate in OSI model?

- (A) Physical layer
- (B) Data link layer**
- (C) Both (1) and (2)
- (D) Application layer

_____ uses a standard called IEEE 802.6.

- (A) LAN
- (B) WAN
- (C) MAN**
- (D) PAN

Which is the general network standard for the data link layer in the OSI Reference Model?

- (A) IEEE 802.1

IBPS SO IT OFFICER PRACTICE QUESTIONS

(B) IEEE 802.2

(C) IEEE 802.3

(D) IEEE 802.4

Which of the following IEEE Standard is used for Wi-Fi systems?

(A) 802.11

(B) 802.1

(C) 802.2

(D) 802.10

_____ refers to a family of IEEE standards dealing with local area network and metropolitan area network.

(A) 802

(B) 800

(C) 801

(D) 803

Routers operate in which layer of the OSI model?

(A) Physical layer

(B) Data link layer

(C) Network Layer

(D) All of these

A communication network which is used by large organizations over regional, national or global area is called

(A) LAN

(B) WAN

(C) MAN

(D) PAN

What is the default subnet mask for a class B network?

(A) 127.0.0.1

(B) 2550.0.0

(C) 255.255.0.0

(D) 255.255.255.0

IBPS SO IT OFFICER PRACTICE QUESTIONS

What is loopback address?

- (A) 127.0.0.1**
- (B) 255.0.0.0
- (C) 255.255.0.0
- (D) 127.0.0.0

A central computer surrounded by one or more satellite computers is called a

- (A) Bus network
- (B) Ring network
- (C) Star network**
- (D) None of these

A networking device that receives a signal on an electromagnetic or an optical transmission medium, amplifies the signal, and then retransmits it along the medium is called

- (A) Router
- (B) Hub
- (C) transmitter
- (D) Repeater**

What is the default subnet mask for a class A network?

- (A) 127.0.0.1
- (B) 255.0.0.0**
- (C) 255.255.0.0
- (D) 255.255.255.0

UTP stands for

- (A) Unshielded Twisted Pair**
- (B) Unshielded Twisted Port
- (C) Uniformly Twisted Pair
- (D) None

Which of the following organization defines standards for modems?

- (A) IEEE
- (B) CCITT**

IBPS SO IT OFFICER PRACTICE QUESTIONS

(C) BELL

(D) None

Which topology requires a hub?

(A) Ring

(B) Star

(C) Bus

(D) None

Which OSI layer divides a file into segments that are an efficient size for routing?

(A) Transport Layer

(B) Network Layer

(C) Data link Layer

(D) None

FDDI stands for

(A) Fiber Data Distribution Interface

(B) Fiber Distributed Data Interface

(C) Fixed Data Distribution Interface

(D) None

Which protocol working at the Transport layer provides a connectionless service between hosts?

(A) UDP

(B) ARP

(C) TCP/IP

(D) None

Which protocol does Ping use?

(A) UDP

(B) ICMP

(C) TCP/IP

(D) None

UDP stands for

IBPS SO IT OFFICER PRACTICE QUESTIONS

(A) User Datagram Protocol

(B) User Data Protocol

(C) Unlimited Datagram Protocol

(D) None

What protocol does PPP use to identify the Network Layer Protocol?

(A) UDP

(B) ICMP

(C) NCP

(D) None

With respect to a network interface card, the term 10/100 refers to

(A) protocol speed

(B) a fiber speed

(C) megabits per seconds

(D) None

If you want to locate the hardware address of a local device, which protocol would you use

(A) UDP

(B) ARP

(C) NCP

(D) None

..... is primarily used for mapping host names and email destinations to IP address

(A) TCP

(B) DNS

(C) NCP

(D) None

Which of the following TCP/IP protocol is used for transferring electronic mail messages from one machine to another?

(A) TCP

(B) SMTP

(C) NCP

IBPS SO IT OFFICER PRACTICE QUESTIONS

(D) None

_____ is the continuous ability to send and receive data between interconnected networks.

(A) FTP

(B) SMTP

(C) TNS

(D) Network Interoperability

What is the default subnet mask for a class C network?

(A) 127.0.0.1

(B) 2550.0.0

(C) 255.255.0.0

(D) 255.255.255.0

Which layer is the closest to transmission medium?

(A) Transport layer

(B) Physical layer

(C) Network layer

(D) Datalink layer

Which protocol is used to eliminate loops?

(A) TCP/IP

(B) Spanning Tree Protocol

(C) SMTP

(D) None

What kind of scheme is the http protocol?

(A) get/put

(B) request/response

(C) store/forward

(D) queuing

Which layer of OSI determines the interface of the system with the user?

(A) Session layer

IBPS SO IT OFFICER PRACTICE QUESTIONS

(B) Application layer

(C) Network layer

(D) Datalink layer

Which of the following is an example of client-server model?

(A) FTP

(B) DNS

(C) TELNET

(D) All of the above

At which layer TCP/IP defines two protocols: Transmission Control Protocol(TCP) and User Datagram Protocol(UDP)?

(A) Transport layer

(B) Application layer

(C) Network layer

(D) Datalink layer

Which of the following uses the greatest number of layers in the OSI model?

(A) Bridge

(B) Repeater

(C) Router

(D) Gateway

Which Protocol use link state routing?

(A) OSPF

(B) IGRP

(C) RIP

(D) None

Which PPP Protocol provides authentication and dynamic addressing?

(A) LCP

(B) NCP

(C) RIP

(D) None

IBPS SO IT OFFICER PRACTICE QUESTIONS

Which of the following layer is the network support layer?

- (A) Physical layer
- (B) Data link layer
- (C) Network layer
- (D) All of the above**

Switch is a device of..... Layer of OSI model?

- (A) Physical
- (B) Datalink**
- (C) Application
- (D) Session

Packets are found at which layer?

- (A) Physical
- (B) Datalink
- (C) Application
- (D) Network**

The IP address 135.0.10.27 belongs to address class?

- (A) Class A
- (B) Class B**
- (C) Class C
- (D) None

An http request contains how many parts?

- (A) 1
- (B) 2
- (C) 3**
- (D) 4

A device which divides the incoming signal into low frequencies to send to voice devices, and high frequencies for data to the computer.

- (A) multicast router
- (B) interface

IBPS SO IT OFFICER PRACTICE QUESTIONS

(C) splitter

(D) None

Which of the following function is performed by TCP?

(A) Flow Control

(B) Error checking

(C) Subnetting

(D) All of the above

Which layer establishes, maintains & synchronizes the interaction between communicating devices?

(A) Physical

(B) Datalink

(C) Application

(D) Session

Which of the following is a timer used for collision avoidance?

(A) NAV

(B) DCF

(C) PCF

(D) None

The access method used in DCF MAC sub-layer is

(A) CSMA/CD

(B) CSMA/CA

(C) Polling

(D) None

The access method used in PCF MAC sub-layer is

(A) CSMA/CD

(B) CSMA/CA

(C) Polling

(D) None

Peer-to-Peer (P2P) is acommunications model

IBPS SO IT OFFICER PRACTICE QUESTIONS

(A) Centralized

(B) decentralized

(C) client/server

(D) None

Ethernet, token ring and token bus are types of.....

(A) MAN

(B) WAN

(C) LAN

(D) None

What is the name of network topology in which there are bidirectional links between each possible node?

(A) Star

(B) Mesh

(C) Ring

(D) None

Fiber Distributed Data Interface (FDDI) is an example of which topology?

(A) Star

(B) Mesh

(C) Ring

(D) None

Which TCP/IP protocol is used for file transfer with minimal capability and minimal overhead?

(A) SGMP

(B) TFTP

(C) SUMP

(D) None

An IPV6 address is..... bits long

(A) 64

(B) 128

(C) 256

IBPS SO IT OFFICER PRACTICE QUESTIONS

(D) 512

Addresses in Class D are used for.....

- (A) Unicast Communication
- (B) Multicast Communication**
- (C) Both (A) & (B)
- (D) None

An IPV4 address is.....bits long

- (A) 64
- (B) 128
- (C) 256
- (D) 32**

How many classes are there in IPV4 addresses?

- (A) 7
- (B) 4
- (C) 5**
- (D) 6

What are the three types of addresses in IPV6?

- (A) Class A, Class B, Class C
- (B) Unicast, anycast, multicast**
- (C) Unicast, dualcast, multicast
- (D) None

IEEE 802.3 standard used what method as the media access method?

- (A) CSMA/CD**
- (B) CSMA/CA
- (C) CDMA
- (D) FDMA

WEP stands for

- (A) Wireless Equivalent Privacy

IBPS SO IT OFFICER PRACTICE QUESTIONS

(B) Wired Equivalent Privacy

(C) Wired Equivalent Protocol

(D) Wireless Equivalent Protocol

What is the key element of a Protocol?

(A) Syntax

(B) Semantics

(C) Timing

(D) All of the above

Gigabit Ethernet has a data rate of

(A) 100 Mbps

(B) 1000 Mbps

(C) 500 Mbps

(D) None

The datalink layer of Ethernet consists of

(A) LLC sublayer

(B) MAc sublayer

(C) Both (A) & (B)

(D) Only (B)

What is the minimum & maximum frame length for 10 Mbps Ethernet?

(A) 32 bytes, 64 bytes

(B) 64 bytes, 128 bytes

(C) 64 bytes, 1518 bytes

(D) 32 bytes, 1518 bytes

SNMP stands for

(A) Simple Network Management Protocol

(B) Sample Network Management Protocol

(C) Structured Network Management Protocol

(D) Security Network Management Protocol

IBPS SO IT OFFICER PRACTICE QUESTIONS

Which of the following refers to a group of standards that are still being developed as a part of overall IEEE 802.11 WLAN support?

- (A) 802.11i
- (B) 802.11x
- (C) Both (A) & (B)**
- (D) None of the above

Which of the following is a security protocol designed to provide a wireless LAN with better security and privacy?

- (A) WEP
- (B) SNMP
- (C) WAP**
- (D) LDAP

Which of the following is a timer used for Collision Avoidance (CA)?

- (A) PCF
- (B) MAC
- (C) NAV**
- (D) None of the above

Communication in a Hybrid Fiber Coaxial (HFC) cable TV network can be

- (A) unidirectional
- (B) bidirectional**
- (C) multidirectional
- (D) None of the above

Circuit switching uses.....

- (A) Space Division Switch
- (B) Time Division Switch
- (C) Either (A) or (B)**
- (D) None of the above

ADSL stands for

- (A) Asynchronous Digital Subscriber Line

IBPS SO IT OFFICER PRACTICE QUESTIONS

(B) Asymmetric Digital Subscriber Line

(C) Advanced Digital Subscriber Line

(D) Asynchronous Digital Security Line

Encryption and decryption of data are the responsibility of layer

(A) Physical

(B) Datalink

(C) Transport

(D) Presentation

What is the main function of transport layer in the OSI model?

(A) peer to peer message delivery

(B) node to node message delivery

(C) process to process message delivery

(D) None of the above

OSI stands for.....

(A) Open Systems Interconnection

(B) Original Systems Interconnection

(C) Original Security Interconnection

(D) Open Software Interconnection

In OSI model, as the data packet moves from the upper to the lower layers, headers are _____.

(A) added

(B) removed

(C) deleted

(D) edited

Which of the following layer is the User Support layer?

(A) Session layer

(B) Presentation layer

(C) Application layer

(D) All of the above

IBPS SO IT OFFICER PRACTICE QUESTIONS

Error detection at the data link layer is achieved by.....

- (A) Hamming code
- (B) Cyclic Redundancy Code**
- (C) Bit stuffing
- (D) synchronization

Port address in TCP/IP is bits long

- (A) 16**
- (B) 32
- (C) 64
- (D) 128

An addressing method in which the IP address space is not divided into classes?

- (A) Classful addressing
- (B) Classless addressing**
- (C) Classless IDR
- (D) None of the above

The number of differences between the corresponding bits in a two data words is known as..... distance

- (A) Hanning
- (B) Hamming**
- (C) Huffman
- (D) None of the above

An Address Resolution Protocol (ARP) request is

- (A) unicast
- (B) anycast
- (C) broadcast**
- (D) None of the above

The splitting of a message into multiple packets at transport layer is known as....

- (A) Fragmentation
- (B) Segmentation**

IBPS SO IT OFFICER PRACTICE QUESTIONS

- (C) Synchronization
- (D) None of the above

RARP stands for.....

- (A) Reverse Address Resolution Protocol**
- (B) Reverse Address Routing Protocol
- (C) Reverse Address Reflexive Protocol
- (D) Resource Address Resolution Protocol

The loss of signal's energy due to the resistance of medium is called.....

- (A) Fragmentation
- (B) Attenuation**
- (C) Synchronization
- (D) None of the above

In Wireless LAN's, a time interval between two frames to control access to the channel is called.....

- (A) Interframe space**
- (B) Interleaving
- (C) Interior routing
- (D) None of the above

An array of switches that are used to reduce the number of cross points is called.....

- (A) singlestage switch
- (B) dualstage switch
- (C) multistage switch**
- (D) None of the above

An application protocol of TCP/IP that allows remote login is known as.....

- (A) NCP
- (B) NVT**
- (C) NAV
- (D) None of the above

TFTP stands for.....

IBPS SO IT OFFICER PRACTICE QUESTIONS

(A) Trivial File Transfer Protocol

(B) Temporary File Transfer Protocol

(C) Trunk File Transfer Protocol

(D) Transparent File Transfer Protocol

The building block of a Wireless LAN as defined by IEEE 802.11 standard?

(A) BSS

(B) ESS

(C) Both (A) & (B)

(D) None of the above

A protocol that provides configuration information from a table is called.....

(A) BGP

(B) BOOTP

(C) FTP

(D) None of the above

CIDR stands for

(A) Code Inter Domain Routing

(B) Code Inter Division Routing

(C) Classless Inter Domain Routing

(D) Classful Inter Domain Routing

In PPP, a three-way handshaking protocol used for authentication is known as.....

(A) CHAP

(B) BOOTP

(C) FTP

(D) None of the above

A technique in which a protocol used for address resolution is called.....

(A) dynamic routing

(B) dynamic mapping

(C) exterior routing

IBPS SO IT OFFICER PRACTICE QUESTIONS

(D) None of the above

Which of the following converts user friendly names to IP addresses?

(A) Domain Name Space

(B) Domain Name System

(C) DHCP

(D) None of the above

A protocol in which the sender sends one frame and stops until it receives confirmation from the receiver?

(A) Stop and Wait ARQ

(B) Store and forward switch

(C) Stop and Wait Protocol

(D) None of the above

Which of the following is an application service for retrieving a web document?

(A) HTML

(B) HTTP

(C) FTP

(D) None of the above

You are in the process of analyzing a problem that requires you to collect and store TCP/IP Packets. Which of the following utilities is best suited for this purpose?

(A) Performance Monitor

(B) Network Monitor

(C) NETSTAT

(D) NBTSTAT

Which of the following protocol provides confidentiality and authentication for an e-mail?

(A) BGP

(B) BOOTP

(C) PGP

(D) None of the above

_____ is a conceptual location at which one OSI layer can request the services of another OSI layer.

A. Entities

IBPS SO IT OFFICER PRACTICE QUESTIONS

B. SAP

C. Peer Entities

D. All of the Above

E. None of the Above

Which of the following protocol(s) is/are used for transferring data?

A. Connection oriented

B. Connection less services

C. Connectivity

D. Both (B) and (C)

E. Both (A) and (B)

Which of the following layer provide the necessary functions to enable communication between software application processes on different computers?

A. Physical layer

B. Data link layer

C. Network layer

D. Transport layer

E. None of the Above

Which of the following is a code that allows two software programs to communicate with each other?

A. TCP/IP

B. API

C. UDP

D. All of the Above

E. None of the Above

Which of the following is/are example(s) of data link layer?

A. Ethernet

B. Token Ring

C. FDDI

D. All of the Above

E. None of the Above

IBPS SO IT OFFICER PRACTICE QUESTIONS

TFTP stands for?

- A. Trivial File Transfer Protocol (TFTP)**
- B. Transfer File Trivial Protocol (TFTP)
- C. Trivial File Transit Protocol (TFTP)
- D. Transfer File Transfer Protocol (TFTP)
- E. Transit File Trivial Protocol (TFTP)

_____ is a software application used within an Internet message handling system (MHS).

- A. Mail Transfer Agent(MTA)
- B. Message Transfer Agent(MTA)
- C. Mail Transport Agent
- D. All of the Above**
- E. None of the Above

_____ refers to a standard used for transmitting IP data grams across IEEE 802 networks.

- A. HTML
- B. HTTP
- C. Sub Network Access Protocol (SNAP)**
- D. All of the Above
- E. None of the Above

_____ are used as the simplest form of error detecting code

- A. Parity bits**
- B. Network bits
- C. Data bits
- D. All of the Above
- E. None of the Above

_____ is the number of times a signal in a communications channel changes state or varies.

- A. Bit rate
- B. Baud rate**
- C. Net bit rate

IBPS SO IT OFFICER PRACTICE QUESTIONS

- D. All of the Above
- E. None of the Above

Which of the following is a client/server protocol that automatically provides an Internet Protocol (IP) host with its IP address?

- A. Session Initiation Protocol
- B. Trivial File Transfer Protocol
- C. Secure Hypertext Transfer Protocol
- D. Dynamic Host Configuration Protocol**
- E. None of the Above

_____ is a computer networking protocol that provides for automatic assignment of available Internet Protocol (IP) routers to participating hosts.

- A. Session Initiation Protocol
- B. Virtual Router Redundancy Protocol**
- C. Secure Hypertext Transfer Protocol
- D. Dynamic Host Configuration Protocol
- E. None of the Above

Which of the following is a signaling protocol used to create, manage and terminate sessions in an IP based network?

- A. Session Initiation Protocol**
- B. Trivial File Transfer Protocol
- C. Secure Hypertext Transfer Protocol
- D. Dynamic Host Configuration Protocol
- E. None of the Above

Which of the following is used to support virtual private networks (VPNs)?

- A. SIP
- B. TFTP
- C. L2TP**
- D. DHCP
- E. None of the Above

_____ provides a mechanism used to connect to, search, and modify Internet directories.

IBPS SO IT OFFICER PRACTICE QUESTIONS

- A. SIP
- B. TFTP
- C. L2TP
- D. DHCP
- E. LDAP**

Which is designed to exchange routing and reach ability information among autonomous systems (AS) on the Internet?

- A. Session Initiation Protocol
- B. Border Gateway Protocol**
- C. Server Message Block Protocol
- D. Dynamic Host Configuration Protocol
- E. None of the Above

_____ allows applications on a computer to read and write to files and to request services from server programs in a computer network

- A. Server Message Block (SMB) protocol**
- B. Border Gateway Protocol
- C. Secure Hypertext Transfer Protocol
- D. Dynamic Host Configuration Protocol
- E. None of the Above

_____ forms part of the Point-to-Point Protocol (PPP), within the family of Internet protocols.

- A. SIP
- B. TFTP
- C. L2TP
- D. DHCP
- E. LCP**

Which of the following is an encapsulation of the Internet Protocol designed to work over serial ports and modem connections?

- A. SLIP**
- B. TFTP
- C. L2TP

IBPS SO IT OFFICER PRACTICE QUESTIONS

D. DHCP

E. LCP

A specification that provides an inter operable framework for e-commerce is known as _____

A. SLIP

B. IOTP

C. L2TP

D. DHCP

E. LCP