Printed page: 04

20,					01
Roll No:				IT	TT

Subject Code: ACSE0401

NOIDA INSTITUTE OF ENGINEERING AND TECHNOLOGY GREATER NOIDA

(An Autonomous Institute Affiliated to AKTU, Lucknow)

B.Tech(Computer Science & Engineering)

(SEM:IV SESSIONAL EXAMINATION -II)(2021-2022)

Subject Name: Design & Analysis of Algorithms

Time: 1.15Hours

Set - B

Max. Marks:30

General Instructions:

- ➤ All questions are compulsory. Answers should be brief and to the point.
- ➤ This Question paper consists of 04 pages & ...5......questions.
- > It comprises of three Sections, A, B, and C. You are to attempt all the sections
- > Section A Question No-1 is objective type questions carrying 1 mark each, Question No-2 is very short

answer type carrying 2 mark each. You are expected to answer them as directed.

> Section B - Question No-3 is Short answer type questions carrying 5 marks each. You need to

any two out of three questions given.

> Section C Question No. 4 & 5 are Long answer type (within unit choice) questions carrying

each. You need to attempt any one part a or b.

- > Students are instructed to cross the blank sheets before handing over the answer sheet to the
- > No sheet should be left blank. Any written material after a blank sheet will not be evaluated/checked.

		SECTION - A	[4]	
1.	Att	tempt all parts	(4×1=4)	CO
	a.	Time complexity of Prim's algorithm when using Fibonacci heaps is a) O(E lg V) b) O(V + V lg E) c) O(E + V lg V) d) O(V lg E)	(1)	C03
-0	b.	How many feasible solution greedy algorithms gives	(1)	C03

7		a) 1 b) 0		
-		c) 100 d) more then 1 Finding Strongly connected components is an	715	COS
	c.	important application of: a) BFS algorithm c) Kruskal's algorithm algorithm	(1)	CO3
	d.	Which one is the recursive step in divide and conquer approach a) conquer b) Divide c) Combine d) None	(1)	CO3
2.	Att	empt all parts	(2×2=4)	СО
<	a.	Show that, with the array representation for storing an n-element heap, the leaves are the nodes indexed by $\lfloor n/2 \rfloor + 1$, $\lfloor n/2 \rfloor + 2$, , n.	(2)	C01.,
	b.	Explain the concept of Strongly Connected Components. Find Strongly Connected Components in the given graph	(2)	C03
		SECTION - B		
3.	An	swer any <u>two</u> of the following-	[2×5=10]	+
	a.	Explain fractional knapsack problem. For the given items find the optimal solution: I: <i1, i2,="" i3,="" i4,="" i5="">, W: <6, 2, 4, 3, 5>, P: <12, 10, 9, 9, 5>, capacity of knapsack = 10</i1,>	(5)	CO3
2	C	Page 2 of 4	1010	0
		No	Silve	

b.		(5)	CO3
		-	
c.	Explain the Huffman code algorithm and find the	(5)	CO3
	Huffman code for the character of given text file		
	Character: < a, b, c, d, e, f		
	Frequency: <45, 15, 20, 5, 10, 25>		
	SECTION - C		
		[2×6=12]	C03
		(6)	CO3
a.			
		0/1	
		0.0	1
h	Describe strassen's matrix multiplication and	(6)	CO3
D.			
	1 3 p 8 4		
	$A = \begin{bmatrix} 5 & 7 \end{bmatrix} D = \begin{bmatrix} 6 & 2 \end{bmatrix}$		
Ans			
An:	swer any one of the following- Explain Divide-and-conquer steps of Quicksort	(6)	C03
	swer any <u>one</u> of the following-	(6)	C03
	swer any <u>one</u> of the following- Explain Divide-and-conquer steps of Quicksort	(6)	C03
	swer any <u>one</u> of the following- Explain Divide-and-conquer steps of Quicksort algorithm. Implement Quicksort algorithm.	(6)	C03
a.	Explain Divide-and-conquer steps of Quicksort algorithm. Implement Quicksort algorithm. Analyze it's time complexity for worst and best case.		
	Explain Divide-and-conquer steps of Quicksort algorithm. Implement Quicksort algorithm. Analyze it's time complexity for worst and best	(6)	C03
	An:	time complexity for worst case. Explain the Huffman code algorithm and find the Huffman code for the character of given text file Character: < a, b, c, d, e, f > Frequency: <45, 15, 20, 5, 10, 25> SECTION - C Answer any one of the following-(Any one can be applicative if applicable) a. Write build a Min-Heap and MinHeapify procedure. Build a Min-Heap from <16, 14, 10, 9, 8, 7, 5, 3, 2, 1>. Analyze the time complexity to build Min-Heap and MinHeapify procedure.	time complexity for worst case. c. Explain the Huffman code algorithm and find the Huffman code for the character of given text file Character: < a, b, c, d, e, f > Frequency: <45, 15, 20, 5, 10, 25> SECTION - C Answer any one of the following-(Any one can be applicative if applicable) a. Write build a Min-Heap and MinHeapify procedure. Build a Min-Heap from <16, 14, 10, 9, 8, 7, 5, 3, 2, 1>. Analyze the time complexity to build Min-Heap and MinHeapify procedure. b. Describe strassen's matrix multiplication and multiply following two matrices using strassen's matrix multiplication. (6)

29/1KOLO COLU

Sankero com

MMM chestionoghkoro.com

SASTIKOTO.COM

Page 4 of 4