



Lung Cancer Survey Analysis for Both Males and Females (Using the Causes, Symptoms, and Disease Attributes).

ODUDU OCHUKO RICHIE


FATIGUE (No) (MALES)




FATIGUE (Yes) (MALES)




FATIGUE (No) (FEMALES)




FATIGUE (Yes) (FEMALES)



ALCOHOL CONSUMING (MALES)



ALCOHOL CONSUMING (FEMALES)



FEMALES

AGE

21-49

50-59

60-69

70-87

MALES

AGE

39-49

50-59

60-70

71-79

MALES

59

TOTAL FATIGUE (No)

MALES

103

TOTAL FATIGUE (Yes)

FEMALES

42

TOTAL FATIGUE (No)

FEMALES

105

TOTAL FATIGUE (Yes)

MALES

37

TOTAL ALCOHOL CONSUMING (No)

MALES

125

TOTAL ALCOHOL CONSUMING (Yes)

FEMALES

100

TOTAL ALCOHOL CONSU...

FEMALES

47

TOTAL ALCOHOL CONSU...

MALES

60

TOTAL ALLERGY (No)

MALES

102

TOTAL ALLERGY (Yes)

FEMALES

77

TOTAL ALLERGY (No)

FEMALES

70

TOTAL ALLERGY (Yes)

MALES

44

TOTALCHEST PAIN (No)

MALES




118

TOTAL CHEST PAIN (Yes)

FEMALES

93

TOTAL CHEST PAIN (No)



FEMALES




AGE

21-49

50-59

60-69

70-87



MALES

AGE

39-49

50-59

60-70

71-79

FEMALES

54

TOTAL CHEST PAIN (Yes)

MALES

86

TOTAL YELLOW_FINGERS (No)

MALES

76

TOTAL YELLOW_FINGERS (No)

FEMALES

47

TOTAL YELLOW_FINGERS (No)

FEMALES

100

TOTAL YELLOW_FINGERS (Yes)

MALES

93

TOTAL ANXIETY (No)

MALES

69

TOTAL ANXIETY (Yes)

FEMALES




62

TOTAL ANXIETY (No)

FEMALES

85

TOTAL ANXIETY (Yes)



FEMALES




AGE

21-49

50-59

60-69

70-87



MALES

AGE

39-49


50-59

60-70


71-79

MALES 96 TOTAL CHRONIC DIS...	FEMALES 57 TOTAL CHRONIC DIS...	MALES 58 TOTAL COUGHING (No)	FEMALES 72 TOTAL COUGHING (No)	MALES 68 TOTAL SMOKING (No)	FEMALES 67 TOTAL SMOKING (No)	MALES 92 TOTAL SWALLOWIN...	FEMALES 72 TOTAL SWALLOWI...	MALES 17 TOTAL LUNG_CANCER (No)	FEMALES 22 TOTAL LUNG_CANCER (No)
MALES 66 TOTAL CHRONIC DIS...	FEMALES 90 TOTAL CHRONIC DIS...	MALES 104 TOTAL COUGHING (Yes)	FEMALES 75 TOTAL COUGHING (Yes)	MALES 94 TOTAL SMOKING (Yes)	FEMALES 80 TOTAL SMOKING (Yes)	MALES 70 TOTAL SWALLOWIN...	FEMALES 75 TOTAL SWALLOWI...	MALES 145 TOTAL LUNG_CANCER (Yes)	FEMALES 125 TOTAL LUNG_CANCER (Y...


SMOKING (FEMALES)



SWALLOWING DIFFICULTY (FEMALES)



LUNG_CANCER (FEMALES)



FEMALES

AGE


☐ 21-49

☐ 50-59


☐ 60-69

☐ 70-87


SMOKING (MALES)



SWALLOWING DIFFICULTY (MALES)



LUNG_CANCER (MALES)



MALES

AGE

☐ 39-49

☐ 50-59

☐ 60-70

☐ 71-79

OVERVIEW INSIGHTS ON EACH ATTRIBUTE


147

TOTAL FEMALE RESPONDENTS


162

TOTAL MALE RESPONDENTS

ALCOHOL CONSUMING (No) (FEMALES)




According to the data for both the No and Yes responses, we can see that most women respondents didn't consume too much alcohol. But if we analyze each response, we can see that most women respondents between the age group of 60-69 hardly consumed alcohol.




According to the data for both No and Yes responses, a lot of male respondents consumed more alcohol, leaving just a few with low alcohol consumption. According to the data, age group 60-70 had the lowest consumption of alcohol.

ALCOHOL CONSUMING (No) (MALES)



ALCOHOL CONSUMING (Yes) (FEMALES)




According to their responses viewed through the data, very few women consumed alcohol. But for the women who consumed alcohol, the age group 50-59 years had the highest number of females that consumed alcohol.




Despite the age group 60-70 having the lowest alcohol consumption, this age group still had the highest number of respondents with the highest consumption of alcohol.

ALCOHOL CONSUMING (Yes) (MALES)




FATIGUE (No) (FEMALES)




Age group 60-69 had more female respondents who didn't experience fatigue.

FATIGUE (Yes) (FEMALES)




Despite having the highest number of respondents that did not experience fatigue, the age group 60-69 still had the highest number of female respondents with fatigue.

ALLERGY (No) (MALES)




For the male category, the age group 60-70 years had more respondents with no allergies.

FATIGUE (No) (MALES)




The age group 60-70 years had more numbers of male respondents who didn't experience fatigue.

FATIGUE (Yes) (MALES)




The age group 60-70 years also had the highest number of male respondents with fatigue experience.

ALLERGY (Yes) (MALES)




While for the Yes response, the age group 60-70 years also had more respondents who had allergies.

ALLERGY (No) (FEMALES)




Female respondents between the age group 60-69 had fewer allergies, with the age group 50-59 following the tally as the next respondents with fewer allergies.

ALLERGY (Yes) (FEMALES)




Most female respondents between the age group 60-69 years had more allergies.

CHEST PAIN (No) (FEMALES)




Chest pains are one of the symptoms of lung cancer, for this report, the age group 60-70 years had more female respondents with no chest pains.

CHEST PAIN (Yes) (FEMALES)




Most female respondents between the ages of 50-59 experienced more chest pains.

CHEST PAIN (No) (MALES)




The age group 60-70 years had more male respondents with no chest pains.

CHEST PAIN (Yes) (MALES)




While having more respondents with no chest pains, the age group 60-70 years still had more male respondents with chest pains.

YELLOW_FINGERS (No) (FEMALES)




Most female respondents between the age group of 60-69 had no yellow fingers.

YELLOW_FINGERS (Yes) (FEMALES)




Despite this age group 60-69 having lesser symptoms of yellow fingers, they still had more female respondents with more symptoms of yellow fingers.

ANXIETY (No) (FEMALES)




The age group between 60-69 years had more female respondents with no anxiety.

YELLOW_FINGERS (No) (MALES)




The age groups between 60-70 years had more male respondents with no symptoms of yellow fingers.

YELLOW_FINGERS (Yes) (MALES)




The same age group 60-70 years had more male respondents with more symptoms of yellow fingers.

ANXIETY (Yes) (FEMALES)




The age group 60-69 years had more female respondents with anxiety.

ANXIETY (No) (MALES)




The age group 60-70 years had more male respondents with no anxiety.

ANXIETY (Yes) (MALES)




The age group between 60-70 years also had more male respondents with anxiety.

COUGHING (No) (FEMALES)




The age group between 60-69 years had more female respondents with no coughing symptoms.

CHRONIC DISEASE (No) (FEMALES)




Most females between the age groups of 60-69 years had no chronic diseases.

CHRONIC DISEASE (Yes) (FEMALES)




Despite having more female respondents with no chronic diseases, the age group 60-69 years still had more female respondents with chronic diseases.

COUGHING (Yes) (FEMALES)




The same age group 60-69 years also had more female respondents with coughing symptoms.

CHRONIC DISEASE (No) (MALES)




The age group 60-70 years had more male respondents with no chronic diseases.

CHRONIC DISEASE (Yes) (MALES)




The age group 60-70 years also had more male respondents with chronic diseases.

COUGHING (No) (MALES)




According to the data, we can see that the age group 60-70 years had more male respondents who had no coughing symptoms.

COUGHING (Yes) (MALES)




The age group between 60-70 years had more male respondents with coughing symptoms.

SMOKING (No) (FEMALES)




The age group 60-69 years had more females who don't smoke.

SMOKING (Yes) (FEMALES)




The age group 60-69 years had more female respondents who smoked.

SMOKING (No) (MALES)




The age group 60-70 years had more male respondents who don't smoke.

SMOKING (Yes) (MALES)




The age group 60-70 years also had the most male respondents who smoked.

SWALLOWING DIFFICULTY (No) (MALES)




In the male category, The age groups between 60-70 years didn't find it difficult to swallow.

SWALLOWING DIFFICULTY (No) (FEMALES)




The age group 60-69 years had more female respondents who didn't find it hard to swallow.

SWALLOWING DIFFICULTY (Yes) (FEMALES)




Both age groups 50-59 years and 60-69 years had more female respondents who found it difficult to swallow. Both had the same amount of respondents.

SWALLOWING DIFFICULTY (Yes) (MALES)



Despite the age group having more respondents who didn't find it hard to swallow, the age group 60-70 years also had the most male respondents with swallowing difficulties.


LUNG_CANCER (Yes) (FEMALES)




From the female data, we can see that there were more Yes responses than No responses. That is out of the 147 female respondents more women had lung cancer. According to the data, the age groups between 60-69 years had more female respondents with lung cancer.

Lung cancer is a serious disease that has harmed a lot of people irrelevant of their age, but according to this data collected and analyzed we can see that we had fewer female respondents without lung cancer. Despite this the age group 60-69 years still had more female respondents without lung cancer.

LUNG_CANCER (No) (FEMALES)




LUNG_CANCER (Yes) (MALES)



The male data had a total of 162 respondents, out of this total respondents there were more male respondents with lung cancer than the ones that don't have it. The age group 60-70 years had more male respondents with lung cancer.

Despite the age group 60-70 years having more male respondents with lung cancer, they still had the most respondents who don't have lung cancer. There was no response recorded for the age group 71-79 years, meaning they had no respondents without lung cancer.

LUNG_CANCER (No) (MALES)



LUNG CANCER



MY OBSERVATION

- 1 .My general view was that the female age groups 60-69, 50-59 years, and male age groups 60-70, and 50-59 years had 80% Yes or No responses to all the attributes that were used in the survey.
- 2 .Most of the respondents who had lung cancer and other symptoms and causes were between the age groups of 60-69 (Females), 50-59 (Females), and 60-70 (Males), 50-59 (Males).