

Search

[Alt+S]

United States (N. Virginia)

Account ID: 4664-9936-5330
voclabs/user5021299=akshaytyagiacc@gmail.com

Amazon EMR > EMR on EC2: Clusters > Create cluster

Create cluster

Name and applications - required

Name your cluster and choose the applications that you want to install on your cluster.

Name

EMR_cluster

Amazon EMR release

emr-5.20.1

This EMR release reaches End of Support on Aug-01-2026 and will no longer be eligible for technical support. AWS strongly recommends that you run your workloads on the latest Amazon EMR release to receive security-critical updates and fixes. You can also use new Spark upgrade agent to modernize your existing applications on version 5.40 or higher to latest EMR version. To learn more, see [EMR Standard Support policy](#) and [Spark Upgrades](#).

Application bundle

Spark

Core Hadoop

HBase

Presto

Custom

☐ Flink 1.6.2

☐ HCatalog 2.3.4

☒ Hue 4.3.0

☐ MRNet 1.3.1

☐ Phoenix 4.14.0

☒ Ganglia 3.7.2

☒ Hadoop 2.8.5

☒ JupyterHub 0.9.4

☐ Mahout 0.13.0

☐ Pig 0.17.0

☐ HBase 1.4.8

☒ Hive 2.3.4

☐ Livy 0.5.0

☐ Oozie 5.0.0

☐ Presto 0.214

Summary

Name and applications - required

Name

EMR_cluster

Amazon EMR release

emr-5.20.1

Application bundle

Custom (Ganglia 3.7.2, Hadoop 2.8.5, Hive 2.3.4, Hue 4.3.0, JupyterHub 0.9.4, Spark 2.4...)

Cluster configuration - required

Instance groups

Primary (m5.xlarge), Core (m5.xlarge), Task (m5.xlarge)

Cluster scaling and provisioning - required

Provisioning configuration

Core size: 1 instance
Task size: 1 instance

Configure IAM roles

You must choose a service role and instance

Search

[Alt+S]

United States (N. Virginia)

Account ID: 4664-9936-5330
voclabs/user5021299=akshaytyagiacc@gmail.com

Amazon EMR > EMR on EC2: Clusters > Create cluster

Create cluster

Choose EC2 instance type

m4.large

2 vCore 8 GiB memory
EBS only storage On-demand price: -
Lowest spot price: -

Use high availability

Launch highly available, more resilient cluster with three primary nodes on On-Demand Instances. This configuration applies for the lifetime of your cluster. [Find out more](#)

Node configuration - optional

Core

Choose EC2 instance type

m4.large

2 vCore 8 GiB memory
EBS only storage On-demand price: -
Lowest spot price: -

Node configuration - optional

Task 1 of 1

Name

Task - 1

Choose EC2 instance type

m5.xlarge

4 vCore 16 GiB memory
EBS only storage On-demand price: -
Lowest spot price: -

Summary

Name and applications - required

Name

EMR_cluster

Amazon EMR release

emr-5.20.1

Application bundle

Custom (Ganglia 3.7.2, Hadoop 2.8.5, Hive 2.3.4, Hue 4.3.0, JupyterHub 0.9.4, Spark 2.4...)

Cluster configuration - required

Instance groups

Primary (m4.large), Core (m4.large), Task (m5.xlarge)

Cluster scaling and provisioning - required

Provisioning configuration

Core size: 1 instance
Task size: 1 instance

Configure IAM roles

You must choose a service role and instance profile before you create this cluster.

Choose IAM roles

Query

Search saved documents...

Jobs

hadoop

File Browser

Search for file name

Actions

Delete forever

Upload

New

Home / user / hadoop

	Name	Size	User	Group	Permissions	Date
	.		hdfs	hadoop	drwxr-xr-x	May 08, 2026 10:44 PM
	.		hadoop	hadoop	drwxrwxrwx	May 08, 2026 11:19 PM
	Chicago_crimes.csv	53.7 MB	hadoop	hadoop	-rw-r--r--	May 08, 2026 11:19 PM

Show 45 of 1 items

Page 1 of 1


```
OK
Time taken: 0.217 seconds
hive> INSERT INTO TABLE crimes_partitioned
> PARTITION (crimes_year)
> SELECT
>   id,
>   case_number,
>   date,
>   block,
>   iucr,
>   primary_type,
>   description,
>   location_description,
>   arrest,
>   domestic,
>   beat,
>   district,
>   ward,
>   community_area,
>   fbi_code,
>   x_coordinate,
>   y_coordinate,
>   updated_on,
>   latitude,
>   longitude,
>   location,
>   year
> FROM crimes_raw;
Query ID = hadoop_20260509063341_956072a6-01aa-41db-837d-86fdd8e8b3e
Total jobs = 1
Launching Job 1 out of 1
Status: Running (Executing on YARN cluster with App id application_1778305583639_0002)

-----
VERTICES      MODE      STATUS  TOTAL  COMPLETED  RUNNING  PENDING  FAILED  KILLED
-----
Map 1         container  SUCCEEDED    0         0         0         0         0         0
Reducer 2 ..... container  SUCCEEDED    1         1         0         0         0         0
-----
VERTICES: 01/02 [=====] 100% ELAPSED TIME: 5.57 s
```

 ip-172-31-35-153

 81%

 5.77 GB / 7.79 GB

 0.01 Mb/s

 0.01 Mb/s

 59 min

 hadoop

 /: 73%

 /emr: 1%

 /mnt: 22%



2)

ORGANIZATION

SM VITA

PROJECT

Project 0

Deploy your cluster

Use a template below or set up advanced configuration options. You can also edit these configuration options once the cluster is created.

M10

\$0.08/hour

Dedicated cluster for development environments and low-traffic applications.

STORAGE	RAM	vCPU
10 GB	2 GB	2 vCPUs

Flex

From \$0.01/hour

Up to \$30/month

For development and testing, with on-demand burst capacity for unpredictable traffic.

STORAGE	RAM	vCPU
5 GB	Shared	Shared

Free

For learning and exploring MongoDB in a cloud environment.

STORAGE	RAM	vCPU
612 MB	Shared	Shared

Free forever! Your free cluster is ideal for experimenting in a limited sandbox. You can upgrade to a production cluster anytime.

Configurations

Name

You cannot change the name once the cluster is created.

Quick setup

Automate security setup

Preload sample dataset

I'll do this later

Go to Advanced Configuration

Create Deployment

MongoDB Atlas

ORGANIZATION

SM VITA

Project Overview

Database

Clusters

Search & Vector Search

Data Explorer

Backup

STREAMING DATA

Stream Processing

Triggers

SERVICES

AI Models

Migration

Data Federation

Visualization

SECURITY

Security Quickstart

Project

Cluster

Ecommerce

Connect

+ Add

Apply

Set up connection security

Choose a connection method

Connect

I don't have the MongoDB Shell installed

I have the MongoDB Shell installed

1. Select your mongo shell version

To check your Mongo shell version, run:

mongosh --version or mongo --version

mongosh (2.0 or later)

2. Run your connection string in your command line

Use this connection string in your application

mongosh "mongodb+srv://ecommerce.chbgm4b.mongodb.net/" --apiVersion 1 --username admin

You will be prompted for the password for the Database User, admin. When entering your password, make sure all special characters are URL encoded.

RESOURCES

Add Data in the Shell

Access your Database Users

Troubleshoot Connections

Go Back

Done

```

Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Windows\System32> mongosh "mongodb+srv://ecommerce.chbgm4b.mongodb.net/" --apiVersion 1 --username admin
Enter password: *****
Current Mongosh Log ID: 69fec945ea709542e73682d0
Connecting to:      mongodb+srv://<credentials>@ecommerce.chbgm4b.mongodb.net/?appName=mongosh+2.8.2
Using MongoDB:      8.0.23 (API Version 1)
Using Mongosh:       2.8.2
Mongosh 2.8.3 is available for download: https://www.mongodb.com/try/download/shell

For mongosh info see: https://www.mongodb.com/docs/mongodb-shell/

```

```
Atlas atlas-6ukau3-shard-0 [primary] userDB> use ecommerce
switched to db ecommerce
Atlas atlas-6ukau3-shard-0 [primary] ecommerce> db.createCollection("orders")
{ ok: 1 }
Atlas atlas-6ukau3-shard-0 [primary] ecommerce> db.orders.insertMany([
  {
    order_id: "ORD001",
    customer: "Alice",
    city: "Mumbai",
    category: "Electronics",
    product: "Laptop",
    quantity: 1,
    price: 75000,
    status: "delivered",
    date: ISODate("2024-01-15")
  },
  {
    order_id: "ORD002",
    customer: "Bob",
    city: "Delhi",
    category: "Clothing",
    product: "Jacket",
    quantity: 3,
    price: 4500,
    status: "pending",
    date: ISODate("2024-02-20")
  },
  {
    order_id: "ORD003",
    customer: "Carol",
    city: "Mumbai",
    category: "Electronics",
    product: "Phone",
    quantity: 2,
    price: 25000,
    status: "delivered",
    date: ISODate("2024-03-10")
  },
  {
    order_id: "ORD004",
```

```
    category: "Electronics",
    product: "Phone",
    quantity: 2,
    price: 25000,
    status: "delivered",
    date: ISODate("2024-03-10")
  },
  {
    order_id: "ORD004",
    customer: "Dave",
    city: "Pune",
    category: "Books",
    product: "Big Data Guide",
    quantity: 5,
    price: 800,
    status: "shipped",
    date: ISODate("2024-03-25")
  },
  {
    order_id: "ORD005",
    customer: "Eve",
    city: "Delhi",
    category: "Electronics",
    product: "Tablet",
    quantity: 1,
    price: 35000,
    status: "delivered",
    date: ISODate("2024-04-05")
  }
]);
acknowledged: true,
insertedIds: {
  '0': ObjectId('69fecd92ea709542e73682db'),
  '1': ObjectId('69fecd92ea709542e73682dc'),
  '2': ObjectId('69fecd92ea709542e73682dd'),
  '3': ObjectId('69fecd92ea709542e73682de'),
  '4': ObjectId('69fecd92ea709542e73682df')
}
}
Atlas atlas-6ukau3-shard-0 [primary] ecommerce> |
```

ORGANIZATION
SM VITA

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Ecommerce

admin

ecommerce

local

sample_mflix

Ecommerce

View monitoring

Visualize your data

Create database

Refresh

Database name	Storage size	Data size	Collections	Indexes
admin	0 B	0 B	0	0
ecommerce				
local	-	-	1	-
sample_mflix	88.09 MB	101.11 MB	6	10

System Status: All Good
©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

```
Atlas atlas-6ukau3-shard-0 [primary] ecommerce> db.orders.find({ status: "delivered" }).pretty();
[
  {
    _id: ObjectId('69fec92ea709542e73682db'),
    order_id: 'ORD0001',
    customer: 'Alice',
    city: 'Mumbai',
    category: 'Electronics',
    product: 'Laptop',
    quantity: 1,
    price: 75000,
    status: 'delivered',
    date: ISODate('2024-01-15T00:00:00.000Z')
  },
  {
    _id: ObjectId('69fec92ea709542e73682dd'),
    order_id: 'ORD0003',
    customer: 'Carol',
    city: 'Mumbai',
    category: 'Electronics',
    product: 'Phone',
    quantity: 2,
    price: 25000,
    status: 'delivered',
    date: ISODate('2024-03-10T00:00:00.000Z')
  },
  {
    _id: ObjectId('69fec92ea709542e73682df'),
    order_id: 'ORD0005',
    customer: 'Eve',
    city: 'Delhi',
    category: 'Electronics',
    product: 'Tablet',
    quantity: 1,
    price: 35000,
    status: 'delivered',
    date: ISODate('2024-04-05T00:00:00.000Z')
  }
]
Atlas atlas-6ukau3-shard-0 [primary] ecommerce>
```

```
Atlas atlas-6ukau3-shard-0 [primary] ecommerce> db.orders.updateOne(
  { order_id: "ORD0002" },
  { $set: { status: "shipped" } }
)
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
Atlas atlas-6ukau3-shard-0 [primary] ecommerce> db.orders.insertOne({
  order_id: "ORD0006",
  customer: "Rahul",
  city: "Bangalore",
  category: "Home Appliances",
  product: "Microwave Oven",
  quantity: 1,
  price: 12000,
  status: "pending",
  date: ISODate("2024-05-12")
})
{
  acknowledged: true,
  insertedId: ObjectId('69fecea8ea709542e73682e0')
}
Atlas atlas-6ukau3-shard-0 [primary] ecommerce> db.orders.find({ order_id: "ORD0006" }).pretty()
[
  {
    _id: ObjectId('69fecea8ea709542e73682e0'),
    order_id: 'ORD0006',
    customer: 'Rahul',
    city: 'Bangalore',
    category: 'Home Appliances',
    product: 'Microwave Oven',
    quantity: 1,
    price: 12000,
    status: 'pending',
    date: ISODate('2024-05-12T00:00:00.000Z')
  }
]
```

```
Atlas atlas-6ukau3-shard-0 [primary] ecommerce> db.orders.deleteOne({ order_id: "ORD0004" });
{ acknowledged: true, deletedCount: 1 }
Atlas atlas-6ukau3-shard-0 [primary] ecommerce> db.orders.find({ order_id: "ORD0004" }).pretty();
[]
Atlas atlas-6ukau3-shard-0 [primary] ecommerce>
```

```
Atlas atlas-6ukau3-shard-0 [primary] ecommerce> db.orders.aggregate([
  {
    $group: {
      _id: "$category",
      totalRevenue: {
        $sum: { $multiply: ["$price", "$quantity"] }
      }
    }
  },
  {
    $sort: { totalRevenue: -1 }
  }
]);
[
  { _id: 'Electronics', totalRevenue: 160000 },
  { _id: 'Clothing', totalRevenue: 13500 },
  { _id: 'Home Appliances', totalRevenue: 12000 }
]
Atlas atlas-6ukau3-shard-0 [primary] ecommerce>
```

```

Atlas atlas-6ukau3-shard-0 [primary] ecommerce> // Find total number of orders and average order price for each city
| db.orders.aggregate([
|   {
|     $group: {
|       _id: "$city",
|       totalOrders: { $sum: 1 },
|       averageOrderPrice: { $avg: "$price" }
|     },
|     $sort: { totalOrders: -1 }
|   }
| ]);
[ { _id: 'Delhi', totalOrders: 2, averageOrderPrice: 19750 },
  { _id: 'Mumbai', totalOrders: 2, averageOrderPrice: 50000 },
  { _id: 'Bangalore', totalOrders: 1, averageOrderPrice: 12000 } ]
Atlas atlas-6ukau3-shard-0 [primary] ecommerce> |

```

```

Atlas atlas-6ukau3-shard-0 [primary] ecommerce> db.orders.aggregate([
|   {
|     $group: {
|       _id: "$status",
|       orderCount: { $sum: 1 }
|     },
|     $match: {
|       orderCount: { $gt: 1 }
|     }
|   }
| ]);
[ { _id: 'delivered', orderCount: 3 } ]
Atlas atlas-6ukau3-shard-0 [primary] ecommerce> |

```

[illegible]

 databricks

Free Edition

New

Home

Learn

Workspace

Recents

Catalog

Jobs & Pipelines

Compute

Discover Beta

Marketplace

SQL >

Data Engineering

Runs

Data Ingestion

AI/ML

Playground

AI Gateway

Experiments

Features

Models

Search data, notebooks, recents, and more...

CTRL + P

workspace

⌵

⌵

A

Catalog

⚙️ ↺ +

Serverless Starter Warehouse

Serverless

ZKS

Type to search...

⌵

For you

All

My organization

> workspace

> system

> airtravel

> airtravelschema

> airport

> default

> information_schema

> vita

> vita2

> Delta Shares Received

> samples

Catalog Explorer > airtravel > airtravelschema >

airport

🔖 ☆

⋮

Share

Upload to this volume

Overview

Files

Details

Permissions

Description

🔗 AI generate

Add

/Volumes/airtravel/airtravelschema/airport

🔖

Refresh

Create directory

🔍 Filter files and directories at this level

Name	Size	Last modified
📄 airports.csv	10.41 MB	37 minutes ago
📄 runways.csv	3.20 MB	37 minutes ago
📁 combined_parquet		

About this volume

Owner ankitsinha1993.as@gmail.com ✎

Tags

Add tags