

Test Strategy & Comprehensive QA Checklist for SBI Card Website Revamp Pages.

Created by: Sampreet Pancholiya

A comprehensive list of tests that I perform when a page is received for testing. This remains my test strategy for all the pages. This documentation is for the following purposes -

1. To ensure no test or scenario is missed for any of the pages.
2. For the Developers to review and get an estimate of what tests are going to be performed on the page that they are to deliver.
3. In case client requests for our test strategy or coverage for the pages.
4. To prevent testing of pages from getting halted. When I'm unavailable or allocated to any different project or task, any other tester can simply follow this strategy and coverage to test the page on my stead.
5. To provide a better idea why testing takes the amount of time it takes for each page or case when even a slightest bit of change or new addition is introduced on a page.

Note: Testing is based on the heuristics and context of client communications or requirements made available. Tester's own judgement is used to identify actions to perform to uncover bugs that are risks for page release and therefore tester may conduct some tests not specifically mentioned in the list.

These checks are likely to get updated with time for better test results instead of remaining the same throughout the course of the project.

1. Responsiveness -

- a. Use the Browser Tool's Responsive option to resize the page from smallest to largest screen width to ensure -
 - i. The Page, its section or pop-up or drawer modal layout doesn't break and stay consistent or as expected in the design in case of all screen sizes.
 - ii. There are only 3 breakpoints for page layout switch - Mobile Devices layout till 767px width, switch to Tablet Layout starting from 768px - 1023px and then Desktop layout switch from 1024px onwards.

- iii. The Margins, Paddings, Font sizes of Headings, Sub-Headings, Tabs, List Items or any other text content stays consistent (they should gradually increase as the screen size increases but should not drastically increase or decrease closer breakpoints).

2. Real Devices Testing -

- a. Run the page on all real devices starting from 344px (smallest device - galaxy Z fold) all the way up to 4k Monitors. If real devices unavailable - use emulator or browser dev tools to ensure -
 - i. Layout renders correctly across devices (mobile, tablet, desktop) without any broken alignment, overlapping elements, or unexpected spacing issues.
 - ii. Orientation changes (portrait ↔ landscape) do not break layout or reset UI unexpectedly.
 - iii. No frequent or unexpected layout shifts, stuttering, flickering, or flashing during interactions with UI elements.
 - iv. All possible sets of actions when performed on any interactable element like (close, open, expand, collapse, hover, select, on-click) don't break its UI, layout or the page layout.
 - v. No Auto Page scroll in the background or through swipe gesture when a pop up or drawer is open as an overlay on top of the page but smoothly works again as soon as pop up or drawer is closed intentionally or unexpectedly.
 - vi. Scrolling works smoothly (vertical and horizontal where applicable) without layout shifts or stuck scroll areas for entire page and for applicable pop-ups, modals, drawers, dropdown elements inside the page.
 - vii. Zooming (pinch-to-zoom) does not break layout or cause elements to overlap unexpectedly.

- viii. Auto Scroll works for all the sections that have sliders and stops when the user manually changes the slides.
- ix. Touch targets for actionable elements are not more or less than their actual element area.

3. UI Robustness for Large Content and Content Formatting -

- a. Add extra content to each of the elements (at least 2 or 3 times more length than the content expected there) to observe the limits of the element or the layout in case of all devices and font sizes. When exactly does the - text start to Truncate, Overflow, Overlap or Breaks the layout to determine whether the UI is robust to handled real content.
- b. Ensure all text content can be authorable with Headings, Subheadings, Bullet points, Numbering Points, Nested Bullet points, Links within the sentences, styles like - Bold, italic, underline that too without any special class but instead through HTML tags.
- c. Ensure content can have all the special characters and symbols like \$ or ₹
- d. Ensure all content remains free and does not by default gets any formatting due to special classes like uppercase.

4. Matching the UI with Benchmarks -

- a. Perform the following checks to ensure the page is developed as per the benchmark (Figma or any delivered version) -
 - i. All Font attributes like family, size, color, weight, line height, text alignment are the same as in the page's benchmark.
 - ii. Borders, Gaps, Paddings, Margins, Glows & Shadow properties used across the page are the same as used in the benchmark.
 - iii. All Icons match with the benchmark and are in .svg format.
 - iv. All Section, Background and Banner Images are used same as the benchmark in the same format without losing quality.
 - v. 3 different images are used for 3 different layouts - Mobile Phones, Tablets & Desktops to avoid losing the image quality or unexpectedly cropped or broken images.

- vi. All the sections follow exactly the same layout as the benchmark for all 3 screen sizes.
- vii. All Components like Buttons, Tabs, etc. follow the same UI in case for all states - default, hover, on-click, active/selected as they have not only on the benchmark but across all the pages.

5. Font Size Increase / Decrease -

- a. Ensure no text content across the page fails to increase or decrease their font size when font + or - buttons used in case of all the screen sizes.
- b. Font size hierarchy between headings / sub-heading & paragraphs is still noticeable after font size increases or decreases.

6. Keyboard Navigation -

- a. Navigate through the entire website using keyboard to ensure -
 - i. Each actionable element is accessible through keyboard and gets clearly highlighted with visible border when in focus (focus borders should maintain contrast level)
 - ii. While using tab to move the focus forward and shift + tab to move backwards, the logical tab order is followed without any keyboard traps (the focus moves back and forth in the same order as the elements are present on the screen).
 - iii. The screen if has any pop-up modals/drawers or interactive elements that add / remove or change the elements or their position on the screen, the logical tab order doesn't break or get affected when the pop up modals & drawer appear and disappear on the screen while the elements inside them are focusable as well.

7. Blind Users Accessibilities -

- a. Use Screen Reader like Windows Narrator, NVDA or Talkback (in case of touch devices) on the pages to ensure -

- i. Each actionable element like buttons, links, input boxes, dropdown, toggle buttons or check boxes follow the logical tab order (as per their visual position) and gets announced to the user with proper context about their function, role and current state when in focus.
- ii. Any error or success prompt or an update message that appears on the screen gets announced to the user.
- iii. Ensure that proper semantic HTML structure and content hierarchy are followed so that screen reader users can efficiently navigate the page using standard shortcuts. This includes correct usage of headings, buttons, links, form of fields, tables, lists, and images.

Screen reader navigation shortcuts include:

- 1. D - Landmarks (Header/Footer/Main Section)
 - 2. H - Headings (H1, H2, H3, etc.)
 - 3. K - Links
 - 4. B - Buttons
 - 5. T - Page Tablets
 - 6. F - Form fields
 - 7. L - Lists
 - 8. I - List items
 - 9. G - Graphics / Images
- iv. All meaningful graphics/images have alt-text for them to get narrated to the blind users when focused on through arrow keys or keyboard shortcuts.
- v. Input boxes on forms on the page have proper label and indication if is a required field along with clear guidance provided for each field or form for blind users to use effortlessly.
- vi. No autoplay of videos, no flashing content (max 3 flashes per second), reduced motion, no distracting animations, control to the user for stopping or avoiding motion.

8. Accessibility & Performance Auto Checks -

- a. To ensure no WCAG 2.1 guidelines fail for AA standard, and the page performance is up to the mark -
 - i. Run browser extensions like Accessibility Checker for Web on the page on both Dark & Light mode to catch all the color contrast fails.
 - 1. Open all pop-up, dropdowns, drawers, or any other element that is not present by default on the page before running the test to check any fails related to them.
 - 2. Check different states like hover, on-click, etc. to catch color contrast fails on it.
 - ii. Run the Nu HTML Validation to catch all html issues.
 - iii. Run the in-build browser tool - Lighthouse for both Mobile & Desktops to measure the performance, accessibility and best practices score.

9. Dark Mode -

- a. Background colors are truly dark (not overly bright greys) and do not cause glare or eye strain.
- b. Ensure All text maintains sufficient contrast against dark backgrounds (minimum 4.5:1 for normal text and 3:1 for large text) and remains clearly readable.
- c. All the elements are clearly visible with proper contrast and distinguishable states (default, hover, focus, active, disabled).
- d. Borders, dividers, and shadows are visible enough to separate sections or components with the background.
- e. All icons, logos, and images are visible and do not blend into the background; ensure appropriate color variants are used for dark mode.
- f. Background-fills, font colors, borders, and shadows for dark mode are consistent on all pages.