

Cucumber Report

28-Dec-2024, 9:01:31 am

Start : Dec 28, 9:01:29.544 am

End : Dec 28, 9:01:30.853 am

Duration : 1.309 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 1
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>List down all the User</u>	1.309 s	1	0	1	0	3	2	1	0

#	Feature Name	Scenario Name
1	<u>List down all the User</u>	<u>List users from a specific page</u>





#	Feature Name	T	P	F	S	Duration
1	List down all the User	1	0	1	0	1.309 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	List down all the User	List users from a specific page	3	2	1	0	1.305 s

List down all the User

FAILED	DURATION - 1.309 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 9:01:29.544 am // 9:01:30.853 am /					

List users from a specific page

<div><div>FAILED</div><div>DURATION - 1.305 s</div></div>		<div></div>	<div>Steps Total - 3 Pass - 2 Fail - 1 Skip - 0</div>	<div></div>
/ 9:01:29.548 am // 9:01:30.853 am /				
List down all the User				

#	Step / Hook Details	Status	Duration
1	Given I have endpoint and query parameter for Page 2	PASSED	0.322 s
2	When I use GET http method	PASSED	0.623 s
3	Then All Users from Page 2 should be listed with a 208 java.lang.AssertionError: 1 expectation failed. Expected status code <208> but was <200>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139)	FAILED	0.069 s

#	Step / Hook Details	Status	Duration
	<p>at io.restassured.internal.ResponseSpecificationImpl.validateResponseSelfRequired(ResponseSpecificationImpl.groovy:696)</p> <p>at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseSelfRequired(ResponseSpecificationImpl.groovy)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:580)</p> <p>at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)</p> <p>at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)</p> <p>at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)</p> <p>at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)</p> <p>at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)</p> <p>at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)</p> <p>at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)</p> <p>at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)</p> <p>at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)</p> <p>at com.restAssured.restResouces.RestResources.doVerifyStatusCode(RestResources.java:68)</p> <p>at com.restAssured.stepDefinition.UsersListStepDef.all_users_from_page_should_be_listed_with_a(UsersListStepDef.java:39)</p> <p>at ?.All Users from Page 2 should be listed with a 208(file:///C:/Users/ankit/Automation_Suite/API_BDD_Framework/src/test/resources/featureFiles/UsersList.feature:7)</p> <p>* Not displayable characters are replaced by '?'. </p>		