

Cucumber Report

28-Dec-2024, 10:24:12 am

Start : Dec 28, 10:24:08.691 am

End : Dec 28, 10:24:11.421 am

Duration : 2.730 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0


PASSED - 2
FAILED - 1
SKIPPED - 0

PASSED - 9
FAILED - 1
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>List users in 200ms</u>	1.018 s	1	0	1	0	3	1	1	1
<u>List down all the User</u>	1.701 s	2	2	0	0	8	8	0	0

#	Feature Name	Scenario Name
1	<u>List users in 200ms</u>	<u>List users in specific time</u>





#	Feature Name	T	P	F	S	Duration
1	List users in 200ms	1	0	1	0	1.018 s
2	List down all the User	2	2	0	0	1.701 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>List users in 200ms</u>	<u>List users in specific time</u>	3	1	1	1	1.013 s
2	<u>List down all the User</u>	<u>List users from a specific page</u>	4	4	0	0	1.603 s
3		<u>List users from a specific page</u>	4	4	0	0	0.091 s

List users in 200ms



FAILED	DURATION - 1.018 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 10:24:08.691 am // 10:24:09.709 am /					

List users in specific time



<div><div>FAILED</div><div>DURATION - 1.013 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 10:24:08.696 am // 10:24:09.709 am /				
List users in 200ms				

#	Step / Hook Details	Status	Duration
1	Given I have endpoint and query parameter 3	PASSED	0.525 s
2	When I use GET http method java.lang.NullPointerException: Cannot invoke "io.restassured.specification.RequestSpecification.log()" because "request" is null at com.restAssured.restResouces.RestResources.get(RestResources.java:38) at com.restAssured.stepDefinition.UserPerformanceStepDef.i_use_get_http_method(UserPerformanceStepDef.java:33) at ?.I use GET http method(file:///C:/Users/ankit/Automation_Suite/API_BDD_Framework/src/test/resources/featureFiles/UserListPerformance.feature:5) * Not displayable characters are replaced by '?'.	FAILED	0.007 s
3	Then I should get a response within 100	SKIPPED	0.001 s

List down all the User



PASSED	DURATION - 1.701 s	Scenarios		Steps	
/ 10:24:09.720 am // 10:24:11.421 am /		Total - 2		Total - 8	
		Pass - 2		Pass - 8	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

List users from a specific page

<div>PASSED</div>	<div>DURATION - 1.603 s</div>		Steps	
/ 10:24:09.720 am // 10:24:11.323 am /			Total - 4	
List down all the User			Pass - 4	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given I have endpoint and query parameter for Page 2	PASSED	0.004 s
2	When I hit GET http method	PASSED	0.972 s
3	Then I should get a response with Status code 200	PASSED	0.100 s
4	And All the Users from Page 2 should be listed	PASSED	0.522 s

List users from a specific page

<div>PASSED</div>	<div>DURATION - 0.091 s</div>		Steps	
/ 10:24:11.330 am // 10:24:11.421 am /			Total - 4	
List down all the User			Pass - 4	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given I have endpoint and query parameter for Page 4	PASSED	0.002 s

#	Step / Hook Details	Status	Duration
2	When I hit GET http method	PASSED	0.068 s
3	Then I should get a response with Status code 200	PASSED	0.005 s
4	And All the Users from Page 4 should be listed	PASSED	0.014 s