

Cucumber Report

28-Dec-2024, 9:42:30 am

Start : Dec 28, 9:42:26.904 am

End : Dec 28, 9:42:29.446 am

Duration : 2.542 s

Features

Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 4
FAILED - 0
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>List down all the User</u>	2.542 s	1	1	0	0	4	4	0	0



#	Feature Name	T	P	F	S	Duration
1	List down all the User	1	1	0	0	2.542 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	List down all the User	List users from a specific page	4	4	0	0	2.537 s

List down all the User

<div>PASSED</div>	<div>DURATION - 2.542 s</div>	<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>1</div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>4</div></div>
<div>/ 9:42:26.904 am // 9:42:29.446 am /</div>					

List users from a specific page

<div>PASSED</div> <div>DURATION - 2.537 s</div>		Steps	
/ 9:42:26.909 am // 9:42:29.446 am /		Total - 4	
List down all the User		Pass - 4	
		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given I have endpoint and query parameter for Page 2	PASSED	0.499 s
2	When I use GET http method	PASSED	0.969 s
3	Then I should get a response with Status code 200	PASSED	0.081 s
4	And All the Users from Page 2 should be listed	PASSED	0.545 s