

Cucumber Report

29-Dec-2024, 9:10:58 am

Start : Dec 29, 9:10:45.248 am

End : Dec 29, 9:10:57.606 am

Duration : 12.358 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 4
SKIPPED - 0


PASSED - 0
FAILED - 0
SKIPPED - 17




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Checkout Products</u>	12.358 s	3	0	3	0	12	0	0	12
<u>Login</u>	12.268 s	1	0	1	0	5	0	0	5

#	Feature Name	Scenario Name
1	<u>Checkout Products</u>	<u>Adding Product(s) in Cart</u>
2		<u>Adding Product(s) in Cart</u>
3		<u>Adding Product(s) in Cart</u>
4	<u>Login</u>	<u>Log in with valid Phone number</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Login	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Checkout Products</u>	3	0	3	0	12.358 s
2	<u>Login</u>	1	0	1	0	12.268 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checkout Products</u>	<u>Adding Product(s) in Cart</u>	4	0	0	4	12.285 s
2		<u>Adding Product(s) in Cart</u>	4	0	0	4	12.300 s
3		<u>Adding Product(s) in Cart</u>	4	0	0	4	12.347 s
4	<u>Login</u>	<u>Log in with valid Phone number</u>	5	0	0	5	12.268 s

Checkout Products

FAILED	DURATION - 12.358 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 12 Pass - 0 Fail - 0 Skip - 12	
/ 9:10:45.248 am // 9:10:57.606 am /					



Adding Product(s) in Cart

<div>FAILED</div> <div>DURATION - 12.285 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 9:10:45.252 am // 9:10:57.537 am /				
Checkout Products				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.Jio.hooks.Base.setUp(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 9.917 (Session info: chrome=131.0.6778.205) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2870342bfe5eb3cc3e215ae677c1c0e7, get {url=https://www.ajio.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\ankit\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62676}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62676/devtoo..., se:cdpVersion: 131.0.6778.205, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2870342bfe5eb3cc3e215ae677c1c0e7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p>	FAILED	12.014 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at com.Jio.factory.DriverFactory.initTIDriver(DriverFactory.java:64) at com.Jio.hooks.Base.setUp(Base.java:28) </pre>		
1	Given The user gets navigated to "Perfumes" of "BEAUTY"	SKIPPED	0.003 s
2	When The user opens Quick view for "GUESS" : "Bella Vita Rosa Eau De Toilette"	SKIPPED	0.000 s
3	And The user clicks Add_To_Bag and navigates to Cart page	SKIPPED	0.000 s
4	Then The user should be able to see "GUESS" : "Bella Vita Rosa Eau De Toilette"	SKIPPED	0.000 s



Adding Product(s) in Cart

FAILED		DURATION - 12.300 s			Steps Total - 4 Pass - 0 Fail - 0 Skip - 4			
/ 9:10:45.253 am // 9:10:57.553 am /								
Checkout Products								

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.Jio.hooks.Base.setUp(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 9.927 (Session info: chrome=131.0.6778.205) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6dbad8f716ec58736f9043f9759d8b03, get {url=https://www.ajio.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\lankit\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62675}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62675/devtoo..., se:cdpVersion: 131.0.6778.205, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6dbad8f716ec58736f9043f9759d8b03 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) </pre>	FAILED	12.015 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at com.Jio.factory.DriverFactory.initTIDriver(DriverFactory.java:64) at com.Jio.hooks.Base.setUp(Base.java:28) </pre>		
1	Given The user gets navigated to "Bags Under 1499" of "MEN"	SKIPPED	0.006 s
2	When The user opens Quick view for "NIKE" : "Heritage Waistpack"	SKIPPED	0.001 s
3	And The user clicks Add_To_Bag and navigates to Cart page	SKIPPED	0.000 s
4	Then The user should be able to see "NIKE" : "Heritage Waistpack"	SKIPPED	0.000 s



Adding Product(s) in Cart

FAILED		DURATION - 12.347 s			Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 9:10:45.259 am // 9:10:57.606 am /						
Checkout Products						



#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.Jio.hooks.Base.setUp(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 9.891 (Session info: chrome=131.0.6778.205) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [585d01d40060ff3dc8985accd500d45a, get {url=https://www.ajio.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\ankit\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62674}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62674/devtoo..., se:cdpVersion: 131.0.6778.205, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 585d01d40060ff3dc8985accd500d45a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) </pre>	FAILED	12.013 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at com.Jio.factory.DriverFactory.initTIDriver(DriverFactory.java:64) at com.Jio.hooks.Base.setUp(Base.java:28)		
1	Given The user gets navigated to "Mirrors" of "HOME & KITCHEN"	SKIPPED	0.000 s
2	When The user opens Quick view for "Home Centre" : "Gold-Plated Round Shape Mirror"	SKIPPED	0.000 s
3	And The user clicks Add_To_Bag and navigates to Cart page	SKIPPED	0.000 s
4	Then The user should be able to see "Home Centre" : "Gold-Plated Round Shape Mirror"	SKIPPED	0.000 s

Login

FAILED	DURATION - 12.268 s	Scenarios		Steps	
/ 9:10:45.255 am // 9:10:57.523 am /		Total - 1		Total - 5	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 5	

Log in with valid Phone number

<div>FAILED</div> <div>DURATION - 12.268 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	<div></div>
<div>/ 9:10:45.255 am // 9:10:57.523 am /</div>				
<div>Login</div>				
<div>@Login</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.Jio.hooks.Base.setUp(io.cucumber.java.Scenario)	FAILED	12.006 s
	org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 9.910 (Session info: chrome=131.0.6778.205)		

#	Step / Hook Details	Status	Duration
	<p>Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b1aa53b062abe536fe964e19dd89d4e4, get {url=https://www.ajio.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62677}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62677/devtoo..., se:cdpVersion: 131.0.6778.205, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b1aa53b062abe536fe964e19dd89d4e4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at com.Jio.factory.DriverFactory.initTIDriver(DriverFactory.java:64) at com.Jio.hooks.Base.setUp(Base.java:28)</p>		
1	Given I navigate to the Ajio home page	SKIPPED	0.006 s
2	And I click on Sign In button	SKIPPED	0.006 s
3	When On Sign In modal I enter "9820654890" and CONTINUE	SKIPPED	0.001 s
4	And On OTP modal I enter valid OTP and click START SHOPPING	SKIPPED	0.000 s
5	Then I should be logged in successfully with my "ankit" displayed	SKIPPED	0.000 s