

# Cucumber Report

30-Dec-2024, 11:47:45 am

Start : Dec 30, 11:45:04.877 am

End : Dec 30, 11:47:42.961 am

Duration : 2 m 38.084 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 0  
FAILED - 4  
SKIPPED - 0


PASSED - 12  
FAILED - 4  
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Checkout Products</u>	2 m 0.800 s	3	0	3	0	12	8	3	1
<u>Login</u>	37.266 s	1	0	1	0	5	4	1	0

#	Feature Name	Scenario Name
1	<u>Checkout Products</u>	<u>Adding Product(s) in Cart</u>
2		<u>Adding Product(s) in Cart</u>
3		<u>Adding Product(s) in Cart</u>
4	<u>Login</u>	<u>Log in with valid Phone number</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Login	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Checkout Products</u>	3	0	3	0	2 m 0.800 s
2	<u>Login</u>	1	0	1	0	37.266 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checkout Products</u>	<u>Adding Product(s) in Cart</u>	4	3	1	0	32.755 s
2		<u>Adding Product(s) in Cart</u>	4	3	1	0	34.923 s
3		<u>Adding Product(s) in Cart</u>	4	2	1	1	53.063 s
4	<u>Login</u>	<u>Log in with valid Phone number</u>	5	4	1	0	37.266 s


## Checkout Products

<b>FAILED</b>	DURATION - 2 m 0.800 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 12 Pass - 8 Fail - 3 Skip - 1	
/ 11:45:04.877 am // 11:47:05.677 am /					



## Adding Product(s) in Cart

<div><div>FAILED</div><div>DURATION - 32.755 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 11:45:04.882 am // 11:45:37.637 am /				
Checkout Products				

#	Step / Hook Details	Status	Duration
1	Given The user gets navigated to "Perfumes" of "BEAUTY"	PASSED	14.903 s
2	When The user opens Quick view for "GUESS" : "Bella Vita Rosa Eau De Toilette"	PASSED	6.546 s
3	And The user clicks Add_To_Bag and navigates to Cart page	PASSED	4.283 s
4	Then The user should be able to see "GUESS" : "Bella Vita Rosa Eau De Toilette"	FAILED	0.064 s
	java.lang.AssertionError: expected [GUESS -Product] but found [GUESS -Bella Vita Rosa Eau De Toilette] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at com.Jio.stepDefinitions.CheckoutStepDef.the_user_should_be_able_to_see(CheckoutStepDef.java:71) at ?.The user should be able to see "GUESS" : "Bella Vita Rosa Eau De Toilette"(file:///C:/Users/ankit/Automation_Suite/Ajio/src/test/resources/featureFiles/CheckoutProduct.feature:12) * Not displayable characters are replaced by '?'.		
	AFTER - com.Jio.hooks.Base.tearDown(io.cucumber.java.Scenario)	PASSED	1.176 s
	Adding_Product(s)_in_Cart		


#	Step / Hook Details	Status	Duration
			

## Adding Product(s) in Cart



<div>FAILED</div> <div>DURATION - 34.923 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 11:45:37.680 am // 11:46:12.603 am /				
Checkout Products				

#	Step / Hook Details	Status	Duration
1	Given The user gets navigated to "Mirrors" of "HOME & KITCHEN"	PASSED	19.149 s
2	When The user opens Quick view for "Home Centre" : "Gold-Plated Round Shape Mirror"	PASSED	6.925 s
3	And The user clicks Add_To_Bag and navigates to Cart page	PASSED	3.990 s
4	Then The user should be able to see "Home Centre" : "Gold-Plated Round Shape Mirror"	FAILED	0.047 s
	<pre>java.lang.AssertionError: expected [Home Centre -Product] but found [Home Centre -Gold-Plated Round Shape Mirror]     at org.testng.Assert.fail(Assert.java:111)     at org.testng.Assert.failNotEquals(Assert.java:1578)     at org.testng.Assert.assertEqualsImpl(Assert.java:150)     at org.testng.Assert.assertEquals(Assert.java:132)     at org.testng.Assert.assertEquals(Assert.java:656)     at org.testng.Assert.assertEquals(Assert.java:666)     at com.Jio.stepDefinitions.CheckoutStepDef.the_user_should_be_able_to_see(CheckoutStepDef.java:71)     at ?.The user should be able to see "Home Centre" : "Gold-Plated Round Shape Mirror"(file:///C:/Users/ankit/Automation_Suite/Ajio/src/test/resources/featureFiles/CheckoutProduct.feature:12)     * Not displayable characters are replaced by '?'. </pre>		
	AFTER - com.Jio.hooks.Base.tearDown(io.cucumber.java.Scenario)	PASSED	0.986 s
	Adding_Product(s)_in_Cart		



#	Step / Hook Details	Status	Duration
			


### Adding Product(s) in Cart

<div>FAILED</div> <div>DURATION - 53.063 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 11:46:12.614 am // 11:47:05.677 am /				
Checkout Products				



#	Step / Hook Details	Status	Duration
1	Given The user gets navigated to "Bags Under 1499" of "MEN"	PASSED	4.277 s
2	When The user opens Quick view for "NIKE" : "Heritage Waistpack"	PASSED	14.137 s
3	And The user clicks Add_To_Bag and navigates to Cart page  org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //div[@class='btn-gold']' (tried for 5 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.Jio.utilities.ElementUtil.waitForElementToBeVisible(ElementUtil.java:302) at com.Jio.utilities.ElementUtil.doClick(ElementUtil.java:55) at com.Jio.pages.AddToCartPage.doClickAddToBag(AddToCartPage.java:27) at com.Jio.stepDefinitions.CheckoutStepDef.the_user_clicks_add_to_bag_and_navigates_to_cart_page(CheckoutStepDef.java:61) at ?.The user clicks Add_To_Bag and navigates to Cart page(file:///C:/Users/ankit/Automation_Suite/Ajio/src/test/resources/featureFiles/CheckoutProduct.feature:11) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='btn-gold']"} (Session info: chrome=131.0.6778.205) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7ecc82ede2ec56776193f18126a4c902, findElement {using=xpath, value=//div[@class='btn-gold']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59268}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp:	FAILED	30.104 s

#	Step / Hook Details	Status	Duration
	<p>ws://localhost:59268/devtoo..., se:cdpVersion: 131.0.6778.205, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7ecc82ede2ec56776193f18126a4c902</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy42.isDisplayed(Unknown Source)  at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)  at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)  at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)  at com.jio.utilities.ElementUtil.waitForElementToBeVisible(ElementUtil.java:302)  at com.jio.utilities.ElementUtil.doClick(ElementUtil.java:55)  at com.jio.pages.AddToCartPage.doClickAddToBag(AddToCartPage.java:27)  at com.jio.stepDefinitions.CheckoutStepDef.the_user_clicks_add_to_bag_and_navigates_to_cart_page(CheckoutStepDef.java:61)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)  at java.base/java.lang.reflect.Method.invoke(Method.java:580)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)  at io.cucumber.core.runner.TestStep.run(TestStep.java:53)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p>		



#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:992) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:739) at org.testng.TestRunner.run(TestRunner.java:614) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) * Not displayable characters are replaced by '?'.		
4	Then The user should be able to see "NIKE" : "Heritage Waistpack"	SKIPPED	0.000 s
	AFTER - com.Jio.hooks.Base.tearDown(io.cucumber.java.Scenario)	PASSED	0.457 s
	Adding_Product(s)_in_Cart		

#	Step / Hook Details	Status	Duration
			

## Login

<b>FAILED</b>	DURATION - 37.266 s	Scenarios		Steps	
/ 11:47:05.695 am // 11:47:42.961 am /		Total - 1		Total - 5	
		Pass - 0		Pass - 4	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## Log in with valid Phone number

<div>FAILED</div> <div>DURATION - 37.266 s</div>			Steps	
/ 11:47:05.695 am // 11:47:42.961 am /			Total - 5	
Login			Pass - 4	
@Login			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given I navigate to the Ajio home page	PASSED	0.235 s
2	And I click on Sign In button	PASSED	0.322 s
3	When On Sign In modal I enter "9820654890" and CONTINUE	PASSED	0.550 s
4	And On OTP modal I enter valid OTP and click START SHOPPING	PASSED	10.992 s
5	Then I should be logged in successfully with my "ankit" displayed	FAILED	20.034 s
	java.lang.RuntimeException: User: 'ankit', is Unable to Log in. at com.Jio.pages.DashboardPage.getUserNameText(DashboardPage.java:54) at com.Jio.stepDefinitions.LoginStepDef.iShouldBeLoggedInSuccessfullyWithMyDisplayed(LoginStepDef.java:49) at ?.I should be logged in successfully with my "ankit" displayed(file:///C:/Users/ankit/Automation_Suite/Ajio/src/test/resources/featureFiles/Login.feature:12)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. AFTER - com.Jio.hooks.Base.tearDown(io.cucumber.java.Scenario) Log_in_with_valid_Phone_number	PASSED	0.631 s
	