Cucumber Report

| Start : Dec 28, 8:27:09.217 pm	End : Dec 28, 8:27:55.787 pm	Duration : 46.570 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 1 FAILED - 3 SKIPPED - 8

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Checkout Products	*46.570 s*	3	0	3	0	12	1	3	8

#	Feature Name	Scenario Name
1	Checkout Products	Adding Product(s) in Cart
2		Adding Product(s) in Cart
3		Adding Product(s) in Cart

#	Feature Name	T	P	F	S	Duration
1	Checkout Products	3	0	3	0	46.570 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checkout Products	Adding Product(s) in Cart	4	0	1	3	7.010 s
2		Adding Product(s) in Cart	4	1	1	2	28.921 s
3		Adding Product(s) in Cart	4	0	1	3	10.596 s

Checkout Products

FAILED	DURATION - 46.570 s	Scenarios		Steps	
		Total - 3		Total - 12	
/ 8:27:09.217 pm // 8:27:55.787 pm /		Pass - 0		Pass - 1	
		Fail - 3	3	Fail - 3	12
		Skip - 0		Skip - 8	

Adding Product(s) in Cart

FAILED	DURATION - 7.010 s		Steps	
			Total - 4	
/ 8:27:09.223 pm // 8:27:16.233 pm /			Pass - 0	
			Fail - 1	4
Checkout Products			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given The user gets navigated to "Perfumes" of "BEAUTY"	FAILED	0.345 s

	org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from target frame detached (Session info: chrome=131.0.6778.140) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ddb09bc7b33a95e0e5358a9451382b45, findElement {using=id, value=closeBtn}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.140, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59706}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59706/devtoo..., se:cdpVersion: 131.0.6778.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ddb09bc7b33a95e0e5358a9451382b45
	
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy39.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4465) at com.Jio.utilities.ElementUtil.doClick(ElementUtil.java:49) at com.Jio.pages.HomePage.closeLocationPopup(HomePage.java:50) at com.Jio.stepDefinitions.CheckoutStepDef.the_user_gets_navigated_to_of(CheckoutStepDef.java:44) at ?.The user gets navigated to "Perfumes" of "BEAUTY"(file:///C:/Users/ankit/Automation_Suite/Ajio/src/test/resources/featureFiles/CheckoutProduct.feature:9) * Not displayable characters are replaced by '?'.		
2	When The user opens Quick view for "GUESS" : "Bella Vita Rosa Eau De Toilette"	SKIPPED	0.001 s
3	And The user clicks Add_To_Bag and navigates to Cart page	SKIPPED	0.001 s
4	Then The user should be able to see "GUESS" : "Bella Vita Rosa Eau De Toilette"	SKIPPED	0.001 s

Adding Product(s) in Cart

FAILED	DURATION - 28.921 s
/ 8:27:16.259 pm // 8:27:45.180 pm /	
Checkout Products	

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

4

#	Step / Hook Details	Status	Duration
1	Given The user gets navigated to "Mirrors" of "HOME & KITCHEN"	PASSED	16.750 s
2	When The user opens Quick view for "Home Centre" : "Gold-Plated Round Shape Mirror"	FAILED	8.316 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on windows (fd0aa5888705752e155b732e755c58c4)] -> xpath: //div[@aria-label='Quick View']] (tried for 3 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)		

#	Step / Hook Details	Status	Duration
	at com.Jio.utilities.ElementUtil.waitForElementToBeVisible(ElementUtil.java:306)		
	at com.Jio.utilities.ElementUtil.doClick(ElementUtil.java:55)		
	at com.Jio.utilities.ElementUtil.handleParentSubMenu(ElementUtil.java:269)		
	at com.Jio.utilities.ElementUtil.doClickOnOtherElement(ElementUtil.java:234)		
	at com.Jio.pages.ProductsPage.doOpenQuickView(ProductsPage.java:45)		
	at com.Jio.stepDefinitions.CheckoutStepDef.the_user_opens_quick_view_for(CheckoutStepDef.java:55)		
	at ?.The user opens Quick view for "Home Centre" : "Gold-Plated Round Shape Mirror"(file:///C:/Users/ankit/Automation_Suite/Ajio/src/test/resources/featureFiles/CheckoutProduct.feature:10)		
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.140) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fd0aa5888705752e155b732e755c58c4, isElementDisplayed {id=f.81CECFD322851552573008011109068AD.d.122A727F71DC8BB22D24D6ECD3BE0391.e.780}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.140, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59794}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59794/devtoo..., se:cdpVersion: 131.0.6778.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (fd0aa5888705752e155b732e755c58c4)] -> xpath: //div[@aria-label='Quick View']] Session ID: fd0aa5888705752e155b732e755c58c4		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)		
	at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:282)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at com.Jio.utilities.ElementUtil.waitForElementToBeVisible(ElementUtil.java:306)		
	at com.Jio.utilities.ElementUtil.doClick(ElementUtil.java:55)		
	at com.Jio.utilities.ElementUtil.handleParentSubMenu(ElementUtil.java:269)		
	at com.Jio.utilities.ElementUtil.doClickOnOtherElement(ElementUtil.java:234)		
	at com.Jio.pages.ProductsPage.doOpenQuickView(ProductsPage.java:45)		
	at com.Jio.stepDefinitions.CheckoutStepDef.the_user_opens_quick_view_for(CheckoutStepDef.java:55)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:147)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145)		
	at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:229)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:115)		
	at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:42)		
	at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:80)		
	at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:72)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:198)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:169)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:93)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:58)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:141)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:57)		
	at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:103)		
	at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:85)		
	at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)		
	at org.apache.maven.surefire.junitplatform.LazyLauncher.execute(LazyLauncher.java:50)		
	at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:184)		
	at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:148)		
	at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:122)		
	at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)		
	at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)		
	at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)		
	at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)		
	* Not displayable characters are replaced by '?'.		
3	And The user clicks Add_To_Bag and navigates to Cart page	SKIPPED	0.001 s
4	Then The user should be able to see "Home Centre" : "Gold-Plated Round Shape Mirror"	SKIPPED	0.001 s

Adding Product(s) in Cart

FAILED	DURATION - 10.596 s		Steps
/ 8:27:45.191 pm // 8:27:55.787 pm /			Total - 4
			Pass - 0
Checkout Products			Fail - 1
			Skip - 3

#	Step / Hook Details	Status	Duration
1	Given The user gets navigated to "Bags Under 1499" of "MEN"	FAILED	6.512 s
	org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 5.000 (Session info: chrome=131.0.6778.140) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d2b220886bc7dea00a370a251216145c, clickElement {id=f. 41660CDE3CD39CE37D2806ADEBC00FF9.d.5BD1695F30869B82E0BA8740F9AE4E01.e.170}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.140, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59930}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59930/devtoo..., se:cdpVersion: 131.0.6778.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (d2b220886bc7dea00a370a251216145c)] -> xpath: //a[@title]] Session ID: d2b220886bc7dea00a370a251216145c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at com.Jio.utilities.ElementUtil.doClick(ElementUtil.java:55) at com.Jio.utilities.ElementUtil.handleParentSubMenu(ElementUtil.java:280) at com.Jio.pages.HomePage.doClickOnChildMenu(HomePage.java:80) at com.Jio.stepDefinitions.CheckoutStepDef.the_user_gets_navigated_to_of(CheckoutStepDef.java:46) at ?.The user gets navigated to "Bags Under 1499" of "MEN"(file:///C:/Users/ankit/Automation_Suite/Ajio/src/test/resources/featureFiles/CheckoutProduct.feature:9) * Not displayable characters are replaced by '?'.		
2	When The user opens Quick view for "NIKE" : "Heritage Waistpack"	SKIPPED	0.002 s
3	And The user clicks Add_To_Bag and navigates to Cart page	SKIPPED	0.000 s
4	Then The user should be able to see "NIKE" : "Heritage Waistpack"	SKIPPED	0.000 s