Cucumber Report

| Start : Dec 28, 8:07:22.292 pm	End : Dec 28, 8:08:02.675 pm	Duration : 40.383 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 0 FAILED - 4 SKIPPED - 0	PASSED - 1 FAILED - 3 SKIPPED - 13
2	4	17
0 %	0 %	5 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Checkout Products	37.703 s	3	0	3	0	12	1	2	9
Login	2.665 s	1	0	1	0	5	0	1	4

#	Feature Name	Scenario Name
1	*Checkout Products*	*Adding Product(s) in Cart*
2		*Adding Product(s) in Cart*
3		*Adding Product(s) in Cart*
4	*Login*	*Log in with valid Phone number*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@Login	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Checkout Products	3	0	3	0	37.703 s
2	Login	1	0	1	0	2.665 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checkout Products	Adding Product(s) in Cart	4	1	1	2	29.108 s
2		Adding Product(s) in Cart	4	0	0	4	2.721 s
3		Adding Product(s) in Cart	4	0	1	3	5.833 s
4	Login	Log in with valid Phone number	5	0	1	4	2.665 s

Checkout Products

FAILED	DURATION - 37.703 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Steps Total - 12 Pass - 1 Fail - 2 Skip - 9	12
/ 8:07:22.292 pm // 8:07:59.995 pm /					

Adding Product(s) in Cart

FAILED	DURATION - 29.108 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	4
/ 8:07:22.298 pm // 8:07:51.406 pm /				
Checkout Products				

#	Step / Hook Details	Status	Duration
1	Given The user gets navigated to "Perfumes" of "BEAUTY"	PASSED	13.487 s
2	When The user opens Quick view for "GUESS" : "Bella Vita Rosa Eau De Toilette"	FAILED	8.565 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on windows (8c5f83d5576bba95d946d77b45db329d)] -> xpath: //div[@aria-label='Quick View']] (tried for 3 second(s) with 500 milliseconds interval) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.140, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58269}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58269/devtoo..., se:cdpVersion: 131.0.6778.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8c5f83d5576bba95d946d77b45db329d
	
	   at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)
	   at com.Jio.utilities.ElementUtil.waitForElementToBeVisible(ElementUtil.java:306)
	   at com.Jio.utilities.ElementUtil.doClick(ElementUtil.java:55)
	   at com.Jio.utilities.ElementUtil.handleParentSubMenu(ElementUtil.java:269)
	   at com.Jio.utilities.ElementUtil.doClickOnOtherElement(ElementUtil.java:234)		

| #	Step / Hook Details	Status	Duration
	at com.Jio.pages.ProductsPage.doOpenQuickView(ProductsPage.java:45) at com.Jio.stepDefinitions.CheckoutStepDef.the_user_opens_quick_view_for(CheckoutStepDef.java:55) at ?.The user opens Quick view for "GUESS" : "Bella Vita Rosa Eau De Toilette"(file:///C:/Users/ankit/Automation_Suite/Ajio/src/test/resources/featureFiles/CheckoutProduct.feature:10) * Not displayable characters are replaced by '?'.		
3	And The user clicks Add_To_Bag and navigates to Cart page	SKIPPED	0.004 s
4	Then The user should be able to see "GUESS" : "Bella Vita Rosa Eau De Toilette"	SKIPPED	0.000 s

Adding Product(s) in Cart

FAILED	DURATION - 2.721 s		Steps
			Total - 4
/ 8:07:51.437 pm // 8:07:54.158 pm /			Pass - 0
			Fail - 0
Checkout Products			Skip - 4

#	Step / Hook Details	Status	Duration
	BEFORE - com.Jio.hooks.Base.setUp(io.cucumber.java.Scenario)	FAILED	2.595 s

	org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from target frame detached (Session info: chrome=131.0.6778.140) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [69a2f0d47324d1301d5bea74469d417a, get {url=https://www.ajio.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.140, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58401}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58401/devtoo..., se:cdpVersion: 131.0.6778.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 69a2f0d47324d1301d5bea74469d417a
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at com.Jio.factory.DriverFactory.initTlDriver(DriverFactory.java:63) at com.Jio.hooks.Base.setUp(Base.java:28)		
1	Given The user gets navigated to "Mirrors" of "HOME & KITCHEN"	SKIPPED	0.002 s
2	When The user opens Quick view for "Home Centre" : "Gold-Plated Round Shape Mirror"	SKIPPED	0.000 s
3	And The user clicks Add_To_Bag and navigates to Cart page	SKIPPED	0.000 s
4	Then The user should be able to see "Home Centre" : "Gold-Plated Round Shape Mirror"	SKIPPED	0.001 s

Adding Product(s) in Cart

FAILED	DURATION - 5.833 s
/ 8:07:54.162 pm // 8:07:59.995 pm /	
Checkout Products	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

4

#	Step / Hook Details	Status	Duration
1	Given The user gets navigated to "Bags Under 1499" of "MEN"	FAILED	2.414 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.140) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fd7c3b660d217af79278a7fe4b18842a, findElement {value=//*[@id='products']//h1/div[2], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.140, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58462}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58462/devtoo..., se:cdpVersion: 131.0.6778.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fd7c3b660d217af79278a7fe4b18842a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy39.getText(Unknown Source) at com.Jio.utilities.ElementUtil.doGetText(ElementUtil.java:59) at com.Jio.pages.ProductsPage.doGetProductPageHeader(ProductsPage.java:41) at com.Jio.stepDefinitions.CheckoutStepDef.the_user_gets_navigated_to_of(CheckoutStepDef.java:49) at ?.The user gets navigated to "Bags Under 1499" of "MEN"(file:///C:/Users/ankit/Automation_Suite/Ajio/src/test/resources/featureFiles/CheckoutProduct.feature:9) * Not displayable characters are replaced by '?'.		
2	When The user opens Quick view for "NIKE" : "Heritage Waistpack"	SKIPPED	0.000 s
3	And The user clicks Add_To_Bag and navigates to Cart page	SKIPPED	0.000 s
4	Then The user should be able to see "NIKE" : "Heritage Waistpack"	SKIPPED	0.001 s

Login

FAILED	DURATION - 2.665 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	5
/ 8:08:00.010 pm // 8:08:02.675 pm /					

Log in with valid Phone number

FAILED	DURATION - 2.665 s
/ 8:08:00.010 pm // 8:08:02.675 pm /	
Login	
@Login	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given I navigate to the Ajio home page	FAILED	0.008 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.140) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [87cb594cbad84c8b66d3b2ee64751b5f, findElements {value=//div[@class='modal-content '], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.140, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58550}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58550/devtoo..., se:cdpVersion: 131.0.6778.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 87cb594cbad84c8b66d3b2ee64751b5f
	
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElements(ElementLocation.java:182)
	   at org.openqa.selenium.remote.ElementLocation.findElements(ElementLocation.java:103)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:381)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:375)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElements(DefaultElementLocator.java:83)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementListHandler.invoke(LocatingElementListHandler.java:36)
	   at jdk.proxy2/jdk.proxy2.$Proxy38.toString(Unknown Source)
	   at java.base/java.lang.String.valueOf(String.java:4465)
	   at com.Jio.utilities.ElementUtil.isElementDisplayed(ElementUtil.java:80)		

#	Step / Hook Details	Status	Duration
	at com.Jio.pages.HomePage.closeLocationPopup(HomePage.java:48) at com.Jio.stepDefinitions.LoginStepDef.i_navigate_to_the_ajio_home_page(LoginStepDef.java:27) at ?.I navigate to the Ajio home page(file:///C:/Users/ankit/Automation_Suite/Ajio/src/test/resources/featureFiles/Login.feature:8) * Not displayable characters are replaced by '?'.		
2	And I click on Sign In button	SKIPPED	0.001 s
3	When On Sign In modal I enter "9820654890" and CONTINUE	SKIPPED	0.001 s
4	And On OTP modal I enter valid OTP and click START SHOPPING	SKIPPED	0.001 s
5	Then I should be logged in successfully with my "ankit" displayed	SKIPPED	0.001 s