

# Cucumber Report

29-Dec-2024, 9:02:59 am

Start : Dec 29, 9:02:50.243 am

End : Dec 29, 9:02:58.114 am

Duration : 7.871 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 0  
FAILED - 4  
SKIPPED - 0


PASSED - 0  
FAILED - 0  
SKIPPED - 17




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Checkout Products</u>	7.871 s	3	0	3	0	12	0	0	12
<u>Login</u>	7.727 s	1	0	1	0	5	0	0	5

#	Feature Name	Scenario Name
1	<u>Checkout Products</u>	<u>Adding Product(s) in Cart</u>
2		<u>Adding Product(s) in Cart</u>
3		<u>Adding Product(s) in Cart</u>
4	<u>Login</u>	<u>Log in with valid Phone number</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Login	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Checkout Products</u>	3	0	3	0	7.871 s
2	<u>Login</u>	1	0	1	0	7.727 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checkout Products</u>	<u>Adding Product(s) in Cart</u>	4	0	0	4	7.855 s
2		<u>Adding Product(s) in Cart</u>	4	0	0	4	7.789 s
3		<u>Adding Product(s) in Cart</u>	4	0	0	4	7.715 s
4	<u>Login</u>	<u>Log in with valid Phone number</u>	5	0	0	5	7.727 s

## Checkout Products

<b>FAILED</b>	<b>DURATION - 7.871 s</b>	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 12 Pass - 0 Fail - 0 Skip - 12	
/ 9:02:50.243 am // 9:02:58.114 am /					



## Adding Product(s) in Cart

<div>FAILED</div> <div>DURATION - 7.855 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	<div></div>
/ 9:02:50.259 am // 9:02:58.114 am /				
Checkout Products				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.Jio.hooks.Base.setUp(io.cucumber.java.Scenario)</b> org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 4.941 (Session info: chrome=131.0.6778.205) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9e39a1c58b971a9210afe1c9b244eca0, get {url=https://www.ajio.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\lankit\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61596}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61596/devtoo..., se:cdpVersion: 131.0.6778.205, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9e39a1c58b971a9210afe1c9b244eca0 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)	<b>FAILED</b>	7.224 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at com.Jio.factory.DriverFactory.initTIDriver(DriverFactory.java:63) at com.Jio.hooks.Base.setUp(Base.java:28)		
1	Given The user gets navigated to "Bags Under 1499" of "MEN"	SKIPPED	0.006 s
2	When The user opens Quick view for "NIKE" : "Heritage Waistpack"	SKIPPED	0.010 s
3	And The user clicks Add_To_Bag and navigates to Cart page	SKIPPED	0.001 s
4	Then The user should be able to see "NIKE" : "Heritage Waistpack"	SKIPPED	0.000 s

### Adding Product(s) in Cart



<b>FAILED</b>		<b>DURATION - 7.789 s</b>			<b>Steps</b> Total - 4 Pass - 0 Fail - 0 Skip - 4			
/ 9:02:50.259 am // 9:02:58.048 am /								
Checkout Products								

#	Step / Hook Details	Status	Duration
	BEFORE - com.Jio.hooks.Base.setUp(io.cucumber.java.Scenario)  org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 4.918 (Session info: chrome=131.0.6778.205) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5d2d9e45ca7614b822f35b1acca7527b, get {url=https://www.ajio.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\ankit\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61595}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61595/devtoo..., se:cdpVersion: 131.0.6778.205, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5d2d9e45ca7614b822f35b1acca7527b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)	<b>FAILED</b>	7.223 s



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at com.Jio.factory.DriverFactory.initTIDriver(DriverFactory.java:63) at com.Jio.hooks.Base.setUp(Base.java:28) </pre>		
1	Given The user gets navigated to "Mirrors" of "HOME & KITCHEN"	SKIPPED	0.004 s
2	When The user opens Quick view for "Home Centre" : "Gold-Plated Round Shape Mirror"	SKIPPED	0.001 s
3	And The user clicks Add_To_Bag and navigates to Cart page	SKIPPED	0.002 s
4	Then The user should be able to see "Home Centre" : "Gold-Plated Round Shape Mirror"	SKIPPED	0.014 s



### Adding Product(s) in Cart

<div>FAILED</div> <div>DURATION - 7.715 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	<div></div>
<div>/ 9:02:50.259 am // 9:02:57.974 am /</div>				
<div>Checkout Products</div>				



#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.Jio.hooks.Base.setUp(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 4.943 (Session info: chrome=131.0.6778.205) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ccdcaa35541e6a6009ac0eb5886ea334, get {url=https://www.ajio.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\ankit\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61597}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61597/devtoo..., se:cdpVersion: 131.0.6778.205, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ccdcaa35541e6a6009ac0eb5886ea334 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) </pre>	<b>FAILED</b>	7.230 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at com.Jio.factory.DriverFactory.initTIDriver(DriverFactory.java:63) at com.Jio.hooks.Base.setUp(Base.java:28)		
1	Given The user gets navigated to "Perfumes" of "BEAUTY"	SKIPPED	0.021 s
2	When The user opens Quick view for "GUESS" : "Bella Vita Rosa Eau De Toilette"	SKIPPED	0.001 s
3	And The user clicks Add_To_Bag and navigates to Cart page	SKIPPED	0.001 s
4	Then The user should be able to see "GUESS" : "Bella Vita Rosa Eau De Toilette"	SKIPPED	0.001 s

## Login

<b>FAILED</b>	DURATION - 7.727 s	Scenarios		Steps	
/ 9:02:50.259 am // 9:02:57.986 am /		Total - 1		Total - 5	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 5	

## Log in with valid Phone number

<b>FAILED</b>	DURATION - 7.727 s		Steps	
/ 9:02:50.259 am // 9:02:57.986 am /			Total - 5	
Login			Pass - 0	
@Login			Fail - 0	
			Skip - 5	

#	Step / Hook Details	Status	Duration
	BEFORE - com.Jio.hooks.Base.setUp(io.cucumber.java.Scenario)	FAILED	7.215 s
	org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 4.918 (Session info: chrome=131.0.6778.205)		

#	Step / Hook Details	Status	Duration
	<p>Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [744e9c02ab2c7b87b2c6fa97d2c307ed, get {url=https://www.ajio.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.205, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a..., userDataDir: C:\Users\ankit\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61594}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61594/devtoo..., se:cdpVersion: 131.0.6778.205, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 744e9c02ab2c7b87b2c6fa97d2c307ed</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313)  at com.jio.factory.DriverFactory.initTIDriver(DriverFactory.java:63)  at com.jio.hooks.Base.setUp(Base.java:28)</p>		
1	Given I navigate to the Ajio home page	SKIPPED	0.025 s
2	And I click on Sign In button	SKIPPED	0.001 s
3	When On Sign In modal I enter "9820654890" and CONTINUE	SKIPPED	0.001 s
4	And On OTP modal I enter valid OTP and click START SHOPPING	SKIPPED	0.004 s
5	Then I should be logged in successfully with my "ankit" displayed	SKIPPED	0.000 s