



# DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

## TEST REPORT

<b>Description of Sample:</b> Noise Level Monitoring	<b>Report No.:</b> DTL/DDN/2025/0804/07
<b>Sample Id:</b> 08042025/07	<b>Date of Report:</b> 16/04/2025
<b>Sample Quantity:</b> As per requirement	<b>Date of Sampling:</b> 08/04/2025
<b>Sample Condition:</b> Receipt as OK	<b>Start Date of Testing:</b> 11/04/2025
<b>Sample Plan &amp; Sampling Method:</b> NA	<b>Date of Completion:</b> 16/04/2025
<b>Environment Condition (Temp. &amp; Humidity):</b> NA	<b>Page 1 of 1</b>
<b>Addition to, Deviation or Exclusion from the Method:</b> NA	
<b>N.O.W:</b> Construction of 18m Span RCC Motor bridge in km 4, at Nandprayag Ghat Motorway under U-PREPARE Project.	
<b>Issued to:</b> M/S ARKS UNIVERSAL PRIVATE LIMITED	

**Location:** L.H.S (Km-4)

Parameters			TestValue	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
				Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	<b>Leq</b>	<b>Day</b>	53.42	75	65	55	50
	Lmax.	Day	57.36	-	-	-	-
	Lmin.	Day	48.34	-	-	-	-

\*\*\*\*\*EndofReport\*\*\*\*\*

*Arslan*  
Technical Manager  
Dehradun

Checked & Issued by  
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.



# DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

## TEST REPORT

<b>Description of Sample:</b> Noise Level Monitoring	<b>Report No.:</b> DTL/DDN/2025/0804/08
<b>Sample Id:</b> 08042025/08	<b>Date of Report:</b> 16/04/2025
<b>Sample Quantity:</b> As per requirement	<b>Date of Sampling:</b> 08/04/2025
<b>Sample Condition:</b> Receipt as OK	<b>Start Date of Testing:</b> 11/04/2025
<b>Sample Plan &amp; Sampling Method:</b> NA	<b>Date of Completion:</b> 16/04/2025
<b>Environment Condition (Temp. &amp; Humidity):</b> NA	<b>Page 1 of 1</b>
<b>Addition to, Deviation or Exclusion from the Method:</b> NA	
<b>N.O.W:</b> Construction of 18m Span RCC Motor bridge in km 4, at Nandprayag Ghat Motorway under U-PREPARE Project.	
<b>Issued to:</b> M/S ARKS UNIVERSAL PRIVATE LIMITED	

**Location:** R.H.S (Km-4)

Parameters			Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
				Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	54.25	75	65	55	50
	Lmax.	Day	55.35	-	-	-	-
	Lmin.	Day	49.26	-	-	-	-

\*\*\*\*\*End of Report\*\*\*\*\*



Checked & Issued by  
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





# DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

## TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.:DTL/DDN/2025/0704/48
Sample Id: 07042025/48	Date of Report: 15/04/2025
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025
Sample Condition: Receipt as OK	Start Date of Testing:10/04/2025
Sample Plan & Sampling Method: NA	Date of Completion: 15/04/2025
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W: Construction of 15 m Span RCC Motor bridge in km 8-(HM 2-4), at Nandprayag Ghat Motorway under U-PREPARE Project.	
Issued to: M/S ARKS UNIVERSAL PRIVATE LIMITED	

Location: L.H.S (Km-8)

Parameters			TestValue	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
				Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	53.10	75	65	55	50
	Lmax.	Day	55.36	-	-	-	-
	Lmin.	Day	49.90	-	-	-	-

\*\*\*\*\*EndofReport\*\*\*\*\*



Checked & Issued by  
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.



# DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

## TEST REPORT

<b>Description of Sample:</b> Noise Level Monitoring	<b>Report No.:</b> DTL/DDN/2025/0704/49
<b>Sample Id:</b> 07042025/49	<b>Date of Report:</b> 15/04/2025
<b>Sample Quantity:</b> As per requirement	<b>Date of Sampling:</b> 07/04/2025
<b>Sample Condition:</b> Receipt as OK	<b>Start Date of Testing:</b> 10/04/2025
<b>Sample Plan &amp; Sampling Method:</b> NA	<b>Date of Completion:</b> 15/04/2025
<b>Environment Condition (Temp. &amp; Humidity):</b> NA	<b>Page 1 of 1</b>
<b>Addition to, Deviation or Exclusion from the Method:</b> NA	
<b>N.O.W:</b> Construction of 15 m Span RCC Motor bridge in km 8-(HM 2-4), at Nandprayag Ghat Motorway under U-PREPARE Project.	
<b>Issued to:</b> M/S ARKS UNIVERSAL PRIVATE LIMITED	

**Location:** R.H.S (Km-8)

Parameters			Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
				Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	53.46	75	65	55	50
	Lmax.	Day	56.92	-	-	-	-
	Lmin.	Day	50.20	-	-	-	-

\*\*\*\*\*End of Report\*\*\*\*\*



Checked & Issued by  
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





# DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

## TEST REPORT

<b>Description of Sample:</b> Noise Level Monitoring	<b>Report No.:</b> DTL/DDN/2025/0704/50
<b>Sample Id:</b> 07042025/50	<b>Date of Report:</b> 15/04/2025
<b>Sample Quantity:</b> As per requirement	<b>Date of Sampling:</b> 07/04/2025
<b>Sample Condition:</b> Receipt as OK	<b>Start Date of Testing:</b> 10/04/2025
<b>Sample Plan &amp; Sampling Method:</b> NA	<b>Date of Completion:</b> 15/04/2025
<b>Environment Condition (Temp. &amp; Humidity):</b> NA	<b>Page 1 of 1</b>
<b>Addition to, Deviation or Exclusion from the Method:</b> NA	
<b>N.O.W :</b> Construction of 30m Span Steel Truss Motor bridge in km 8-(HM 8-10), at Nandprayag Ghat Motorway under U-PREPARE Project.	
<b>Issued to:</b> M/S ARKS UNIVERSAL PRIVATE LIMITED	

**Location:** L.H.S (Km-8)

Parameters			Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
				Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	51.60	75	65	55	50
	Lmax.	Day	55.90	-	-	-	-
	Lmin.	Day	49.43	-	-	-	-

\*\*\*\*\*End of Report\*\*\*\*\*



Checked & Issued by  
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.



# DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

## TEST REPORT

<b>Description of Sample:</b> Noise Level Monitoring	<b>Report No.:</b> DTL/DDN/2025/0704/51
<b>Sample Id:</b> 07042025/51	<b>Date of Report:</b> 15/04/2025
<b>Sample Quantity:</b> As per requirement	<b>Date of Sampling:</b> 07/04/2025
<b>Sample Condition:</b> Receipt as OK	<b>Start Date of Testing:</b> 10/04/2025
<b>Sample Plan &amp; Sampling Method:</b> NA	<b>Date of Completion:</b> 15/04/2025
<b>Environment Condition (Temp. &amp; Humidity):</b> NA	<b>Page 1 of 1</b>
<b>Addition to, Deviation or Exclusion from the Method:</b> NA	
<b>N.O.W :</b> Construction of 30m Span Steel Truss Motor bridge in km 8-(HM 8-10), at Nandprayag Ghat Motorway under U-PREPARE Project.	
<b>Issued to:</b> M/S ARKS UNIVERSAL PRIVATE LIMITED	

**Location:** R.H.S (Km-8)

Parameters			TestValue	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
				Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	52.36	75	65	55	50
	Lmax.	Day	54.82	-	-	-	-
	Lmin.	Day	49.67	-	-	-	-

\*\*\*\*\*EndofReport\*\*\*\*\*



Checked & Issued by  
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





# DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

## TEST REPORT

<b>Description of Sample:</b> Noise Level Monitoring	<b>Report No.:</b> DTL/DDN/2025/0704/52
<b>Sample Id:</b> 07042025/52	<b>Date of Report:</b> 15/04/2025
<b>Sample Quantity:</b> As per requirement	<b>Date of Sampling:</b> 07/04/2025
<b>Sample Condition:</b> Receipt as OK	<b>Start Date of Testing:</b> 10/04/2025
<b>Sample Plan &amp; Sampling Method:</b> NA	<b>Date of Completion:</b> 15/04/2025
<b>Environment Condition (Temp. &amp; Humidity):</b> NA	<b>Page 1 of 1</b>
<b>Addition to, Deviation or Exclusion from the Method:</b> NA	
<b>N.O.W:</b> Construction of 24 m Span Steel Truss Motor bridge in km 12, at Nandprayag Ghat Motorway under U-PREPARE Project	
<b>Issued to:</b> M/S ARKS UNIVERSAL PRIVATE LIMITED	

**Location:** L.H.S(Km-12)

Parameters			Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq. (the Noise Pollution Regulation & Control) RULES-2000			
				Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	51.25	75	65	55	50
	Lmax.	Day	53.69	-	-	-	-
	Lmin.	Day	48.45	-	-	-	-

\*\*\*\*\*End of Report\*\*\*\*\*



Checked & Issued by  
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.



# DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

## TEST REPORT

<b>Description of Sample:</b> Noise Level Monitoring	<b>Report No.:</b> DTL/DDN/2025/0704/53
<b>Sample Id:</b> 07042025/53	<b>Date of Report:</b> 15/04/2025
<b>Sample Quantity:</b> As per requirement	<b>Date of Sampling:</b> 07/04/2025
<b>Sample Condition:</b> Receipt as OK	<b>Start Date of Testing:</b> 10/04/2025
<b>Sample Plan &amp; Sampling Method:</b> NA	<b>Date of Completion:</b> 15/04/2025
<b>Environment Condition (Temp. &amp; Humidity):</b> NA	<b>Page 1 of 1</b>
<b>Addition to, Deviation or Exclusion from the Method:</b> NA	
<b>N.O.W:</b> Construction of 24 m Span Steel Truss Motor bridge in km 12, at Nandprayag Ghat Motorway under U-PREPARE Project	
<b>Issued to:</b> M/S ARKS UNIVERSAL PRIVATE LIMITED	

**Location:** R.H.S (Km-12)

Parameters			Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
				Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	53.24	75	65	55	50
	Lmax.	Day	55.69	-	-	-	-
	Lmin.	Day	48.61	-	-	-	-

\*\*\*\*\*End of Report\*\*\*\*\*



Checked & Issued by  
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.