

M/S. D.S. CONSTRUCTION

385/65, GAUSHALA, MUZAFFARNAGAR (U.P)

पत्रांक:- DS/2025/05/15/02

दिनांक:- 15/05/2025

सेवा में,
अधिकासी अभियन्ता,
प्रा० ख०, लो०नि०वि०,
कर्णप्रयाग ।


विषय:- पैकेज संख्या 02/BR/RFB/UGRIDP/2023 व 06/BR/RFB/UGRIDP/2023 के सम्बंध में।

मोहदय,


हमारे द्वारा उपरोक्त दोनों पैकेज की Air Quality Monitoring, Noise Level, soil, and water की Test Reports भेजी जा रही है।

जिनकी कॉपी साथ में संलग्न है।

धन्यवाद।


सहायक अभियन्ता
प्रांतीय खण्ड लो०नि०वि०
कर्णप्रयाग


NARESH CHAMOLI
Environment Expert
FPIU PVT. LTD. (PREPARE)
Dehradun


Partner
मै० डी०एस० कंस्ट्रक्शन,
385/65 गऊशाला,
मुज़फ़्फरनगर।



DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO 9001:2015 & 14001:2015 Certified Laboratory
Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171
Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229
Email: devbhoomilab@gmail.com

TEST REPORT

Description of Sample: Air Quality Monitoring	Report No.: DTL/DDN/2025/0704/10
Sample Id: 07042025/10	Date of Report: 14/04/2025
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025
Environment Condition (Temp. & Humidity): NA	
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Kamprayag Chamoli"	
Issued to: M/S D.S Construction I-7 Nehru colony Dehradun 248001	Page 1 of 1

Location: L.H.S (Km-07)

S. No.	Parameters	Test Value	Requirement as per National Ambient Air Quality Standards CPCB	
			Industrial, Rural & other area	Sensitive Area
1	Particulate Matter (size < 10µm), µg/m ³ (24 hrs)	71.2	100 Max.	100 Max.
2	Particulate Matter (size < 2.5 µm), µg/m ³ (24 hrs)	49.2	60 Max.	60 Max.
3	Sulphur Dioxide, µg/m ³ (24 hrs.)	26.4	80 Max.	80 Max.
4	Oxides of Nitrogen, µg/m ³ (24 hrs.)	25.7	80 Max.	80 Max.
5	Carbon Mono Oxide, µg/m ³	ND	02*, 04#	02*, 04#

Protocol Used: IS: 5182 (P-2, 3 & 23), CPCB Guidelines.

Note: ND stands for Non-Detectable.

Note: * Maximum limits for 8 hourly monitoring, # Maximum limits for 1 hourly monitoring.

*****End of Report*****

NARESH CHAMOLI
Environment Expert
FPU PWD (U-PREPARE)
Dehradun

सहायक अभियन्ता
प्रान्तीय खण्ड लोडनिकि
कर्णप्रकाश

Checked & Issued by
Authorised Signatory

- The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the Invoiced amount.
- Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
- This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO 9001:2015 & 14001:2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

TEST REPORT

Description of Sample: Air Quality Monitoring	Report No.: DTL/DDN/2025/0704/11
Sample Id: 07042025/11	Date of Report: 14/04/2025
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Karnprayag Chamoli"	
Issued to: M/S D.S Construction I-7 Nehru colony Dehradun 248001	

Location: R.H.S (Km-07)

S. No.	Parameters	Test Value	Requirement as per National Ambient Air Quality Standards CPCB	
			Industrial, Rural & other area	Sensitive Area
1	Particulate Matter (size < 10µm), µg/m ³ (24 hrs)	72.7	100 Max.	100 Max.
2	Particulate Matter (size < 2.5 µm), µg/m ³ (24 hrs)	50.50	60 Max.	60 Max.
3	Sulphur Dioxide, µg/m ³ (24 hrs.)	28.7	80 Max.	80 Max.
4	Oxides of Nitrogen, µg/ m ³ (24 hrs.)	26.8	80 Max.	80 Max.
5	Carbon Mono Oxide, µg/ m ³	ND	02*, 04#	02*, 04#

Protocol Used: IS: 5182 (P-2, 3 & 23), CPCB Guidelines.

Note: ND stands for Non-Detectable.

Note: * Maximum limits for 8 hourly monitoring, # Maximum limits for 1 hourly monitoring.

*****End of Report*****

Hebe
NARESH CHAMOLI
 Environment Expert
FIU PWD (U-PREPARE)
 Dehradun

he
 सहायक अभियन्ता
 प्रांतीय खण्ड लो०नि०
 कर्णप्रयाग

Arsh
 Checked & Issued by
 Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

TEST REPORT

Description of Sample: Air Quality Monitoring	Report No.: DTL/DDN/2025/0704/12
Sample Id: 07042025/12	Date of Report: 14/04/2025
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Kamprayag Chamoli"	
Issued to: M/S D.S Construction 1-7 Nehru colony Dehradun 248001	

Location: L.H.S (Km-14)

S. No.	Parameters	Test Value	Requirement as per National Ambient Air Quality Standards CPCB	
			Industrial, Rural & other area	Sensitive Area
1	Particulate Matter (size < 10µm), µg/m ³ (24 hrs)	70.12	100 Max.	100 Max.
2	Particulate Matter (size < 2.5 µm), µg/m ³ (24 hrs)	51.36	60 Max.	60 Max.
3	Sulphur Dioxide, µg/m ³ (24 hrs.)	27.0	80 Max.	80 Max.
4	Oxides of Nitrogen, µg/ m ³ (24 hrs.)	29.80	80 Max.	80 Max.
5	Carbon Mono Oxide, µg/ m ³	ND	02*, 04#	02*, 04#

Protocol Used: IS: 5182 (P-2, 3 & 23), CPCB Guidelines.

Note: ND stands for Non-Detectable.

Note: * Maximum limits for 8 hourly monitoring, # Maximum limits for 1 hourly monitoring.

*****End of Report*****

NARESH CHAMOLI
Environment Expert
PMU PWD (U-PREPARE
Dehradun

सहायक अभियन्ता
प्रांतीय खण्ड लो०नि०मि
कर्णप्रसाद

Checked & Issued by
Authorised Signatory

- The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
- This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO: 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

TEST REPORT

Description of Sample: Air Quality Monitoring	Report No.: DTL/DDN/2025/0704/13
Sample Id: 07042025/13	Date of Report: 14/04/2025
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Kamprayag Chamoli"	
Issued to: M/S D.S Construction 1-7 Nehru colony' Dehradun 248001	

Location: R.H.S (Km-14)

S. No.	Parameters	Test Value	Requirement as per National Ambient Air Quality Standards CPCB	
			Industrial, Rural & other area	Sensitive Area
1	Particulate Matter (size < 10µm), µg/m ³ (24 hrs)	72.12	100 Max.	100 Max.
2	Particulate Matter (size < 2.5 µm), µg/m ³ (24 hrs)	52.6	60 Max.	60 Max.
3	Sulphur Dioxide, µg/m ³ (24 hrs.)	26.8	80 Max.	80 Max.
4	Oxides of Nitrogen, µg/ m ³ (24 hrs.)	32.40	80 Max.	80 Max.
5	Carbon Mono Oxide, µg/ m ³	ND	02*, 04#	02*, 04#

Protocol Used: IS: 5182 (P-2, 3 & 23), CPCB Guidelines.

Note: ND stands for Non-Detectable.

Note: * Maximum limits for 8 hourly monitoring, # Maximum limits for 1 hourly monitoring.

*****End of Report*****

NAresh
NARESH CHAMOLI
Environment Ex:
FPU PWD (U-PREPARE)
Dehradun

ह
सहायक अभियन्ता
प्रांतीय खण्ड लो० नि० नि०
कर्णप्रसाह

Arsh

Checked & Issued by
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the Invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001:2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

TEST REPORT

Description of Sample: Air Quality Monitoring	Report No.: DTL/DDN/2025/0704/14
Sample Id: 07042025/14	Date of Report: 14/04/2025
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Karnprayag Chamoli"	
Issued to: M/S D.S Construction 1-7 Nehru colony Dehradun 248001	

Location: L.H.S (Km-11)

S. No.	Parameters	Test Value	Requirement as per National Ambient Air Quality Standards CPCB	
			Industrial, Rural & other area	Sensitive Area
1	Particulate Matter (size < 10µm), µg/m ³ (24 hrs)	76.8	100 Max.	100 Max.
2	Particulate Matter (size < 2.5 µm), µg/m ³ (24 hrs)	51.26	60 Max.	60 Max.
3	Sulphur Dioxide, µg/m ³ (24 hrs.)	15.6	80 Max.	80 Max.
4	Oxides of Nitrogen, µg/ m ³ (24 hrs.)	28.6	80 Max.	80 Max.
5	Carbon Mono Oxide, µg/ m ³	ND	02*, 04#	02*, 04#

Protocol Used: IS: 5182 (P-2, 3 & 23), CPCB Guidelines.

Note: ND stands for Non-Detectable.

Note: * Maximum limits for 8 hourly monitoring, # Maximum limits for 1 hourly monitoring.

*****End of Report*****

NARESH CHAMOLI
Environment Expert
PPU PWD (U-PREPARE)
Dehradun

सहायक अभियन्ता
प्रांतीय खण्ड लोडिंग
कर्णप्रयाग

Checked & Issued by
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO 9001:2015 & 14001:2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

TEST REPORT

Description of Sample: Air Quality Monitoring	Report No.: DTL/DDN/2025/0704/15
Sample Id: 07042025/15	Date of Report: 14/04/2025
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Karnprayag Chamoli"	
Issued to: M/S D.S Construction I-7 Nehru colony Dehradun 248001	

Location: R.H.S (Km-11)

S. No.	Parameters	Test Value	Requirement as per National Ambient Air Quality Standards CPCB	
			Industrial, Rural & other area	Sensitive Area
1	Particulate Matter (size < 10µm), µg/m ³ (24 hrs)	77.8	100 Max.	100 Max.
2	Particulate Matter (size < 2.5 µm), µg/m ³ (24 hrs)	55.4	60 Max.	60 Max.
3	Sulphur Dioxide, µg/m ³ (24 hrs.)	17.4	80 Max.	80 Max.
4	Oxides of Nitrogen, µg/ m ³ (24 hrs.)	29.8	80 Max.	80 Max.
5	Carbon Mono Oxide, µg/ m ³	ND	02*, 04 [#]	02*, 04 [#]

Protocol Used: IS: 5182 (P-2, 3 & 23), CPCB Guidelines.

Note: ND stands for Non-Detectable.

Note: * Maximum limits for 8 hourly monitoring, # Maximum limits for 1 hourly monitoring.

*****End of Report*****

NARESH CHAMOLI
Environment Expt.
FRU PWD (U.P.P.F.A.R.E.),
Dehradun

सहायक अभियन्ता
प्रान्तीय खण्ड लो०नि०क्रि०
कर्णप्रयाग

Checked & Issued by
Authorised Signatory

- The result listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
- This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

TEST REPORT

Description of Sample: Air Quality Monitoring	Report No.: DTL/DDN/2025/0704/16
Sample Id: 07042025/16	Date of Report: 14/04/2025
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Karnprayag Chamoli"	
Issued to: M/S D.S Construction I-7 Nehru colony' Dehradun 248001	

Location: L.H.S (Km-03)

S. No.	Parameters	Test Value	Requirement as per National Ambient Air Quality Standards CPCB	
			Industrial, Rural & other area	Sensitive Area
1	Particulate Matter (size < 10µm), µg/m ³ (24 hrs)	77.6	100 Max.	100 Max.
2	Particulate Matter (size < 2.5 µm), µg/m ³ (24 hrs)	53.80	60 Max.	60 Max.
3	Sulphur Dioxide, µg/m ³ (24 hrs.)	25.6	80 Max.	80 Max.
4	Oxides of Nitrogen, µg/ m ³ (24 hrs.)	33.8	80 Max.	80 Max.
5	Carbon Mono Oxide, µg/ m ³	ND	02*, 04#	02*, 04#


Protocol Used: IS: 5182 (P-2, 3 & 23), CPCB Guidelines.

Note: ND stands for Non-Detectable.

Note: * Maximum limits for 8 hourly monitoring, # Maximum limits for 1 hourly monitoring.


NARESH CHAMOLI
Environment Exp
FTU PWD (U-PREPAKE)
Dehradun

*****End of Report*****


सहायक अभियन्ता
प्रांतीय वायु लो० नि० वि०
क० प्र० य०

Checked & Issued by
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing





DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory
Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171
Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229
Email: devbhoomilab@gmail.com

TEST REPORT

Description of Sample: Air Quality Monitoring	Report No.: DTL/DDN/2025/0704/17
Sample Id: 07042025/17	Date of Report: 14/04/2025
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Kamprayag Chamoli"	
Issued to: M/S D.S Construction 1-7 Nehru colony Dehradun 248001	

Location: R.H.S (Km-03)

S. No.	Parameters	Test Value	Requirement as per National Ambient Air Quality Standards CPCB	
			Industrial, Rural & other area	Sensitive Area
1	Particulate Matter (size < 10 μ m), μ g/m ³ (24 hrs)	78.6	100 Max.	100 Max.
2	Particulate Matter (size < 2.5 μ m), μ g/m ³ (24 hrs)	55.6	60 Max.	60 Max.
3	Sulphur Dioxide, μ g/m ³ (24 hrs.)	31.2	80 Max.	80 Max.
4	Oxides of Nitrogen, μ g/ m ³ (24 hrs.)	33.6	80 Max.	80 Max.
5	Carbon Mono Oxide, μ g/ m ³	ND	02*, 04#	02*, 04#

Protocol Used: IS: 5182 (P-2, 3 & 23), CPCB Guidelines.

Note: ND stands for Non-Detectable.

Note: * Maximum limits for 8 hourly monitoring, # Maximum limits for 1 hourly monitoring.

*****End of Report*****

NARESH CHAMOLI
Environment Expert
FPU PWD (U-PREPARE)
Dehradun

सहायक अभियन्ता
प्रान्तीय खण्ड ले०नि०वि०
कर्णप्रयाग

Checked & Issued by
Authorised Signatory

- The result Listed refers only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
- This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

