



# DEVBHOO MI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

## TEST REPORT

|  |                                   |
|--|-----------------------------------|
| Description of Sample: Surface Water   | Report No.: DTL/DDN/2025/0804/09  |
| Sample Id: 08042025/09   | Date of Report: 16/04/2025        |
| Sample Quantity: As per requirement  | Date of Sampling: 08/04/2025      |
| Sample Condition: Receipt as OK  | Start Date of Testing: 11/04/2025 |
| Sample Plan & Sampling Method: NA  | Date of Completion: 16/04/2025    |
| Environment Condition (Temp. & Humidity): NA   | Page 1 of 1                       |
| Addition to, Deviation or Exclusion from the Method: NA  |                                   |
| N.O.W: Construction of 18m Span RCC Motor bridge in km 4, at Nandprayag Ghat Motorway under U-PREPARE Project. |                                   |
| Issued to:<br>M/S ARKS UNIVERSAL PRIVATE LIMITED   |                                   |

Sample: 01 (Km-4)

| S.No. | Characteristics   | Test Value | Max. Permissible Limit as per IS:456-2000 (Clause 5.4)         | Method of test refer to:       |
|-------|---|------------|--|--------------------------------|
| 1.    | Requirement of 0.02N-NaOH to neutralize 100ml of water sample using Phenolphthalein indicator | 0.56       | 5.0 ml.  | IS-3025 (P-22)<br>1986RA:2019  |
| 2.    | Requirement of 0.02 N- $H_2SO_4$ to neutralize 100ml of water sample using mixed indicator    | 6.3        | 25.0ml.  | IS-3025 (P-23)<br>1986RA:2019  |
| 3.    | Organics, mg/l.   | 89         | 200  | IS:3025 (P-18)2022             |
| 4.    | Inorganic, mg/l.  | 121        | 3000   | IS:3025 (P-18)2022             |
| 5.    | Sulphate as $SO_3$ , mg/l.  | 29         | 400  | IS: 3025(P-24)1986RA:2019      |
| 6.    | Chloride as Cl, mg/l  | 26         | 500mg/l for RCC & 200mg/l for concrete without embedded steel. | IS: 3025 (P-32)<br>1988RA:2019 |
| 7.    | pH  | 8.2        | Not less than 6.0  | IS:3025 (P-11)2022             |
| 8.    | Suspended matter, mg/l  | 182        | 2000   | IS:3025 (P-17)2022             |

\*\*\*\*\*End of Report\*\*\*\*\*



Checked & Issued by  
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





# DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

## TEST REPORT

|  |                                   |
|--|-----------------------------------|
| Description of Sample: Surface Water   | Report No.: DTL/DDN/2025/0804/10  |
| Sample Id: 08042025/10   | Date of Report: 16/04/2025        |
| Sample Quantity: 1 Ltr.  | Date of Sampling: 08/04/2025      |
| Sample Condition: Receipt as OK  | Start Date of Testing: 11/04/2025 |
| Sample Plan & Sampling Method: NA  | Date of Completion: 16/04/2025    |
| Environment Condition (Temp. & Humidity): NA   | Page 1 of 1                       |
| Addition to, Deviation or Exclusion from the Method: NA  |                                   |
| N.O.W: Construction of 18m Span RCC Motor bridge in km 4, at Nandprayag Ghat Motorway under U-PREPARE Project. |                                   |
| Issued to:<br>M/S ARKS UNIVERSAL PRIVATE LIMITED   |                                   |

Sample: 02 (Km-4)

| S. No. | Characteristics  | Test Value | Max. Permissible Limit as per IS:456-2000 (Clause 5.4)         | Method of test referred to:    |
|--------|--|------------|--|--------------------------------|
| 1.     | Requirement of 0.02N-NaOH to neutralize 100ml of water sample using Phenolphthalein indicator                  | 0.53       | 5.0 ml.  | IS-3025 (P-22)<br>1986RA:2019  |
| 2.     | Requirement of 0.02 N-H <sub>2</sub> SO <sub>4</sub> to neutralize 100ml of water sample using mixed indicator | 6.29       | 25.0ml.  | IS-3025 (P-23)<br>1986RA:2019  |
| 3.     | Organics, mg/l.  | 86         | 200  | IS:3025 (P-18)2022             |
| 4.     | Inorganic, mg/l.   | 120        | 3000   | IS:3025 (P-18)2022             |
| 5.     | Sulphate as SO <sub>3</sub> , mg/l.  | 26         | 400  | IS: 3025(P-24)1986RA:2019      |
| 6.     | Chloride as Cl, mg/l   | 29         | 500mg/l for RCC & 200mg/l for concrete without embedded steel. | IS: 3025 (P-32)<br>1988RA:2019 |
| 7.     | pH   | 8.68       | Not less than 6.0  | IS:3025 (P-11)2022             |
| 8.     | Suspended matter, mg/l   | 189        | 2000   | IS:3025 (P-17)2022             |

\*\*\*\*\*End of Report\*\*\*\*\*



Checked & Issued by  
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





# DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

## TEST REPORT

|  |                                   |
|--|-----------------------------------|
| Description of Sample: Surface Water   | Report No.: DTL/DDN/2025/0704/54  |
| Sample Id: 07042025/54   | Date of Report: 15/04/2025        |
| Sample Quantity: As per requirement  | Date of Sampling: 07/04/2025      |
| Sample Condition: Receipt as OK  | Start Date of Testing: 10/04/2025 |
| Sample Plan & Sampling Method: NA  | Date of Completion: 15/04/2025    |
| Environment Condition (Temp. & Humidity): NA   | Page 1 of 1                       |
| Addition to, Deviation or Exclusion from the Method: NA  |                                   |
| N.O.W: Construction of 15 m Span RCC Motor bridge in km 8-(HM 2-4), at Nandprayag Ghat Motorway under U-PREPARE Project. |                                   |
| Issued to:<br>M/S ARKS UNIVERSAL PRIVATE LIMITED   |                                   |

Sample: 01 Km-08

| S. No. | Characteristics  | Test Value | Max. Permissible Limit as per IS:456-2000 (Clause 5.4)         | Method of test referred to:    |
|--------|--|------------|--|--------------------------------|
| 1.     | Requirement of 0.02N-NaOH to neutralize 100ml of water sample using Phenolphthalein indicator                  | 1.36       | 5.0 ml.  | IS-3025 (P-22)<br>1986RA:2019  |
| 2.     | Requirement of 0.02 N-H <sub>2</sub> SO <sub>4</sub> to neutralize 100ml of water sample using mixed indicator | 8.12       | 25.0ml.  | IS-3025 (P-23)<br>1986RA:2019  |
| 3.     | Organics, mg/l.  | 87         | 200  | IS:3025 (P-18)2022             |
| 4.     | Inorganic, mg/l.   | 118        | 3000   | IS:3025 (P-18)2022             |
| 5.     | Sulphate as SO <sub>3</sub> , mg/l.  | 33.60      | 400  | IS: 3025(P-24)1986RA:2019      |
| 6.     | Chloride as Cl, mg/l   | 26.28      | 500mg/l for RCC & 200mg/l for concrete without embedded steel. | IS: 3025 (P-32)<br>1988RA:2019 |
| 7.     | pH   | 9.69       | Not less than 6.0  | IS:3025 (P-11)2022             |
| 8.     | Suspended matter, mg/l   | 128        | 2000   | IS:3025 (P-17)2022             |

\*\*\*\*\*End of Report\*\*\*\*\*



Checked & Issued by  
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





# DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

## TEST REPORT

|  |                                   |
|--|-----------------------------------|
| Description of Sample: Surface Water   | Report No.: DTL/DDN/2025/0704/55  |
| Sample Id: 07042025/55   | Date of Report: 15/04/2025        |
| Sample Quantity: 1 Ltr.  | Date of Sampling: 07/04/2025      |
| Sample Condition: Receipt as OK  | Start Date of Testing: 10/04/2025 |
| Sample Plan & Sampling Method: NA  | Date of Completion: 15/04/2025    |
| Environment Condition (Temp. & Humidity): NA   | Page 1 of 1                       |
| Addition to, Deviation or Exclusion from the Method: NA  |                                   |
| N.O.W: Construction of 15 m Span RCC Motor bridge in km 8-(HM 2-4), at Nandprayag Ghat Motorway under U-PREPARE Project. |                                   |
| Issued to:<br>M/S ARKS UNIVERSAL PRIVATE LIMITED   |                                   |

Sample: 02(Km-08)

| S. No. | Characteristics  | Test Value | Max. Permissible Limit as per IS:456-2000 (Clause 5.4)         | Method of test referred to:    |
|--------|--|------------|--|--------------------------------|
| 1.     | Requirement of 0.02N-NaOH to neutralize 100ml of water sample using Phenolphthalein indicator                  | 1.34       | 5.0 ml.  | IS-3025 (P-22)<br>1986RA:2019  |
| 2.     | Requirement of 0.02 N-H <sub>2</sub> SO <sub>4</sub> to neutralize 100ml of water sample using mixed indicator | 8.16       | 25.0ml.  | IS-3025 (P-23)<br>1986RA:2019  |
| 3.     | Organics, mg/l.  | 89         | 200  | IS:3025 (P-18)2022             |
| 4.     | Inorganic, mg/l.   | 126        | 3000   | IS:3025 (P-18)2022             |
| 5.     | Sulphate as SO <sub>3</sub> , mg/l.  | 33.52      | 400  | IS: 3025(P-24)1986RA:2019      |
| 6.     | Chloride as Cl, mg/l   | 27         | 500mg/l for RCC & 200mg/l for concrete without embedded steel. | IS: 3025 (P-32)<br>1988RA:2019 |
| 7.     | pH   | 9.36       | Not less than 6.0  | IS:3025 (P-11)2022             |
| 8.     | Suspended matter, mg/l   | 131        | 2000   | IS:3025 (P-17)2022             |

\*\*\*\*\*End of Report\*\*\*\*\*

  
Devbhoomi Testing Laboratory  
Technical Manager  
Dehradun

Checked & Issued by  
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





# DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

## TEST REPORT

|   |                                   |
|---|-----------------------------------|
| Description of Sample: Surface Water  | Report No.: DTL/DDN/2025/0704/56  |
| Sample Id: 07042025/56  | Date of Report: 15/04/2025        |
| Sample Quantity: As per requirement   | Date of Sampling: 07/04/2025      |
| Sample Condition: Receipt as OK   | Start Date of Testing: 10/04/2025 |
| Sample Plan & Sampling Method: NA   | Date of Completion: 15/04/2025    |
| Environment Condition (Temp. & Humidity): NA  | Page 1 of 1                       |
| Addition to, Deviation or Exclusion from the Method: NA   |                                   |
| N.O.W : Construction of 30m Span Steel Truss Motor bridge in km 8-(HM 8-10), at Nandprayag Ghat Motorway under U-PREPARE Project. |                                   |
| Issued to:<br>M/S ARKS UNIVERSAL PRIVATE LIMITED  |                                   |

Sample: 01 (Km-8)

| S. No. | Characteristics  | Test Value | Max. Permissible Limit as per IS:456-2000 (Clause 5.4)         | Method of test referred to:    |
|--------|--|------------|--|--------------------------------|
| 1.     | Requirement of 0.02N-NaOH to neutralize 100ml of water sample using Phenolphthalein indicator                  | 1.6        | 5.0 ml.  | IS-3025 (P-22)<br>1986RA:2019  |
| 2.     | Requirement of 0.02 N-H <sub>2</sub> SO <sub>4</sub> to neutralize 100ml of water sample using mixed indicator | 11.46      | 25.0ml.  | IS-3025 (P-23)<br>1986RA:2019  |
| 3.     | Organics, mg/l.  | 92         | 200  | IS:3025 (P-18)2022             |
| 4.     | Inorganic, mg/l.   | 142        | 3000   | IS:3025 (P-18)2022             |
| 5.     | Sulphate as SO <sub>3</sub> , mg/l.  | 46         | 400  | IS: 3025(P-24)1986RA:2019      |
| 6.     | Chloride as Cl, mg/l   | 38         | 500mg/l for RCC & 200mg/l for concrete without embedded steel. | IS: 3025 (P-32)<br>1988RA:2019 |
| 7.     | pH   | 10.63      | Not less than 6.0  | IS:3025 (P-11)2022             |
| 8.     | Suspended matter, mg/l   | 196        | 2000   | IS:3025 (P-17)2022             |

\*\*\*\*\*End of Report\*\*\*\*\*



Checked & Issued by  
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





# DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

## TEST REPORT

|   |                                   |
|---|-----------------------------------|
| Description of Sample: Surface Water  | Report No.: DTL/DDN/2025/0704/57  |
| Sample Id: 07042025/57  | Date of Report: 15/04/2025        |
| Sample Quantity: 1 Ltr.   | Date of Sampling: 07/04/2025      |
| Sample Condition: Receipt as OK   | Start Date of Testing: 10/04/2025 |
| Sample Plan & Sampling Method: NA   | Date of Completion: 15/04/2025    |
| Environment Condition (Temp. & Humidity): NA  | Page 1 of 1                       |
| Addition to, Deviation or Exclusion from the Method: NA   |                                   |
| N.O.W : Construction of 30m Span Steel Truss Motor bridge in km 8-(HM 8-10), at Nandprayag Ghat Motorway under U-PREPARE Project. |                                   |
| Issued to:<br>M/S ARKS UNIVERSAL PRIVATE LIMITED  |                                   |

Sample: 02 (Km-8)

| S. No. | Characteristics  | Test Value | Max. Permissible Limit as per IS:456-2000 (Clause 5.4)         | Method of test referred to:    |
|--------|--|------------|--|--------------------------------|
| 1.     | Requirement of 0.02N-Noah to neutralize 100ml. of water sample using Phenolphthalein indicator                 | 1.52       | 5.0 ml.  | IS-3025 (P-22)<br>1986RA:2019  |
| 2.     | Requirement of 0.02 N-H <sub>2</sub> SO <sub>4</sub> to neutralize 100ml of water sample using mixed indicator | 11.14      | 25.0ml.  | IS-3025 (P-23)<br>1986RA:2019  |
| 3.     | Organics, mg/l.  | 98         | 200  | IS:3025 (P-18)2022             |
| 4.     | Inorganic, mg/l.   | 146        | 3000   | IS:3025 (P-18)2022             |
| 5.     | Sulphate as SO <sub>3</sub> , mg/l.  | 48         | 400  | IS: 3025(P-24)1986RA:2019      |
| 6.     | Chloride as Cl, mg/l   | 36         | 500mg/l for RCC & 200mg/l for concrete without embedded steel. | IS: 3025 (P-32)<br>1988RA:2019 |
| 7.     | pH   | 10.65      | Not less than 6.0  | IS:3025 (P-11)2022             |
| 8.     | Suspended matter, mg/l   | 194        | 2000   | IS:3025 (P-17)2022             |

\*\*\*\*\*End of Report\*\*\*\*\*



Checked & Issued by  
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





# DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

## TEST REPORT

|  |                                   |
|--|-----------------------------------|
| Description of Sample: Surface Water   | Report No.: DTL/DDN/2025/0704/58  |
| Sample Id: 07042025/58   | Date of Report: 15/04/2025        |
| Sample Quantity: As per requirement  | Date of Sampling: 07/04/2025      |
| Sample Condition: Receipt as OK  | Start Date of Testing: 10/04/2025 |
| Sample Plan & Sampling Method: NA  | Date of Completion: 15/04/2025    |
| Environment Condition (Temp. & Humidity): NA   | Page 1 of 1                       |
| Addition to, Deviation or Exclusion from the Method: NA  |                                   |
| N.O.W : Construction of 24 m Span Steel Truss Motor bridge in km 12, at Nandprayag Ghat Motorway under U-PREPARE Project |                                   |
| Issued to:<br>M/S ARKS UNIVERSAL PRIVATE LIMITED   |                                   |

Sample: 01(Km-12)

| S. No. | Characteristics  | Test Value | Max. Permissible Limit as per IS:456-2000 (Clause 5.4)         | Method of test referred to: |
|--------|--|------------|--|-----------------------------|
| 1.     | Requirement of 0.02N-NaOH to neutralize 100ml of water sample using Phenolphthalein indicator                  | 1.65       | 5.0 ml.  | IS-3025 (P-22) 1986RA:2019  |
| 2.     | Requirement of 0.02 N-H <sub>2</sub> SO <sub>4</sub> to neutralize 100ml of water sample using mixed indicator | 7.34       | 25.0ml.  | IS-3025 (P-23) 1986RA:2019  |
| 3.     | Organics, mg/l.  | 88         | 200  | IS:3025 (P-18)2022          |
| 4.     | Inorganic, mg/l.   | 118        | 3000   | IS:3025 (P-18)2022          |
| 5.     | Sulphate as SO <sub>3</sub> , mg/l.  | 25.36      | 400  | IS: 3025(P-24)1986RA:2019   |
| 6.     | Chloride as Cl, mg/l   | 29         | 500mg/l for RCC & 200mg/l for concrete without embedded steel. | IS: 3025 (P-32) 1988RA:2019 |
| 7.     | pH   | 8.3        | Not less than 6.0  | IS:3025 (P-11)2022          |
| 8.     | Suspended matter, mg/l   | 194        | 2000   | IS:3025 (P-17)2022          |

\*\*\*\*\*End of Report\*\*\*\*\*



Checked & Issued by  
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





# DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

## TEST REPORT

|  |                                   |
|--|-----------------------------------|
| Description of Sample: Surface Water   | Report No.: DTL/DDN/2025/0704/59  |
| Sample Id: 07042025/59   | Date of Report: 15/04/2025        |
| Sample Quantity: 1 Ltr.  | Date of Sampling: 07/04/2025      |
| Sample Condition: Receipt as OK  | Start Date of Testing: 10/04/2025 |
| Sample Plan & Sampling Method: NA  | Date of Completion: 15/04/2025    |
| Environment Condition (Temp. & Humidity): NA   | Page 1 of 1                       |
| Addition to, Deviation or Exclusion from the Method: NA  |                                   |
| N.O.W Construction of 24 m Span Steel Truss Motor bridge in km 12, at Nandprayag Ghat Motorway under U-PREPARE Project |                                   |
| Issued to:<br>M/S ARKS UNIVERSAL PRIVATE LIMITED   |                                   |

Sample: 02(Km-12)

| S. No. | Characteristics  | Test Value | Max. Permissible Limit as per IS:456-2000 (Clause 5.4)         | Method of test referred to:    |
|--------|--|------------|--|--------------------------------|
| 1.     | Requirement of 0.02N-NaOH to neutralize 100ml of water sample using Phenolphthalein indicator                  | 1.65       | 5.0 ml.  | IS-3025 (P-22)<br>1986RA:2019  |
| 2.     | Requirement of 0.02 N-H <sub>2</sub> SO <sub>4</sub> to neutralize 100ml of water sample using mixed indicator | 7.34       | 25.0ml.  | IS-3025 (P-23)<br>1986RA:2019  |
| 3.     | Organics, mg/l.  | 88         | 200  | IS:3025 (P-18)2022             |
| 4.     | Inorganic, mg/l.   | 118        | 3000   | IS:3025 (P-18)2022             |
| 5.     | Sulphate as SO <sub>3</sub> , mg/l.  | 25.36      | 400  | IS: 3025(P-24)1986RA:2019      |
| 6.     | Chloride as Cl, mg/l   | 29         | 500mg/l for RCC & 200mg/l for concrete without embedded steel. | IS: 3025 (P-32)<br>1988RA:2019 |
| 7.     | pH   | 8.3        | Not less than 6.0  | IS:3025 (P-11)2022             |
| 8.     | Suspended matter, mg/l   | 194        | 2000   | IS:3025 (P-17)2022             |

\*\*\*\*\*End of Report\*\*\*\*\*s

*[Signature]*  
Technical Manager  
Devbhoomi Testing Laboratory Dehradun

Checked & Issued by  
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.