

# M/S. D.S. CONSTRUCTION

385/65, GAUSHALA, MUZAFFARNAGAR (U.P)

पत्रांक:- DS/2025/05/15/02

दिनांक:- 15/05/2025

सेवा में,  
अधिकासी अभियन्ता,  
प्रा० ख०, लो०नि०वि०,  
कर्णप्रयाग ।


विषय:- पैकेज संख्या 02/BR/RFB/UGRIDP/2023 व 06/BR/RFB/UGRIDP/2023 के सम्बंध में।

मोहदय,


हमारे द्वारा उपरोक्त दोनों पैकेज की Air Quality Monitoring, Noise Level, soil, and water की Test Reports भेजी जा रही है।

जिनकी कॉपी साथ में संलग्न है।

धन्यवाद।

  
सहायक अभियन्ता  
प्रांतीय खण्ड लो०नि०वि०  
कर्णप्रयाग

  
**NARESH CHAMOLI**  
Environment Expert  
FPIU PVT. LTD. (PREPARE)  
Dehradun

  
Partner  
मै० डी०एस० कंस्ट्रक्शन,  
385/65 गऊशाला,  
मुज़फ़्फरनगर।

## TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2025/0704/22
Sample Id: 07042025/22	Date of Report: 14/04/2025
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Karnprayag Chamoli"	
Issued to: M/S D.S Construction I-7 Nehru colony, Dehradun 248001	

Location: L.H.S (Km-7)

Parameters			Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
				Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	56.40	75	65	55	50
	Lmax.	Day	58.9	-	-	-	-
	Lmin.	Day	49.4	-	-	-	-

\*\*\*\*\*End of Report\*\*\*\*\*

Hch  
**NARESH CHAMOLI**  
Environment Expert  
FNU PWD (U-PREPARE)  
Dehradun

hp  
सहायक अभियन्ता  
प्रान्तीय खण्ड लो0नि0कि0  
कर्णप्रयाग

Checked & Issued by  
Authorised Signatory

1. The result listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.







# DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Knelave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mobi: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

## TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2025/0704/23
Sample Id: 07042025/23	Date of Report: 14/04/2025
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Karnprayag Chamoli"	
Issued to: M/S D.S Construction I-7 Nehru colony, Dehradun 248001	

Location: R.H.S (Km-7)

Parameters			Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
				Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	55.10	75	65	55	50
	Lmax.	Day	56.8	-	-	-	-
	Lmin.	Day	48.65	-	-	-	-

\*\*\*\*\*End of Report\*\*\*\*\*

NARESH CHAMOLI  
Environment Expert  
FPIU PWD (U-PREPAR)  
Dehradun

सहायक अभियन्ता  
प्रान्तीय खण्ड लोडिंग  
कर्णप्रयाग

Checked & Issued by  
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.







# DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO 1:2001:2015 & 14001:2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

## TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2025/0704/24
Sample Id: 07042025/24	Date of Report: 14/04/2025
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Karnprayag Chamoli"	
Issued to: M/S D.S Construction 1-7 Nehru colony, Dehradun 248001	

Location: L.H.S (Km-3)

Parameters			Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
				Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	54.10	75	65	55	50
	Lmax.	Day	55.3	-	-	-	-
	Lmin.	Day	49.6	-	-	-	-

\*\*\*\*\*End of Report\*\*\*\*\*

**NARESH CHAND**  
Environmental Expt.  
FPIU PWB (U-PREP)  
Dehradun

सहायक अभियन्ता  
प्रान्तीय खण्ड लो0न0न0  
क०प्रयाग

Checked & Issued by  
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.







# DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

## TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2025/0704/25
Sample Id: 07042025/25	Date of Report: 14/04/2025
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Karnprayag Chamoli"	
Issued to: M/S D.S Construction 1-7 Nehru colony, Dehradun 248001	

Location: R.H.S (Km-3)

Parameters			Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
				Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	53.4	75	65	55	50
	Lmax.	Day	55.3	-	-	-	-
	Lmin.	Day	49.6	-	-	-	-

\*\*\*\*\*End of Report\*\*\*\*\*

**NARESH CHAUDHARI**  
Environment Exp.  
FPU PWD (U-PREPARE),  
Dehradun

सहायक अभियन्ता  
प्रान्तीय खण्ड लोडिंग  
कर्णप्रसाद

Checked & Issued by  
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.







# DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO 9001:2015 & 14001:2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

## TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2025/0704/26
Sample Id: 07042025/26	Date of Report: 14/04/2025
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Kamprayag Chamoli"	
Issued to: M/S D.S Construction I-7 Nehru colony, Dehradun 248001	

Location: L.H.S (Km-11)

Parameters			Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
				Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	51.4	75	65	55	50
	Lmax.	Day	55.9	-	-	-	-
	Lmin.	Day	49.4	-	-	-	-

\*\*\*\*\*End of Report\*\*\*\*\*

**NARESH CHAMOLI**  
Environment Expert  
FPU PWD (U-PREPARE)  
Dehradun

सहायक अभियन्ता  
राष्ट्रीय खण्ड लोडिंग  
कर्णप्रयाग

Checked & Issued by  
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.







# DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

## TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2025/0704/27
Sample Id: 07042025/27	Date of Report: 14/04/2025
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Karnprayag Chamoli"	
Issued to: M/S D.S Construction 1-7 Nehru colony, Dehradun 248001	

Location: R.H.S Km-11

Parameters			Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
				Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	52.4	75	65	55	50
	Lmax.	Day	54.9	-	-	-	-
	Lmin.	Day	49.6	-	-	-	-

\*\*\*\*\*End of Report\*\*\*\*\*

**NARESH CHAMOLI**  
Environment Expert  
PPU PWD (U-PREPARE)  
Dehradun

सहायक अभियन्ता  
ग्रामीय खण्ड लोकोपयोगिता  
कर्मप्रयाण

Checked & Issued by  
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.







# DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shilma By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

## TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2025/0704/28
Sample Id: 07042025/28	Date of Report: 14/04/2025
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Kamprayag Chamoli"	
Issued to: M/S D.S Construction I-7 Nehru colony, Dehradun 248001	

Location: L.H.S (Km-14)

Parameters			Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
				Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	51.4	75	65	55	50
	Lmax.	Day	53.6	-	-	-	-
	Lmin.	Day	48.4	-	-	-	-

\*\*\*\*\*End of Report\*\*\*\*\*

NARESH CHAMOLI  
Environment Expert  
FPIU PWD (U-PREPARE)  
Dehradun

सहायक अभियन्ता  
प्रादेशीय खण्ड लेखनिका  
कर्मचारी

Checked & Issued by  
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.







# DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO 9001:2015 & 14001:2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

## TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2025/0704/29
Sample Id: 07042025/29	Date of Report: 14/04/2025
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Karnprayag Chamoli"	
Issued to: M/S D.S Construction I-7 Nehru colony, Dehradun 248001	

Location: R.H.S (Km-14)

Parameters			Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
				Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	53.6	75	65	55	50
	Lmax.	Day	55.6	-	-	-	-
	Lmin.	Day	48.6	-	-	-	-

\*\*\*\*\*End of Report\*\*\*\*\*

NAREC  
Enviro  
PAU P  
Dehradun

सहायक अभियन्ता  
प्रान्तीय खण्ड लेओमिओमि  
कर्णप्रयाग

Checked & Issued by  
Authorised Signatory

- The result Listed refer only to the tested sample & applicable parameters endorsement or products is neither inferred nor implied.
- Total liability of our lab is limited to the Invoiced amount.
- Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
- This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

