

M/S. D.S. CONSTRUCTION

385/65, GAUSHALA, MUZAFFARNAGAR (U.P)

पत्रांक:- DS/2025/05/15/02

दिनांक:- 15/05/2025

सेवा में,

अधिशासी अभियन्ता,
प्रा० ख०, लो०नि०वि०,
कर्णप्रयाग।

विषय:- पैकेज संख्या 02/BR/RFB/UGRIDP/2023 व 06/BR/RFB/UGRIDP/2023 के सम्बंध में।

मोहद्य,

हमारे द्वारा उपरोक्त दोनों पैकेज की Air Quality Monitoring, Noise Level, soil, and water की Test Reports भेजी जा रही हैं।

जिनकी कॉपी साथ में संलग्न है।

धन्यवाद।

Writen by Naresh Chamoli
Naresh Chamoli Partner
मै० डी०ए०स० कंस्ट्रक्शन,
385/65 गुशाला,
मुज़ाफ़रनगर।

सहायक अभियन्ता
प्रान्तीय खण्ड लो०नि०वि०
कर्णप्रयाग

NARESH CHAMOLI
Environmental Expert
FPIU PMT(U.PREPARE)
Dehradun

TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2025/0704/22
Sample Id: 07042025/22	Date of Report: 14/04/2025
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025
Environment Condition (Temp. & Humidity): NA	
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Karnprayag Chamoli"	
Issued to: M/S D.S Construction I-7 Nehru colony, Dehradun 248001	Page 1 of 1

Location: L.H.S (Km-7)

Parameters	Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000					
		Industrial	Commercial	Residential	Silence		
Noise Level (Day)dB(A)	Leq	Day	56.40	75	65	55	50
	Lmax.	Day	58.9	-	-	-	-
	Lmin.	Day	49.4	-	-	-	-

*****End of Report*****

Hch

NARESH CHAMOLI
Environment Expert
FRU PWD (U-PREPARE)
Dehradun

HP
संहायक अभियन्ता
प्रान्तीय खण्ड लो०नि०वि०
कर्णप्रयाग

Checked & Issued by
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajanwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mobi: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2025/0704/23
Sample Id: 07042025/23	Date of Report: 14/04/2025
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Karnprayag Chamoli"	
Issued to: M/S D.S Construction I-7 Nehru colony, Dehradun 248001	

Location: R.H.S (Km-7)

Parameters	Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
		Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day 55.10	75	65	55
	Lmax.	Day 56.8	-	-	-
	Lmin.	Day 48.65	-	-	-

*****End of Report*****

NAresh CHAMOLI
Environment Expert
FPIU PWD (U-PREPARI)
Dehradun

सहायक अभियन्ता
प्राक्तीय खण्ड लो०नि०लि
कर्णप्रयाग

Checked & Issued by
Authorised Signatory

- The result listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
- This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.



DEVBHOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO 19001:2015 & J4001: 2015 Certified Laboratory
Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171
Mobi: +91-7217360360, +91-7579118238, 8859392493, 9760764229
Email: devbhoomilab@gmail.com

TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2025/0704/24
Sample Id: 07042025/24	Date of Report: 14/04/2025
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025
Environment Condition (Temp. & Humidity): NA	
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Karmprayag Chamoli"	
Issued to:	Page 1 of 1
M/S D.S Construction 1-7 Nehru colony, Dehradun 248001	

Location: L.H.S (Km-3)

Parameters	Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
		Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	54.10	75	65
	Lmax.	Day	55.3	-	-
	Lmin.	Day	49.6	-	-

*****End of Report*****

NAresh Chaturvedi
Environmental Expert
FIRU PWU (U-PREP)
Dehradun

सहायक अभियन्ता
प्रास्तीय खण्ड लोगोनिकि
कर्णप्रयाग

Checked & Issued by
Authorised Signatory

- The result listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
- This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Haridwarwala, Telpur Chowk, Shivalik By Pass Road, Dehradun 248171

Mobile: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2025/0704/25
Sample Id: 07042025/25	Date of Report: 14/04/2025
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025
Environment Condition (Temp. & Humidity): NA	
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Karnprayag Chamoli"	
Issued to: M/S D.S Construction I-7 Nehru colony, Dehradun 248001	Page 1 of 1

Location: R.H.S (Km-3)

Parameters	Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
		Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	53.4	75	65	55
	Lmax.	55.3	-	-	-
	Lmin.	49.6	-	-	-

*****End of Report*****

NAresh Chaitali
Environment Expert
FPU PWD (U-PREPARE),
Dehradun

सहायक अभियन्ता
प्रान्तीय खण्ड लोनिंग
कर्णप्राप्ति

Checked & Issued by
Authorised Signatory

1. The result listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.



Scanned with OKEN Scanner



DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001:2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shilma By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2025/0704/26	
Sample Id: 07042025/26	Date of Report: 14/04/2025	
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025	
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025	
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025	
Environment Condition (Temp. & Humidity): NA	Page 1 of 1	
Addition to, Deviation or Exclusion from the Method: NA	Page 1 of 1	
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Karnprayag Chamoli"	Page 1 of 1	
Issued to:	Page 1 of 1	
M/S D.S Construction I-7 Nehru colony, Dehradun 248001	Page 1 of 1	

Location: L.H.S (Km-11)

Parameters	Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000					
		Industrial	Commercial	Residential	Silence		
Noise Level (Day)dB(A)	Leq	Day	51.4	75	65	55	50
	Lmax.	Day	55.9	-	-	-	-
	Lmin.	Day	49.4	-	-	-	-

*****End of Report*****

Ach
NARESH CHAMOLI
 Environment Expert
FPIU PWU (U-PREPARE)
 Dehradun

h
 सहायक अभियन्ता
 राष्ट्रीय खण्ड लोगिस्टिक्स
 कर्पोरेशन

Arvind
 Checked & Issued by
 Authorised Signatory

- 1. The result listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
- 2. Total liability of our lab is limited to the invoiced amount.
- 3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
- 4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.



DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO 19001:2015 & 14001:2015 Certified Laboratory

Neelkanth Enclave, Hirbhaiwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2025/0704/27
Sample Id: 07042025/27	Date of Report: 14/04/2025
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025
Environment Condition (Temp. & Humidity): NA	
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Karnprayag Chamoli"	
Issued to:	Page 1 of 1
M/S D.S Construction I-7 Nehru colony, Dehradun 248001	

Location: R.H.S Km-11

Parameters	Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000					
		Industrial	Commercial	Residential	Silence		
Noise Level (Day)dB(A)	Leq	Day	52.4	75	65	55	50
	Lmax.	Day	54.9	-	-	-	-
	Lmin.	Day	49.6	-	-	-	-

*****End of Report*****

Hch
NAresh CHAMOLI
Environment Expert
FRIU PWD (U-PREPARE)
Dehradun

he
महाराजा अम्बेडकर
प्रान्तीय खण्ड लोकोपकारी
कार्यक्रम

Arvind

Checked & Issued by
Authorised Signatory

- The result listed refer only to the tested sample & applicable parameters and endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
- This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@pnmail.com

TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2025/0704/28
Sample Id: 07042025/28	Date of Report: 14/04/2025
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025
Environment Condition (Temp. & Humidity): NA	
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Karnprayag Chamoli"	
Issued to: M/S D.S Construction I-7 Nehru colony, Dehradun 248001	Page 1 of 1

Location: L.H.S (Km-14)

Parameters	Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000					
		Industrial	Commercial	Residential	Silence		
Noise Level (Day)dB(A)	Leq	Day	51.4	75	65	55	50
	Lmax.	Day	53.6	-	-	-	-
	Lmin.	Day	48.4	-	-	-	-

*****End of Report*****

Ach
NARESH CHAMOLI
Environment Expert
FPIU PWD (U-PREPARE)
Dehradun

h.p.
सहायक अधिकारी
प्राक्तिय खण्ड लोगिस्टिक्स
कार्यालय

Checked & Issued by
Authorised Signatory

- 1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
- 2. Total liability of our lab is limited to the invoiced amount.
- 3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
- 4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.



DEVBHOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001:2015 Certified Laboratory

Neelkanth Enclave, Harhajwala, Telpur Chowk, Shilma By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118236, 8859392493, 9760764229

Email: devbhoomilah@gmail.com

TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2025/0704/29	
Sample Id: 07042025/29	Date of Report: 14/04/2025	
Sample Quantity: As per requirement	Date of Sampling: 07/04/2025	
Sample Condition: Receipt as OK	Start Date of Testing: 09/04/2025	
Sample Plan & Sampling Method: NA	Date of Completion: 14/04/2025	
Environment Condition (Temp. & Humidity): NA	Page 1 of 1	
Addition to, Deviation or Exclusion from the Method: NA		
N.O.W : "Construction of 4 No. of Intermediate lane RCC Bridge & Steel Truss in km 3, 7, 11 & 14 at Nandprayag Ghat Motor Road in Karnprayag Chamoli"		
Issued to:		
M/S D.S Construction I-7 Nehru colony, Dehradun 248001		

Location: R.H.S (Km-14)

Parameters	Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
		Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	53.6	75	65
	Lmax.	Day	55.6	-	-
	Lmin.	Day	48.6	-	-

*****End of Report*****

H.C.
NARES
Enviro
FRU Pvt. Ltd.
Dehradun

h.s.
सहायक अधिकारी
प्रान्तीय खण्ड लोकमित्र
कर्पोरेशन

Anil

Checked & Issued by
Authorised Signatory

- The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
- This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.



Scanned with OKEN Scanner