



TEST REPORT

Issued to: M/s Tons Builders, Near Telephone Exchange, Purola, Uttarkashi.	Report No.: METCLPL/DDN/11112024/05 Sample Id: 111124/05 Date of Receipt: 11/11/2024 Date of performance of Testing: 11 - 14/11/2024 Date of Issue of Report: 14/11/2024
Sample Description: Ambient Air Monitoring Sample Quantity: NA Sample Condition: Receipt as OK Sample Plan & Sampling Method: N/A. Environment Condition (Temp. & Humidity): 25.0 ⁰ ±5 ⁰ C & NA Addition to, Deviation or Exclusion from the Method: NA	Location: A1 Side Sampling Period: Twenty Four Hours form 09/11/2024 (1:45 PM) to 10/11/2024 (1:45 PM) Test Performed at: Site & Lab
N.O.W.: Construction of 90 M Span Single Lane Pedestrian Suspension Bridge and its approach road near Tikochi Market in District Uttarkashi under EPC mode. C.A. No.: 11/U-PREPARE/14/BR/RFB-EPC/UGRIDP/2023 Dated: 18.09.2024	

TEST CERTIFICATE OF AIR MONITORING

S. No.	Parameters	Test-Value	Requirement as per National Ambient Air Quality Standards (NAAQS #)	Method of Test
1	Particulate Matter (size < 10µm), µg/m ³ (24 hrs)	73.9	100 Max.	IS 5182 (P-23): 2006
2	Particulate Matter (size < 2.5 µm), µg/m ³ (24 hrs)	37.0	60 Max.	IS 5182 (P-24): 2019
3	Sulphur dioxide (SO ₂), µg/m ³	18.5	80 Max.	IS 5182 (P-2): 2001
4	Nitrogen dioxide (NO ₂), µg/m ³	26.2	80 Max.	IS 5182 (P-6): 2006
5	Carbon Mono Oxide(CO), mg/m ³	0.21	4 Max.	IS 5182 (P-10): 1999

Remarks: NAAQS: Schedule –VII, (Rule 3 (B)) Part II- Sec-3(i)16

*****End of Report*****



Mr. Rahul Rohilla (Q.M./T.M)

Reviewed & Authorised

1. The result listed refer only to the tested samples and applicable parameters endorsement of product is neither inferred nor implied.
2. Total liability of our Lab. is limited to the invoiced amount.
3. Samples will be destroyed after 30 Days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.



Doc. No.: METCL/FF/48

METESTING & CALIBRATION LABORATORY PVT. LTD.

Harbanswala, Telpur Chowk, Shimla Bypass Road,
Dehradun, Uttarakhand, India-248171

Mobile: +91 7535000491, +91 7535000492

Email: metclddn@gmail.com

TEST REPORT

Issued to: M/s Tons Builders, Near Telephone Exchange, Purola, Uttarkashi.	Report No.: METCLPL/DDN/11112024/06 Sample Id: 111124/06 Date of Receipt: 11/11/2024 Date of performance of Testing: 11 - 14/11/2024 Date of Issue of Report: 14/11/2024
Sample Description: Ambient Air Monitoring Sample Quantity: NA Sample Condition: Receipt as OK Sample Plan & Sampling Method: N/A. Environment Condition (Temp. & Humidity): 25.0 ⁰ ±5 ⁰ C & NA Addition to, Deviation or Exclusion from the Method: NA	Location: A2 Side Sampling Period: Twenty Four Hours form 09/11/2024 (12:42 PM) to 10/11/2024 (12:42 PM) Test Performed at: Site & Lab
N.O.W.: Construction of 90 M Span Single Lane Pedestrian Suspension Bridge and its approach road near Tikochi Market in District Uttarkashi under EPC mode. C.A. No.: 11/U-PREPARE/14/BR/RFB-EPC/UGRIDP/2023 Dated: 18.09.2024	

TEST CERTIFICATE OF AIR MONITORING

S. No.	Parameters	Test-Value	Requirement as per National Ambient Air Quality Standards (NAAQS #)	Method of Test
1	Particulate Matter (size < 10µm), µg/m ³ (24 hrs)	73.4	100 Max.	IS 5182 (P-23): 2006
2	Particulate Matter (size < 2.5 µm), µg/m ³ (24 hrs)	35.8	60 Max.	IS 5182 (P-24): 2019
3	Sulphur dioxide (SO ₂), µg/m ³	19.0	80 Max.	IS 5182 (P-2): 2001
4	Nitrogen dioxide (NO ₂), µg/m ³	25.8	80 Max.	IS 5182 (P-6): 2006
5	Carbon Mono Oxide(CO), mg/m ³	0.23	4 Max.	IS 5182 (P-10): 1999

Remarks: NAAQS: Schedule –VII, (Rule 3 (B)) Part II- Sec-3(i)16

*****End of Report*****



Mr. Rahul Rohilla (Q.M./T.M)

Reviewed & Authorised

1. The result listed refer only to the tested samples and applicable parameters endorsement of product is neither inferred nor implied.
2. Total liability of our Lab. is limited to the invoiced amount.
3. Samples will be destroyed after 30 Days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

NABL ACCREDITED & CPWD APPROVED LAB.