



DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO 9001:2015 & 14001:2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shilma By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2024/2910/11
Sample Id: 29102024/11	Date of Report: 06/11/2024
Sample Quantity: As per requirement	Date of Sampling: 29/10/2024
Sample Condition: Receipt as OK	Start Date of Testing: 01/11/2024
Sample Plan & Sampling Method: NA	Date of Completion: 06/11/2024
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : Construction of 18m Span RCC Motor bridge in km 4, at Nandprayag Ghat Motorway under U-PREPARE Project.	
Issued to: M/S ARKS UNIVERSAL PRIVATE LIMITED	

Location: L.H.S

Parameters			Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
				Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	40.8	75	65	55	50
	Lmax.	Day	43.5	-	-	-	-
	Lmin.	Day	37.6	-	-	-	-

*****End of Report*****

Handwritten signature
Enx ETP FPD PWD.
D.D.

Handwritten signature
ARE



Checked & Issued by
Authorised Signatory

1. The result listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001:2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shilpa By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2024/2910/12
Sample Id: 29102024/12	Date of Report: 06/11/2024
Sample Quantity: As per requirement	Date of Sampling: 29/10/2024
Sample Condition: Receipt as OK	Start Date of Testing: 01/11/2024
Sample Plan & Sampling Method: NA	Date of Completion: 06/11/2024
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : Construction of 18m Span RCC Motor bridge in km 4, at Nandprayag Ghat Motorway under U-PREPARE Project.	
Issued to:	
M/S ARKS UNIVERSAL PRIVATE LIMITED	

Location: R.H.S

Parameters		Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000				
			Industrial	Commercial	Residential	Silence	
Noise Level (Day)dB(A)	Leq	Day	42.9	75	65	55	50
	Lmax.	Day	45.7	-	-	-	-
	Lmin.	Day	39.2	-	-	-	-

*****End of Report*****

Handwritten:
R.H.S
ENT EFF. FPCU P.O.D.
D.P.

Checked & Issued by
Authorised Signatory

Handwritten signature

1. The result listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO 9001:2015 & 14001:2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2024/3010/11
Sample Id: 30102024/11	Date of Report: 06/11/2024
Sample Quantity: As per requirement	Date of Sampling: 30/10/2024
Sample Condition: Receipt as OK	Start Date of Testing: 01/11/2024
Sample Plan & Sampling Method: NA	Date of Completion: 06/11/2024
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W: Construction of 15 m Span RCC Motor bridge in km 8-(HM 2-4), at Nandprayag Ghat Motorway under U-PREPARE Project.	
Issued to: M/S ARKS UNIVERSAL PRIVATE LIMITED	

Location: L.H.S

Parameters			Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
				Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	41.5	75	65	55	50
	Lmax.	Day	43.7	-	-	-	-
	Lmin.	Day	39.3	-	-	-	-

*****End of Report*****

Handwritten signature
Enx Exp. FPEU PWD.
D.D



Handwritten signature

Checked & Issued by
Authorised Signatory

1. The result listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla Bypass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2024/3010/12
Sample Id: 30102024/12	Date of Report: 06/11/2024
Sample Quantity: As per requirement	Date of Sampling: 30/10/2024
Sample Condition: Receipt as OK	Start Date of Testing: 01/11/2024
Sample Plan & Sampling Method: NA	Date of Completion: 06/11/2024
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W: Construction of 15 m Span RCC Motor bridge in km 8-(HM 2-4), at Nandprayag Ghat Motorway under U-PREPARE Project.	
Issued to: M/S ARKS UNIVERSAL PRIVATE LIMITED	

Location: R.H.S

Parameters			Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
				Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	39.5	75	65	55	50
	Lmax.	Day	42.7	-	-	-	-
	Lmin.	Day	36.8	-	-	-	-

*****End of Report*****

Handwritten:
Atchanda
Env. Exp. FPEU PWD
D.D.

Handwritten signature:
MC

Handwritten signature:
[Circular stamp]

Checked & Issued by
Authorised Signatory

- The result listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
- This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2024/0111/11
Sample Id: 01112024/11	Date of Report: 07/11/2024
Sample Quantity: As per requirement	Date of Sampling: 01/11/2024
Sample Condition: Receipt as OK	Start Date of Testing: 02/11/2024
Sample Plan & Sampling Method: NA	Date of Completion: 07/11/2024
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W: Construction of 30m Span Steel Truss Motor bridge in km 8-(HM 8-10), at Nandprayag Ghat Motorway under U-PREPARE Project.	
Issued to: M/S ARKS UNIVERSAL PRIVATE LIMITED	

Location: L.H.S

Parameters			Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
				Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	42.9	75	65	55	50
	Lmax.	Day	45.7	-	-	-	-
	Lmin.	Day	40.4	-	-	-	-

*****End of Report*****

Handwritten signature
ENV EXP. FPIU PDD
P.D.

Handwritten signature
Checked & Issued by
Authorised Signatory

1. The result listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2024/0111/12
Sample Id: 01112024/12	Date of Report: 07/11/2024
Sample Quantity: As per requirement	Date of Sampling: 01/11/2024
Sample Condition: Receipt as OK	Start Date of Testing: 02/11/2024
Sample Plan & Sampling Method: NA	Date of Completion: 07/11/2024
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W: Construction of 30m Span Steel Truss Motor bridge in km 8-(HM 8-10), at Nandprayag Ghat Motorway under U-PREPARE Project.	
Issued to: M/S ARKS UNIVERSAL PRIVATE LIMITED	

Location: R.H.S

Parameters			Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
				Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	43.2	75	65	55	50
	Lmax.	Day	47.8	-	-	-	-
	Lmin.	Day	41.0	-	-	-	-

*****End of Report*****

Handwritten:
Nehal
Env. Exp. Filed
D.D.

Handwritten signature:
A. D. S.

Checked & Issued by
Authorised Signatory

1. The result listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.



TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2024/0211/10
Sample Id: 02112024/10	Date of Report: 09/11/2024
Sample Quantity: As per requirement	Date of Sampling: 02/11/2024
Sample Condition: Receipt as OK	Start Date of Testing: 04/11/2024
Sample Plan & Sampling Method: NA	Date of Completion: 09/11/2024
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : Construction of 24 m Span Steel Truss Motor bridge in km 12, at Nandprayag Ghat Motorway under U-PREPARE Project.	
Issued to: M/S ARKS UNIVERSAL PRIVATE LIMITED	

Location: L.H.S

Parameters			Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
				Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	41.7	75	65	55	50
	Lmax.	Day	44.6	-	-	-	-
	Lmin.	Day	38.2	-	-	-	-

*****End of Report*****

Atam Sh
Fnx - Ftp - f p f u p w d
D.P.

Arsh

Mc

Checked & Issued by
Authorised Signatory

1. The result Listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the Invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.





DEVBHOOMI TESTING LABORATORY DEHRADUN

NABL Accredited, Govt. Approved, MSME Registered, & ISO : 9001:2015 & 14001: 2015 Certified Laboratory

Neelkanth Enclave, Harbhajwala, Telpur Chowk, Shimla By Pass Road, Dehradun 248171

Mob: +91-7217360360, +91-7579118238, 8859392493, 9760764229

Email: devbhoomilab@gmail.com

TEST REPORT

Description of Sample: Noise Level Monitoring	Report No.: DTL/DDN/2024/0211/11
Sample Id: 02112024/11	Date of Report: 09/11/2024
Sample Quantity: As per requirement	Date of Sampling: 02/11/2024
Sample Condition: Receipt as OK	Start Date of Testing: 04/11/2024
Sample Plan & Sampling Method: NA	Date of Completion: 09/11/2024
Environment Condition (Temp. & Humidity): NA	Page 1 of 1
Addition to, Deviation or Exclusion from the Method: NA	
N.O.W : Construction of 24 m Span Steel Truss Motor bridge in km 12, at Nandprayag Ghat Motorway under U-PREPARE Project.	
Issued to: M/S ARKS UNIVERSAL PRIVATE LIMITED	

Location: R.H.S

Parameters			Test Value	Ambient Air Quality Standards in respect of Noise Limits in dB(A) Leq, (the Noise Pollution Regulation & Control) RULES-2000			
				Industrial	Commercial	Residential	Silence
Noise Level (Day)dB(A)	Leq	Day	42.5	75	65	55	50
	Lmax.	Day	45.9	-	-	-	-
	Lmin.	Day	40.6	-	-	-	-

*****End of Report*****

Handwritten signature
Enr. Exp. FPCU PWD.
D.D.



Checked & Issued by
Authorised Signatory

1. The result listed refer only to the tested sample & applicable parameters endorsement of products is neither inferred nor implied.
2. Total liability of our lab is limited to the invoiced amount.
3. Sample not drawn by lab and sample will be destroyed after 30 days from the date of issue of test report.
4. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

