Appropriate No:1 Title: TOM CAT installation SIW + HIW: Javo 7 con Later Requirements Apache Tomat Server Theory ules application A web application runs over Internet Ex ebay, Amozon, Goagle, Facebook etc web app has 5 elements O HTTP souver: eg: google webserver, Aaparhe HTTP bonner, apache Toncas server puriosoft Internet Information Server (2) HTTP client (web browser) Eg are Internet Explorer Firefox, google chrome safari etc 3 Patabase eg: Mysal, Apache Derby commercial Oracle BMDB2, SAP SyBase Msa crossete Do client - side prog: It can be written in HTML form VB script, Javoscript Flash etc (3) Server-side prog could be written in Java serulet IJSP, ASP, PHP, Perl Python CGIT and others web app is a 3 tier dient server DB application which vum cever the Internet

		than	Camlin Page
as	shown in	following	diagram
	rp dient	HTTP (aver TCP/IP)	HTTP services:
5		Request usq	The same of the same
- 120	ent-side	H Response r	sg Server Side
10 1	pplication	HTTP SSL	DB crbb
to the state of th	Session Transport	TCP -+1	Multiplencing
P	ata link	TEEE80211X	(Part) Re transmission
	Physical	done his	(IP address)
land	re Tomcat cot is an a	Shero SHIMEO	project under
DILL	you come	Poundation. The tornated of can find sit	Oacho OHO
25 Oppac	1 P. / P. L.	e de la	in significant

Scanned with CamScanner

	Camlin Page Date 1 1
	Tomcat Direction
	Drantain the following sub direction
	the state of the s
	bin: It contains the binaries: start up script
5	shutdown societ as well as other binaries
	and script
-	conf. It contrains the system wide config files such as server xml webxml
	files such as server xml webxml
	content xml
10	lib: it contain the Tomcat system wide JAR
	Pele which can be accessible by all
	webapps marings with him all
_	log: 9+ contains log files of Torneat Also you
	can check evic may here
— 15	webapps: It compains the webapps to be deployed
	you can also place the WAR file for
	deployment here
-	work: Tomcat's working directory used by
la d	work: Tomcat's working directory used by ISPI for JSP to servlet conversation
	temp: temporary files are stored in this
46	directory
4.19	I believe com an adores
	Conducion Henre we have learned how
-	to unstall and configure Tomat server
25	Da

Assignment No: 1

Installation of TOMCAT Server and Configuration of it.


Name Ankita Bonde

Class TE_A


Roll No:19

Apache tomcat EXECUTION STEPS:


1) Goto http://tomcat.apache.org




2) Select tomcat version 8 from left side list under Download option (tomcat 8) or select alink <u>32-bit/64-bit Windows Service Installer (pgp, md5, sha1, sha512)</u> 3. Download and run '.exe ' file.




3) installation of Tomcat at C:\Program Files (x86)\Apache Software Foundation





4) Use the default settings and provide a password that you will remember.



5) Find start program in program menu. Look under Apache Tomcat and select "Startup.bat"

Open web browser and type https://localhost:8080/

