Scanned with CamScanner

	Camlin Page
2	CSS 1 1 1 2 C 1 1 1 C 1 1 1 C 1 1 C 1 C 1 C
	CSS stands for Cascading Style sheets.
	It is nothing but design lang intended to simplify the process of making web pages
	rimply the process of making web pages
5	presentable as bandles the feel and look
	part of a web pages Css is easy to learn
	easy to understand it provides powerful
	control on presentation of an HTML downer
	Advantage of CSS
10	- 9t saves the time pages load Fast, Easy
and the	maintaince, superiony styles to HTML
	- Multiple Device compatibility global web
	std.
100 M	and well beginder what be a sult
15	CSS Modules:
	Box Module Animation
1 11 11	Background Image Val and Replace Con
	Boerder 2 b/3 p transformation Text Effects Multiple Column layout
20	Text effects Multiple Column layout
Berlin	Condusion
	Thus we have designed static webpar
- 18	with HTML and CSS
2	
•	

Assignment 2:

Write a program to design registration form for students by using HTML and CSS

Name: Ankita Bonde

TE-A-19

```
1. Display.html
   <html>
    <head>
      <title> display</title>
    </head>
   <body>
     <h1 style="color:blue; margin-left:30px;"> You have submitted the form successfully....></h1>
   </body>
   </html>
2. Regform.html:
   <!DOCTYPE html>
   <html lang="en" dir="ltr">
   <head>
    <meta charset="utf-8">
    <title>regform</title>
    <link href="/p2/samp.css" rel="stylesheet">
    </link>
   </head>
   <body>
    <div class="con">
     <form action="/p2/display.html" method="get" align="center">
      <div class="con2">
       <img src="handshake.jpg" width=380px height=100px></img>
      </div>
      <div class="main">
       <b><br>Welcome to Registration
           Page<br>
```

```
<div class="con1">
   Full Name:
    <input type="text" value=""></input>
   Class
    <input type="text" value=""></input>
   Department
    <input type="text" value=""></input>
   address:
    <textarea row="3" column="2"></textarea>
   email:
    <input type="text" value=""></input>
   phone:
    <input type="text" value=""></input>
   <input type="submit" value="SUBMIT">
    <input type="reset" value="CANCEL">
   </div>
 </div>
 </form>
</div>
</body>
```

```
3. Samp.css:
    .con {
     width: 400px;
     height: 400px;
    background-color: blue;
     color: black;
    padding: 0px 10px 0px 30px;
     margin: auto;
    }
    .main {
     width: 400px;
     height: 80px;
     float: left;
    padding: 60px 10px 10px 10px;
     margin: auto;
    }
    .con1 {
     width: 200px;
     height: 30px;
     float: left;s
     margin: auto;
     padding: Opx Opx Opx Opx;
    }
    .con2 {
     width: 150px;
     height: 30px;
     float: left;
     margin: 10px 10px 10px 10px;
    padding: Opx Opx Opx Opx;
    }
```

OUTPUT:

