8231



## STUDENT REPORT

# **DETAILS** Name

ANKITA SHANTAYYA SASIMATH

BRZ

**Roll Number** 

3BR23AI011

### **EXPERIMENT**

**Title** 

Alon'

SPECIAL STRING

### Description

Alice has a string A consisting of lowercase English letters. Her friend gives her another string S and asks her to modify string A and replace its characters with the characters present in string S.

But, to achieve the above task, Alice must follow the below steps:

1. Choose a character from string S that has the minimum ASCII distance from the ith character in string A

38R23A101 3BR23A101 3BR23A

PIO

Replace the ith character in string A with the chosen character in string S

Your task is to find and return an integer value, representing minimum total ASCII distance that is required to modify string A to the characters in string S. Return 0, if all the characters in string S are already present in string A

### **Sample Input:**

abcd

xyz

### **Sample Output:**

86

# 3BR23A101 3BR23A **Source Code:**

23A10

27

30

38R23A1011 3R1011 3R1011

```
def min_ascii_distance(A, S):
    total_distance = 0
    found_all = True
    for char_a in A:
        # Find the minimum ASCII distance character in S
        min_distance = float('inf')
        for char_s in S:
            distance = abs(ord(char_a) - ord(char_s))
            if distance < min_distance:</pre>
                min_distance = distance
        \# If the character from A is not in S, we add the minimum distance
        if min_distance != 0:
            found_all = False
            total_distance += min_distance
    return total_distance if not found_all else 0
# Sample Input
A = input()
S = input()
# Finding the minimum total ASCII distance
result = min_ascii_distance(A, S)
print(result) # Output: 86
```

RESULT

5 / 5 Test Cases Passed | 100 %

https://practice.reinprep.com/student/get-report/47eeedba-7dbf-11ef-ae9a-0e411ed3c76b