



Let your imagination
drive your innovation

- Problem Statement 1: **Sustainable Port Infrastructure Development for Large-Scale EPC Projects in India**
- Team Name : **MANIT-pop**
- Institute Name: **Maulana Azad National Institute of Technology, Bhopal**
- Team Leader's Name & Contact Details: **Manasvi Sakhala, +919579235093**

**Inadequate Depths**

Many major ports face shallow depths, limiting their capacity for large vessels, causing congestion and reduced efficiency.

1



2



3



4



5



6



7



8

**Dredging Inefficiencies**

Inconsistent dredging causes fluctuating water depths, complicating navigation for large cargo ships and affecting access channels and berths.

Inefficient Cargo Handling

A lack of specialized cargo handling facilities at many berths contributes to delays. Sluggish manual operations and outdated technology hamper overall efficiency.

Storage Issues & Connectivity

Insufficient storage facilities disrupt cargo handling, while weak road and rail connectivity delays evacuation and raises logistics costs significantly.

Environmental Non-Compliance

Oil spills, waste mismanagement, and weak regulations cause marine pollution, while unsustainable practices increase ports' carbon footprints.

Extended Ship Turnaround Time

Ships at Indian ports face delays due to slow unloading and clearance, unlike Singapore, where turnaround is under a day.

Obsolete Equipment

Over half of the port equipment is outdated, harming efficiency. Modern shipping firms prefer private ports with better infrastructure.

Long Inspections & Delays

Despite digital advancements, slow clearance processes lead to extended wait times and congestion, exacerbated by excessive paperwork and regulatory challenges.

4.3. A Comparative analysis of International Port viz-a-viz Indian Major Ports:

An analysis of the facilities available at International Ports and at Indian Ports shows the following major differences.

Sl. No	Indian Port	Rotterdam Port
1	Evacuation / Aggregation of cargo	
	Cargo is predominantly by road and rail only.	Most of the bulk cargo and the containers movement through barges accounts for 50-60% transportation because of excellent inland water networking. Intermodal connectivity by rail / road is seamless.
2	Level of Mechanization	
	The extent of mechanization is less in Indian Major Ports	The level of mechanization is very high with the latest technologies applied in all spheres.
3	Location of Port based Industries	
	Most of the manufacturing firms are located away from the ports.	Most of the manufacturing units are located within the Port, thereby the evacuation is very fast.
4	Availability of storage space	
	Land is very scarce in Ports. Hence, evacuation has to take place.	As so much of land is available at the Rotterdam Port, the more number of days the cargo lies inside the Terminal, the revenue is high to the Terminal Operator.
5	Availability of Resources	
	We have dedicated terminals with less number of berths.	There is no concept of pre-berthing detention as the berths are waiting for ships and they have longer quay lengths.

EDI (Electronic Data Interchange) implementation in Indian ports is partial, with manual processes, while Rotterdam has a fully digital system with minimal human intervention. Customs clearance in India happens at the port, whereas in the EU, it can be done elsewhere. Work processes in India are partly computerized, whereas Rotterdam uses enterprise resource planning (ERP) software, etc.

Eco Materials

Utilizing eco-friendly materials like geopolymers can significantly reduce carbon emissions while providing durability. Recycled products help minimize waste and promote a circular economy in construction.

Float Jetties

Floating jetties necessitate no seabed disruption, preserving marine ecosystems. They're a cost-effective option, easily adaptable to changing port needs and water levels, enhancing operational efficiency.

Deep Docks

Docks designed for larger vessels (over 18m deep) ensure efficient cargo handling and reduce the need for extensive dredging, creating a balanced solution for commerce and environmental conservation.



Sustainable Port Infrastructure Development

Eco Dredging

Implementing eco-dredging techniques includes conducting thorough seabed assessments and using silt curtains to protect aquatic life, while repurposing dredged materials for coastal management.

Modular Build

Building with prefabricated sections streamlines construction processes and lowers costs, allowing for future expansion while minimizing environmental impact through reduced site disturbance.

Smart Tech

Leveraging IoT and AI, ports can monitor environmental conditions and optimize operations. This technological advancement minimizes human error and enhances overall efficiency in logistics.

Renewable Energy

Utilizing renewable energy sources like solar panels and tidal power can significantly reduce ports' carbon footprints. Shore-to-ship power systems further decrease reliance on fossil fuels, promoting sustainability.

Key Solutions:

- 1. Eco Materials** – Uses sustainable materials like geopolymers and recycled products to cut carbon emissions while ensuring durability.
- 2. Float Jetties** – No seabed disruption, cost-effective, and adaptable to changing water levels, ensuring smooth port operations.
- 3. Deep Docks** – Designed for large vessels (18m+ deep) to handle cargo efficiently while reducing dredging needs, benefiting both commerce and marine life.
- 4. Eco Dredging** – Conducting seabed surveys, using silt curtains to protect aquatic life, and repurposing dredged materials for coastal management.
- 5. Modular Build** – Prefabricated sections streamline construction, lower costs, allow expansion, and minimize environmental impact.
- 6. Smart Tech** – Using IoT & AI for environmental monitoring, reducing human errors, and optimizing logistics.
- 7. Renewable Energy** – Solar panels, tidal power, and shore-to-ship electricity reduce ports' carbon footprint and reliance on fossil fuels.

Eco-Friendly Construction & Materials – A Smarter, Greener Choice

Traditional port construction is carbon-intensive and environmentally damaging. Our sustainable approach ensures durability, lower emissions, and long-term cost savings.

- **Geopolymer Concrete (GPC):** Reduces CO₂ emissions by 50-80%, highly durable, and resistant to marine corrosion.
- **Recycled Materials:** Crushed concrete, rubber, and plastic reduce waste while strengthening foundations.
- **Sustainable Steel & Bamboo:** Low-carbon, high-strength, and earthquake-resistant construction materials.
- **Eco-Friendly Coatings:** Graphene-based protection extends infrastructure life and reduces maintenance costs.


Floating Jetties – Smart, Sustainable, and Cost-

Effective Why Choose Floating Jetties?

- No seabed excavation, preserving marine ecosystems
- Cost-effective and adaptable to port needs
- Expandable, relocatable, and wave-resistant

Key Design Requirements

- Structure: 20+ years lifespan, withstands 0.6m waves, stable under heavy loads
- Materials: M45 concrete, GGBS cement (eco-friendly), EPS floatation cores, corrosion-resistant steel
- Mooring: Pile mooring for calm waters, chain mooring for rough conditions




Eco-Dredging: Sustainable Depth Management

Key Components:

- **Sustainable Dredging Practices** – Uses hydrographic surveys, geotechnical investigations, and environmental assessments to plan dredging with minimal disruption.
- **Beneficial Use of Dredged Material** – Reused for land reclamation, beach nourishment, habitat restoration, and construction materials to reduce waste.
- **Low-Impact Dredging Techniques** – Includes closed bucket dredging, hydraulic and mechanical dredging for minimal seabed disturbance.
- **Sediment Control & Recycling** – Uses capping, bioremediation, and sediment recycling to prevent contamination spread.
- **Advanced Monitoring & Modeling** – Real-time water quality tracking, USVs, and mathematical modeling optimize dredging efficiency and reduce ecological impact.
- **PPP Model & Cost Optimization** – Encourages Public-Private Partnerships for cost-effective, efficient execution with strict quality control and monitoring.

Inspired by Fincantieri's LIMPIDH2O® system, we aim to implement eco-friendly dredging solutions that minimize environmental impact, optimize sediment reuse, and reduce operational costs. This closed-loop, non-invasive technology aligns with global sustainability goals, ensuring regulatory compliance and long-term efficiency in our sustainable seaport development.



Why Do Ports Need Automation?

- **Faster Cargo Handling** – AI-driven systems cut turnaround time, reducing congestion and delays.
- **Cost Optimization** – Robotics minimize labor and operational costs while boosting efficiency.
- **Zero Delays, Zero Errors** – AI and IoT-powered logistics ensure seamless, error-free operations.
- **Sustainability & Green Ports** – Energy-efficient solutions lower emissions for eco-friendly operations.

Game-Changing Technologies for Next-Gen Ports



Digital Twin Innovations

Develop a real-time digital replica of the port to streamline operations, predict maintenance needs, and optimize resource use. This ensures faster decisions, reduced downtime, and maximum efficiency.



Automated Guided Vehicles

Implement AI-driven Automated Guided Vehicles that autonomously navigate the port, streamlining cargo movement while reducing human error and increasing safety in logistics operations.



OCR & Computer Vision

Use AI-powered OCR and computer vision to instantly identify and track containers, ensuring faster inspections, accurate logistics, and seamless port operations while reducing errors and delays.



Connected Port Systems

Use IoT and smart sensors for real-time asset monitoring in the port, improving decision-making and efficiency while reducing delays and errors.



Secure logistics via blockchain

Adopt blockchain technology to create transparent, tamper-proof records of transactions and shipments, ensuring the integrity and security of trade activities across the port.

Shore Power

Shore power, also known as cold ironing or alternative maritime power (AMP), is a system where docked ships connect to the local electricity grid instead of running their diesel engines. This helps in reducing fuel consumption, emissions, and noise pollution at ports.

Benefits of Shore Power in Ports

- **Reduces Carbon Emissions** – Cuts SO₂, NO_x, and CO₂ emissions from ships at berth.
- **Decreases Noise Pollution** – Ships don't run generators, reducing port noise.
- **Energy Cost Savings** – Shore power is often cheaper than diesel fuel.
- **Regulatory Compliance** – Helps ports meet IMO and environmental regulations.


Carbon Capture

- **Flue Gas Collection** – CO₂ is captured directly from ship exhaust gases.
- **Chemical Absorption** – Amine-based solvents (MEA, DEA) absorb CO₂ from emissions.
- **Air Intake System** – Large industrial fans capture ambient air for CO₂ extraction.
- **Chemical Adsorption** – Solid sorbents (e.g., calcium looping, zeolites) trap CO₂ efficiently.
- **CO₂ Compression & Storage** – Collected CO₂ is liquefied for transport or injected underground for long-term storage.

Key

- **Shore-Side Infrastructure**
- **Ship-Side Infrastructure**


Components



Renewable Energy and Smart

System

- **Hybrid Renewable Energy** – Integrating solar and wave energy ensures reliable power.
- **Battery Storage** – Enhances renewable energy utilization by up to 15%.
- **Financial Viability** – Payback in 2–6 years through incentives and energy savings.
- **Decentralized RECs** – Multiple RECs are more cost-effective than a single large system.



To enhance port sustainability, key measures include **expanding green cover, electrifying equipment, and adopting clean fuels like Green Hydrogen and Ammonia**. Establishing renewable energy systems, **LNG bunkering, and EV charging will further reduce carbon emissions**. Efficient water and waste management, **including 100% wastewater recycling and marine ecosystem protection, will minimize environmental impact**. Real-time monitoring, **annual audits, and carbon credit incentives** will ensure compliance and continuous improvement, aligning with the **Harit Sagar - Green Port Guidelines**.

REFERENCES

- .Hybrid renewable energy system optimum design and smart dispatch for nearly Zero Energy Ports
- Inter-Ministerial Group. (2006). Dwell time and efficiency at ports (Report). Government of India.
- Ministry of Ports, Shipping and Waterways. (2021). Dredging guidelines for major ports. Government of India.
- Ministry of Ports, Shipping and Waterways. (2023). Harit Sagar - Green Port Guidelines (Rev-0). Government of India
- Ministry of Ports, Shipping and Waterways. (n.d.). Guidelines for floating jetties/platforms for marinas, minor harbors, fishing harbors, fish landing centers, waterdromes, and similar facilities. Government of India.