
Statistical Inference Course Project: Part 2

Author: Mehul Patel Date: July 25, 2015

Assignment Description

The data is set of 60 observations, length of odontoblasts (teeth) in each of 10 guinea pigs at each of three dose levels of Vitamin C (0.5, 1 and 2 mg) with each of two delivery methods (orange juice or ascorbic acid).

```
library(datasets)
library(ggplot2)
ggplot(data=ToothGrowth, aes(x=as.factor(dose), y=len, fill=supp)) +
    geom_bar(stat="identity") +
    facet_grid(. ~ supp) +
    xlab("Dose in miligrams") +
    ylab("Tooth length") +
    guides(fill=guide_legend(title="Supplement type"))
```



There is a clear positive correlation between the tooth length and the dose levels of Vitamin C, for both methods.

Let's check whether the supplement type (i.e. orange juice or ascorbic acid) has any effect on the tooth length. In other words, how much of the variance in tooth length (if any) can be explained by the supplement type?

```
fit <- lm(len ~ dose + supp, data=ToothGrowth)
summary(fit)</pre>
```

```
##
## Call:
## lm(formula = len ~ dose + supp, data = ToothGrowth)
## Residuals:
##
      Min
              1Q Median
                             3Q
                                   Max
   -6.600 -3.700 0.373
                         2.116
                                8.800
##
##
## Coefficients:
##
               Estimate Std. Error t value Pr(>|t|)
## (Intercept)
                 9.2725
                             1.2824
                                      7.231 1.31e-09 ***
## dose
                 9.7636
                             0.8768
                                     11.135 6.31e-16 ***
## suppVC
                -3.7000
                             1.0936
                                    -3.383
                                              0.0013 **
## ---
## Signif. codes:
                   0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 4.236 on 57 degrees of freedom
## Multiple R-squared: 0.7038, Adjusted R-squared: 0.6934
## F-statistic: 67.72 on 2 and 57 DF, p-value: 8.716e-16
```

The model explains 70% of the variance in the data. The intercept is 9.2725, meaning that with no supplement of Vitamin C, the average tooth length is 9.2725 units. The coefficient of dose is 9.7636, meaning that increasing the delievered dose of 1 mg, all else equal (i.e. no change in the supplement type), would increase the tooth length 9.7636 units. The last coefficient is for the supplement type. The computed coefficient is for suppVC and the value is -3.7 meaning that delivering a given dose as ascorbic acid, without changing the dose, would result in 3.7 units of decrease in the tooth length. Since there are only two categories, we can also conclude that on average, delivering the dosage as orange juice would increase the tooth length by 3.7 units.

95% confidence intervals for two variables and the intercept are as follows.

confint(fit)

```
## 2.5 % 97.5 %
## (Intercept) 6.704608 11.840392
## dose 8.007741 11.519402
## suppVC -5.889905 -1.510095
```

The confidence intervals mean that if we collect a different set of data and estimate parameters of the linear model many times, 95% of the time, the coefficient estimations will be in these ranges. For each coefficient (i.e. intercept, dose and suppVC), the null hypothesis is that the coefficients are zero, meaning that no tooth length variation is explained by that variable. All p-values are less than 0.05, rejecting the null hypothesis and suggesting that each variable explains a significant portion of variability in tooth length, assuming the significance level is 5%.