DDL commands

School Management system

- Info of Student
- Info of Teachers
- Marks

Table → to store data

DDL commands → Works on Structure not on data → DML commands

DDL commands

- CREATE
- ALTER
- DROP
- TRUNCATE
- RENAME

ALTER

DROP

① CREATE command.

- Table
- Database
- View
- Index
- Stored procedures

Student

id, name, age → Basic Info

```
CREATE TABLE STUDENT
(
id int,
name varchar(50),
age int
);
```

TO create database → create

```
CREATE DATABASE SMS;
```

I want to create tables in SMS db

↓

```
USE SMS;
```

2) ALTER COMMAND

↳ change

↳ db structure.

EMAIL

Add column

ALTER TABLE STUDENT

ADD Email varchar (50);

ID	Name	age	Email

2) Modify column → alter command

ALTER TABLE STUDENT

Modify name varchar(100);

varchar(50) → varchar(100)

3) Drop column → alter command

ALTER TABLE STUDENT

DROP COLUMN age;

DROP COLUMN age;

→ points

1. ALTER saves time
2. No need to recreate table.

I want to delete whole table



key points

1. permanently delete table
2. NO recovery

TRUNCATE

delete

DATA

DROP
↓
delete specific column if use ALTER command but it delete whole table.

TRUNCATE
↓
delete complete data but structure remain

Rename
↳ Table →
STUDENT → STUDENT-10THClass

DDL commands

- CREATE
  - DB
  - table
    - SMS
- ALTER
  - ADD COL
  - MODIFY COL
  - DROP COL
- DROP
  - ↓ whole table
- TRUNCATE
  - ↓ delete data not
- Rename
  - ↓ table
  - ↓ Student
  - ↓ Student

SMS ↓ STUDENT

COL ↓ EMail

COL ↓ varchar(10)

COL ↓ age

table delete

data not structure

↓ Student_10th_class