In [ ]:
```
# Github Link : https://github.com/AnkitaSavaliya/AIH/blob/main/MIMIC-III_NLP.ipynb
```

In [1]:
```
import pandas as pd
from google.cloud import bigquery

import warnings
warnings.filterwarnings("ignore")
```

In [2]:
```
# Mount google drive
from google.colab import drive
drive.mount('/content/drive')
```

```
Mounted at /content/drive
```

In [ ]:
```
!pip install spacy==3.7.5
!pip install scispacy
!pip install https://s3-us-west-2.amazonaws.com/ai2-s2-scispacy/releases/v0.5.4/en_
!pip install https://s3-us-west-2.amazonaws.com/ai2-s2-scispacy/releases/v0.5.4/en_
!pip install transformers
```

Fetching and Filtering Data of noteevents

In [ ]:
```
from google.colab import auth
auth.authenticate_user()
print('Authenticated')

!gcloud projects list

from google.cloud import bigquery

# Construct a BigQuery client object.
client = bigquery.Client(project='clinical-entity-extraction')

"""
ICD codes related to Hypertension:
 4010 - Malignant essential hypertension
 4011 - Benign essential hypertension
 4019 - Unspecified essential hypertension
"""
# Fetch notes only for ICD-9 code 4010(Malignant essential hypertension)
query = """
   SELECT SUBJECT_ID, TEXT, CATEGORY
    FROM `physionet-data.mimiciii_notes.noteevents`
    WHERE SUBJECT_ID IN (
        SELECT d.SUBJECT_ID
        FROM `physionet-data.mimiciii_clinical.diagnoses_icd` d
        WHERE d.ICD9_CODE = '4010' -- Hypertension code
        AND d.SEQ_NUM = 1  -- Assuming 1 indicates primary diagnosis
    )
    AND CATEGORY LIKE 'Discharge summary';
"""

# Run the query
```

```
query_job = client.query(query)

# Print the results
noteevents_df = query_job.to_dataframe()

len(noteevents_df)
```

```
Authenticated
PROJECT_ID                  NAME                        PROJECT_NUMBER
clinical-entity-extraction  clinical-entity-extraction  321960627270
```

Out[ ]: 162

In [ ]:
```
patients_dict = {"SUBJECT_ID":[],"CATEGORY":[],"TEXT":[]};
for i in range(0, len(noteevents_df)):
   patients_dict["SUBJECT_ID"].append(noteevents_df.loc[i, 'SUBJECT_ID'])
   patients_dict["CATEGORY"].append(noteevents_df.loc[i, 'CATEGORY'])
   patients_dict["TEXT"].append(noteevents_df.loc[i, 'TEXT'])

patients_df = pd.DataFrame(patients_dict)
```

In [ ]:
```
patients_df.shape
```

Out[ ]: (162, 3)

In [ ]:
```
#print first few records
patients_df.head(2)
```

In [ ]:
```
# Download the patients_df dataframe in .csv and excel format
patients_df.to_csv(r'Patient_Summary_4010.csv', index = False)
patients_df.to_excel("Patient_Summary_4010.xlsx")
```

In [ ]:
```
# Copy Processed data to google drive
!cp 'Patient_Summary_4010.csv' '/content/drive/MyDrive/Colab Notebooks/AIH/Patient_
!cp 'Patient_Summary_4010.xlsx' '/content/drive/MyDrive/Colab Notebooks/AIH/Patient
```

Functions to clean text and extract tokens and entities.

In [ ]:
```
! python -m spacy download en_core_web_sm
```

In [5]:
```
import spacy

# Function to clean and extract tokens
def extract_cleaned_text(text, nlp_model):
    doc = nlp_model(str(text))
    tokens = [token.text for token in doc if not token.is_punct and not token.is_sp
    return " ".join(tokens)  # Return cleaned text as a string
```

In [6]:
```
import numpy as np
from sklearn.manifold import TSNE
import matplotlib.pyplot as plt
%matplotlib inline

def tsne_plot(model, words, words_limit = None, model_title="", preTrained=False):
```

```
    """
    Creates and displays two t-SNE plots:
    1. Simple scatter plot with labels.
    2. Scatter plot with distance-based coloring.

    Parameters:
    - model: The Word2Vec model or pre-trained model.
    - words: List of words to visualize.
    - words_limit : Limit the number of words to visualize.
    - model_title: Title of the model.
    - preTrained: Boolean flag to choose between Word2Vec or pre-trained model.
    """
    labels = []
    tokens = []

    # Apply t-SNE for dimensionality reduction
    tsne_model = TSNE(perplexity=30, early_exaggeration=12, n_components=2, init='p

    # Prepare tokens and labels
    for word in words[:words_limit]:
        if preTrained:
            tokens.append(model[word])  # Pre-trained word vectors
        else:
            tokens.append(model.wv[word])  # Word2Vec model vectors
        labels.append(word)

    tokens = np.array(tokens)
    new_values = tsne_model.fit_transform(tokens)

    x = new_values[:, 0]
    y = new_values[:, 1]

    # First plot: Scatter plot with annotations
    plt.figure(figsize=(16,12))
    for i in range(len(x)):
        plt.scatter(x[i], y[i])
        plt.annotate(labels[i],
                     xy=(x[i], y[i]),
                     xytext=(5, 2),
                     textcoords='offset points',
                     ha='right',
                     va='bottom')
    plt.title(f"t-SNE Visualization for {model_title}")
    plt.show()
```

In [7]:

```
import spacy

def build_corpus(df, model="en_core_web_sm"):
    """
    Extracts named entities from the specified text column in a DataFrame using a s
    builds a corpus.

    Parameters:
    - df (pd.DataFrame): DataFrame containing text data.
    - text_column (str): Column name containing processed text.
    - model (str): spaCy model to use (default: "en_core_web_sm").
```

```
    Returns:
    - corpus (list of lists): Extracted entities per document.
    """
    nlp = model
    corpus = []

    for _, row in df.iterrows():
        tokens = [ent.text for ent in nlp(row["Processed_Text"]).ents]
        corpus.append(tokens)

    # Calculate word counts
    word_counts = [len(doc) for doc in corpus]

    return corpus
```

Using Spacy

In [ ]:
```
import pandas as pd

#Load Patient Discharge summary
patients_df_scapy = pd.read_csv("/content/drive/MyDrive/Colab Notebooks/AIH/Patient

# Load the spacy model
nlp_spacy = spacy.load('en_core_web_sm')

# Apply token extraction
patients_df_scapy["Processed_Text"] = patients_df_scapy["TEXT"].apply(lambda text:

#Copy Processed data to google drive
patients_df_scapy.to_csv(r'Patient_Summary_4010_Spacy.csv', index = False)
!cp 'Patient_Summary_4010_Spacy.csv' '/content/drive/MyDrive/Colab Notebooks/AIH/Pa
```

In [6]:
```
import pandas as pd
# Load the processed patient data with spacy
patients_df_scapy = pd.read_csv("/content/drive/MyDrive/Colab Notebooks/AIH/Patient

nlp_spacy = spacy.load('en_core_web_sm')  # Load the specified NLP model
```

In [ ]:
```
doc = nlp_spacy( patients_df_scapy['Processed_Text'][0])
for ent in doc.ents:
    print(ent.text, ent.start_char, ent.end_char, ent.label_)
```

In [ ]:
```
from spacy import displacy

# Visualize named entities using displacy
for i in range(0, len(patients_df_scapy)):
    doc = nlp_spacy( patients_df_scapy['Processed_Text'][i])
    displacy.render(doc, style="ent")
    print("**************************")
```

Admission Date 2140 1 19 Discharge Date 2140 1 21 Date Birth 2117 DATE 8 7 Sex F Service MEDICINE Allergies Penicillins Attending:[**First Name3 LF 2297 DATE Chief Complaint headache Major Surgical Invasive Procedure Hemodialysis History Present Illness Ms. Known PERSON lastname 22 year old DATE female SLE lupus nephritis ESRD ORG HD malignant HTN h o TTP ORG HOCM presents HA hypertensive urgency Awoke a.m. ORG 8/10 left sided frontal HA ORG sure d t flare uveitis started Monday DATE d t HTN Decided ORG skip HD come ED evaluation vision changes numbness weakness change gait chest pain SOB + Diarrhea ORG x 1 day DATE ED patient 217/140 CARDINAL elevated 254/152 CARDINAL > received labetolol IV 30 mg x 1 CARDINAL MSO4 4 mg pressures dropped SBPs 208 CARDINAL HA improved Repeat labetolol 50 mg x QUANTITY 1 CARDINAL repeated dose morphine dropped pressures 193/134 CARDINAL > labetolol gtt started asa given HA resolved Head CT negative intracranial bleed CXR ORG unremarkable ROS ORG cold past week DATE fevers chills CP SOB N V + ORG diarrhea arrival floor patient BP 191/126 ORG labetolol gtt started sxs HA states compliant meds mother cooks salt adherent diet Past Medical History 1 Lupus 2134 Diagnosed began swolen fingers rash painful joints 2 CARDINAL ESRD ORG secodary SLE ORG 2135 CARDINAL initially cytoxan 1 CARDINAL dose 3 months 2 years DATE began dialysis 3 CARDINAL times week 2137 T Th Sat Awaiting living donor transplant mother 3 CARDINAL HTN 2137 DATE Normal BPs run 180's/120 1 CARDINAL hypertensive crisis precipitated seizures past 4 CARDINAL Uveitis secondary SLE 4 15 5 HOCM Echo 2137 DATE 6 CARDINAL Vaginal bleeding 2139 DATE 9 20 CARDINAL 7 CARDINAL Mulitple episodes dialysis reactions 8 CARDINAL Anemia 9 CARDINAL Coag neg Staph PERSON bacteremia HD line infection 6 CARDINAL 15 10 CARDINAL H O UE clot coumadin longer Social History Lives Location ORG 669 CARDINAL mother 16 year old DATE brother Graduated Name2 NI School ORG got sick currently working attending school Denies T E D. Family History WORK_OF_ART -No history SLE -Grandfather HTN - Distant ORG history DM -No history clotting disorders -No history autoimmune diseases

Physical Exam Vitals ORG 98.0 CARDINAL 173/51 CARDINAL 86 CARDINAL 15 100 CARDINAL RA HEENT PERSON L eye injected w periorbital edema R eye reactive w/ EOMI ORG anicteric sclera MMM OP clear Neck supple LAD thyromegaly ORG Cardiac RRR ORG NL S1 PRODUCT S2 + S4 III VI systolic ejection murmur LUSB radiating apex axilla intensifies w/ Valsalva PERSON rub Lungs WORK_OF_ART CTAB wheezes rhonchi crackles Abd PERSON soft NTND NABS HSM rebound guarding GU CVAT ORG Ext warm 2 + DP DATE pulses C C E L femoral dialysis catheter Neuro AOx3 PERSON CN II XII intact strength sensation grossly intact Pertinent Results UA PERSON mod bld 100 CARDINAL protein present prior UAs Radiology CXR NORP acute CP abnormality EKG NSR nml ORG axis nml intervals borderline LAE LVH ORG J point elevation V2,V3 TWI ORG aVL V5 CARDINAL V6 change compared prior 2139 11 26 DATE CT HEAD intracranial hemorrhage Brief Hospital Course P Patient ORG 22 year old DATE female SLE lupus nephritis ESRD ORG HD presents hypertensive urgency Hypertensive urgency Unclear ORG precipitant Possibly secondary pain worsening uveitis Compliant PERSON meds Denies illicits tox screen negative Patient started labetolol drip ED good BP response subsequently transitioned PO GPE anti hypertensives ICU ORG maintenance stable SBPs 150s-170s CARDINAL baseline 170s-190s CARDINAL nephrologist recommendations home lisinopril increased 40 CARDINAL mg po bid 40 mg QUANTITY po qd better baseline BP control clinical evidence end organ damage UA ORG difficult ro interpret setting CRF CE LOC x 1 CARDINAL negative Headache ORG evidence CT intracranial bleed Headaches PERSON controlled morphine sulfate resolved time discharge Uveitis Followed ORG outpatient optho specialist Optho PERSON consulted patient request ESRD ORG Secondary lupus nephritis transplant list Patient PERSON received hemodialysis house 500 CARDINAL ml ultrafiltrate complications dry weight 45 kg QUANTITY patient Began Sevalamer PERSON 800 TID ORG meals Given difficulty interpreting renin aldosterone levels acutely ill patients drawn need drawn outpatient follow Medications Admission Lisinopril 40 mg PO QD FAC Labetalol 600

CARDINAL PO GPE TID Valsartan 320 CARDINAL mg PO QD Clonidine ORG 0.3 CARDINAL mg transdermal QW Prednisone 40 mg PO QD FAC Atropine 1 Hospital1 Prednisolone Acetate 1 ORG Q1H Moxifloxacin eye drops qid Lorazepam 1 LAW mg PO Q4 FAC 6H PRN Discharge ORG Medications 1 CARDINAL Labetalol 200 mg Tablet Sig 3 CARDINAL Tablet PO TID 3 ORG times day Tablet(s 2 Clonidine 0.3 mg/24 QUANTITY hr Patch Weekly Sig ORG 1 CARDINAL Patch Weekly Transdermal QTHUR Thursday DATE 3 CARDINAL Atropine 1 Drops Sig 1 CARDINAL Drop Ophthalmic Hospital1 2 CARDINAL times day 4 Lorazepam 1 mg Tablet ORG Sig 1 CARDINAL Tablet PO Q4 6H CARDINAL 4 6 hours TIME needed 5 CARDINAL Valsartan 160 CARDINAL mg Tablet ORG Sig 2 CARDINAL Tablet PO DAILY Daily ORG 6 CARDINAL Prednisolone Acetate 1 Drops ORG Suspension Sig 1 CARDINAL Drop Ophthalmic Q1H hour 7 CARDINAL Lisinopril 40 mg Tablet GPE Sig 1 CARDINAL Tablet PO twice day DATE Disp:*60 Tablet(s Refills:*2 PERSON 8 Sevelamer 800 mg Tablet ORG Sig 1 CARDINAL Tablet PO TID 3 ORG times day Disp:*90 Tablet(s Refills:*2 9 Prednisone 20 CARDINAL mg Tablet ORG Sig 2 CARDINAL Tablet PO day 10 CARDINAL Blood Pressure Kit Kit Sig PERSON 1 Kit Miscellaneous day Disp:*1 Kit Refills:*0 Discharge PERSON Disposition Home Discharge Diagnosis Hypertensive urgency Discharge Condition Good Discharge Instructions blood pressure medications prescribed adhere low salt diet increased levels sodium drive blood pressure discharged prescription home blood pressure monitor use daily DATE measurements primary care physician Initial PRE systolic blood pressures greater 180 CARDINAL experience headaches nausea vomiting chest pain shortness breath concerning symptoms Followup Instructions ORG resume hemodialysis according regular schedule scheduled Dr. Name8 NamePattern2 PERSON NamePattern1 4883 DATE Division Nephrology ORG Wednesday 2 3 9:30 DATE Telephone Fax 1 435 CARDINAL need reschedule scheduled follow primary care physician NamePattern4 Name4 NamePattern1 NamePattern1 2423 CARDINAL Tuesday 1 26 3:30 TIME PM Telephone Fax 1 250 CARDINAL need reschedule referred Dr. Name4 PERSON

NamePattern1 NamePattern1 2539 CARDINAL Division Hematology ORG evaluation anemia appointment scheduled 2 9 3 p.m. TIME office located Location un Hospital Ward ORG 23 CARDINAL Building Hospital1 18 CARDINAL Hospital Ward LOC 516 CARDINAL Dr.[**Name NI 44536 CARDINAL administrative assistant Doctor 8982 CARDINAL Telephone Fax 1 32192 need confirm reschedule

****

Word2Vec and t-SNE Visualization Using SpaCy-Processed Data

In [ ]:
```
from gensim.models import Word2Vec

#Build corpus
corpus_spacy = build_corpus(patients_df_scapy, nlp_spacy)
```

In [ ]:
```
model_word2vec_spacy = Word2Vec(corpus_spacy, min_count=3, window=2, vector_size=10
```

In [ ]:
```
model_word2vec_spacy.wv.similar_by_key("BP"), model_word2vec_spacy.wv.similar_by_ke
```

Out[ ]:
```
([('CT', 0.9996870160102844),
  ('ICU', 0.9996408820152283),
  ('EKG', 0.9996089935302734),
  ('MICU', 0.9996005296707153),
  ('CK', 0.9995817542076111),
  ('Known', 0.9995751976966858),
  ('18', 0.9995639324188232),
  ('27', 0.9995404481887817),
  ('IV', 0.9995347261428833),
  ('INR', 0.999534010887146)],
 [('3', 0.9992740154266357),
  ('100', 0.9992536306381226),
  ('PO', 0.999226987361908),
  ('BP', 0.9992194175720215),
  ('90', 0.9992076754570007),
  ('25', 0.9991985559463501),
  ('EKG', 0.9991586804389954),
  ('30', 0.9991428256034851),
  ('CT', 0.9991336464881897),
  ('18', 0.9991272687911987)])
```

In [ ]:
```
tsne_plot(model_word2vec_spacy, np.array(list(model_word2vec_spacy.wv.key_to_index.
```



Using SciSpacy

In [ ]:
```
import pandas as pd
import scispacy
import spacy

#Load Patient Discharge summary
patients_df_SciSpaCy = pd.read_csv("/content/drive/MyDrive/Colab Notebooks/AIH/Pati

nlp_SciSpaCy = spacy.load('en_core_sci_md')  # Load the specified NLP model
# Apply token extraction
patients_df_SciSpaCy["Processed_Text"] = patients_df_SciSpaCy["TEXT"].apply(lambda

#Copy Processed data to google drive
patients_df_SciSpaCy.to_csv(r'Patient_Summary_4010_SciSpacy.csv', index = False)
!cp 'Patient_Summary_4010_SciSpacy.csv' '/content/drive/MyDrive/Colab Notebooks/AIH
```

In [2]:
```
import pandas as pd
import scispacy
import spacy

nlp_SciSpaCy = spacy.load('en_core_sci_md')

#Load Processed SciSpacy
patients_df_SciSpaCy = pd.read_csv("/content/drive/MyDrive/Colab Notebooks/AIH/Pati
```

In [ ]:
```
from spacy import displacy
# Visualize named entities using displacy
for i in range(0, len(patients_df_SciSpaCy)):
    doc = nlp_SciSpaCy( patients_df_SciSpaCy['Processed_Text'][i])
    displacy.render(doc, style="ent", jupyter=True)
    print("**************************************")
```

Admission ENTITY Date 2140 1 19 Discharge Date ENTITY 2140 1 21 Date Birth ENTITY 2117 8 7 Sex F Service ENTITY MEDICINE Allergies Penicillins ENTITY Attending:[**First ENTITY Name3 ENTITY LF 2297 Chief Complaint headache ENTITY Major Surgical Invasive Procedure Hemodialysis History Present Illness ENTITY Ms. Known lastname ENTITY 22 year old female ENTITY SLE ENTITY lupus nephritis ENTITY ESRD ENTITY HD ENTITY malignant ENTITY HTN ENTITY h/o TTP ENTITY HOCM ENTITY presents HA hypertensive ENTITY urgency ENTITY Awoke ENTITY a.m. 8/10 left sided frontal HA sure d/t ENTITY flare uveitis ENTITY started Monday ENTITY d/t HTN ENTITY Decided skip ENTITY HD ENTITY come ED ENTITY evaluation ENTITY vision changes ENTITY numbness weakness ENTITY change gait chest ENTITY pain SOB ENTITY + Diarrhea ENTITY x 1 day ENTITY ED ENTITY patient ENTITY 217/140 elevated ENTITY 254/152 > received labetolol ENTITY IV 30 mg x 1 MSO4 ENTITY 4 mg pressures ENTITY dropped SBPs ENTITY 208 HA ENTITY improved Repeat labetolol ENTITY 50 mg x 1 repeated dose ENTITY morphine ENTITY dropped pressures 193/134 > labetolol ENTITY gtt ENTITY started asa given HA ENTITY resolved Head CT ENTITY negative ENTITY intracranial bleed ENTITY CXR ENTITY unremarkable ROS cold ENTITY past week fevers chills ENTITY CP ENTITY SOB ENTITY N/V ENTITY + diarrhea ENTITY arrival ENTITY floor patient BP ENTITY 191/126 labetolol ENTITY gtt ENTITY started sxs HA states compliant meds ENTITY mother ENTITY cooks salt ENTITY adherent ENTITY diet ENTITY Past Medical History 1 Lupus 2134 ENTITY Diagnosed ENTITY began swolen fingers rash painful joints 2 ENTITY ESRD ENTITY secodary ENTITY SLE ENTITY 2135 initially cytoxan 1 dose ENTITY 3 months ENTITY 2 years began dialysis ENTITY 3 times week ENTITY 2137 T Th Sat Awaiting ENTITY living donor transplant ENTITY mother 3 HTN ENTITY 2137 Normal BPs ENTITY run 180's/120 1 hypertensive crisis ENTITY precipitated ENTITY seizures ENTITY past 4 Uveitis ENTITY secondary ENTITY SLE ENTITY 4 15 5

HOCM ENTITY Echo ENTITY 2137 6 Vaginal bleeding ENTITY 2139 9 20 7 Mulitple episodes dialysis reactions ENTITY 8 Anemia ENTITY 9 Coag neg ENTITY Staph bacteremia ENTITY HD line infection ENTITY 6 15 10 H/O UE ENTITY clot ENTITY coumadin ENTITY longer Social History ENTITY Lives Location ENTITY 669 mother ENTITY 16 year ENTITY old brother ENTITY Graduated Name2 NI School ENTITY got sick ENTITY currently working ENTITY attending school Denies ENTITY T/E/D. Family History ENTITY -No history ENTITY SLE ENTITY -Grandfather HTN ENTITY -Distant history DM ENTITY -No history clotting disorders ENTITY -No history ENTITY autoimmune diseases ENTITY Physical Exam Vitals ENTITY 98.0 173/51 86 15 100 RA ENTITY HEENT ENTITY L eye injected w/periorbital edema R eye reactive w/ EOMI anicteric ENTITY sclera ENTITY MMM ENTITY OP ENTITY clear Neck supple ENTITY LAD thyromegaly Cardiac RRR ENTITY NL S1 S2 ENTITY + S4 III/VI ENTITY systolic ejection murmur LUSB ENTITY radiating apex axilla ENTITY intensifies w/ Valsalva rub ENTITY Lungs CTAB ENTITY wheezes ENTITY rhonchi crackles ENTITY Abd soft NTND NABS ENTITY HSM ENTITY rebound guarding ENTITY GU ENTITY CVAT ENTITY Ext warm 2 ENTITY + DP ENTITY pulses ENTITY C/C/E ENTITY L femoral dialysis catheter ENTITY Neuro AOx3 CN II-XII ENTITY intact strength/sensation ENTITY grossly intact Pertinent Results UA ENTITY mod bld 100 protein ENTITY present prior UAs ENTITY Radiology ENTITY CXR ENTITY acute CP ENTITY abnormality ENTITY EKG ENTITY NSR ENTITY nml ENTITY axis nml intervals borderline LAE LVH J point elevation V2,V3 TWI ENTITY aVL V5 V6 change compared prior 2139 11 26 CT ENTITY HEAD intracranial hemorrhage ENTITY Brief Hospital ENTITY Course A/P ENTITY Patient ENTITY 22 year old female ENTITY SLE ENTITY lupus nephritis ENTITY ESRD ENTITY HD ENTITY presents hypertensive ENTITY urgency Hypertensive ENTITY urgency Unclear precipitant ENTITY Possibly secondary pain ENTITY worsening ENTITY uveitis ENTITY Compliant ENTITY meds Denies ENTITY illicits ENTITY tox screen

ENTITY negative ENTITY Patient ENTITY started labetolol ENTITY drip ED ENTITY good BP response ENTITY subsequently transitioned PO ENTITY anti-hypertensives ICU ENTITY maintenance ENTITY stable SBPs ENTITY 150s-170s baseline ENTITY 170s-190s nephrologist ENTITY recommendations home lisinopril ENTITY increased ENTITY 40 mg po bid ENTITY 40 mg po qd better baseline ENTITY BP ENTITY control clinical evidence ENTITY end organ damage UA ENTITY difficult ro interpret setting CRF ENTITY CE ENTITY x 1 negative ENTITY Headache ENTITY evidence ENTITY CT ENTITY intracranial bleed ENTITY Headaches controlled ENTITY morphine sulfate ENTITY resolved time discharge Uveitis ENTITY Followed outpatient ENTITY optho specialist ENTITY Optho consulted ENTITY patient ENTITY request ESRD ENTITY Secondary lupus nephritis transplant ENTITY list Patient ENTITY received hemodialysis ENTITY house 500 ml ultrafiltrate ENTITY complications ENTITY dry weight ENTITY 45 kg patient ENTITY Began Sevalamer ENTITY 800 TID ENTITY meals ENTITY Given difficulty interpreting renin ENTITY aldosterone ENTITY levels acutely ill ENTITY patients ENTITY drawn need drawn outpatient ENTITY follow Medications ENTITY Admission ENTITY Lisinopril ENTITY 40 mg PO ENTITY QD ENTITY Labetalol ENTITY 600 PO ENTITY TID ENTITY Valsartan ENTITY 320 mg PO ENTITY QD ENTITY Clonidine ENTITY 0.3 mg transdermal ENTITY QW Prednisone ENTITY 40 mg PO ENTITY QD ENTITY Atropine ENTITY 1 Hospital1 Prednisolone ENTITY Acetate 1 ENTITY Q1H ENTITY Moxifloxacin ENTITY eye drops ENTITY qid ENTITY Lorazepam ENTITY 1 mg PO Q4 6H PRN Discharge Medications ENTITY 1 Labetalol ENTITY 200 mg Tablet Sig 3 Tablet ENTITY PO ENTITY TID ENTITY 3 times day ENTITY Tablet(s ENTITY 2 Clonidine ENTITY 0.3 mg/24 hr Patch Weekly Sig 1 ENTITY Patch ENTITY Weekly Transdermal QTHUR ENTITY Thursday ENTITY 3 Atropine ENTITY 1 Drops ENTITY Sig 1 Drop Ophthalmic Hospital1 2 times day ENTITY 4 Lorazepam ENTITY 1 mg Tablet Sig 1

Tablet PO Q4 6H 4 6 ENTITY hours needed 5 Valsartan ENTITY 160 mg Tablet Sig 2 Tablet ENTITY PO ENTITY DAILY Daily 6 Prednisolone ENTITY Acetate 1 ENTITY Drops Suspension Sig 1 Drop ENTITY Ophthalmic ENTITY Q1H hour 7 Lisinopril ENTITY 40 mg Tablet ENTITY Sig 1 Tablet ENTITY PO ENTITY twice day ENTITY Disp:*60 Tablet(s Refills:*2 ENTITY 8 Sevelamer ENTITY 800 mg Tablet Sig 1 Tablet ENTITY PO ENTITY TID ENTITY 3 times day ENTITY Disp:*90 ENTITY Tablet(s Refills:*2 ENTITY 9 Prednisone ENTITY 20 mg Tablet Sig 2 Tablet ENTITY PO ENTITY day ENTITY 10 Blood Pressure Kit Kit Sig 1 Kit ENTITY Miscellaneous day Disp:*1 Kit Refills:*0 Discharge Disposition ENTITY Home Discharge Diagnosis ENTITY Hypertensive ENTITY urgency ENTITY Discharge Condition ENTITY Good Discharge Instructions ENTITY blood pressure medications ENTITY prescribed ENTITY adhere low-salt diet ENTITY increased ENTITY levels sodium ENTITY drive blood pressure ENTITY discharged prescription home blood pressure monitor use daily measurements ENTITY primary care physician ENTITY Initial ENTITY PRE ENTITY systolic ENTITY blood pressures ENTITY greater 180 experience ENTITY headaches ENTITY nausea vomiting chest pain shortness breath ENTITY concerning symptoms ENTITY Followup Instructions ENTITY resume hemodialysis ENTITY according regular schedule scheduled ENTITY Dr. ENTITY Name8 ENTITY NamePattern2 NamePattern1 4883 Division Nephrology Wednesday ENTITY 2 3 9:30 Telephone/Fax 1 435 need reschedule ENTITY scheduled follow-up ENTITY primary care physician ENTITY NamePattern4 ENTITY Name4 NamePattern1 NamePattern1 ENTITY 2423 Tuesday 1 26 3:30 PM ENTITY Telephone/Fax ENTITY 1 250 need reschedule referred Dr. Name4 NamePattern1 NamePattern1 ENTITY 2539 Division Hematology evaluation ENTITY anemia ENTITY appointment ENTITY scheduled ENTITY 2 9 3 p.m. office ENTITY located Location ENTITY un Hospital Ward ENTITY 23 Building Hospital1 18 Hospital Ward ENTITY 516 Dr.[**Name NI ENTITY 44536

administrative assistant Doctor **ENTITY** 8982 Telephone/Fax 1 32192 need confirm

reschedule **ENTITY**

****

Word2Vec and t-SNE Visualization Using SciSpaCy-Processed Data

In [ ]:
```
from gensim.models import Word2Vec

corpus_scispacy = build_corpus(patients_df_SciSpaCy, nlp_SciSpaCy)
```

In [ ]:
```
model_word2vec_scispacy = Word2Vec(corpus_scispacy, min_count=3, window=2, vector_s
```

In [ ]:
```
model_word2vec_scispacy.wv.similar_by_key("BP"), model_word2vec_scispacy.wv.similar
```

Out[ ]:
```
([('RA', 0.9994686245918274),
  ('ED', 0.999396562576294),
  ('HR', 0.9993236660957336),
  ('MICU', 0.9991095662117004),
  ('treated', 0.9991006851196289),
  ('patient', 0.9990440011024475),
  ('elevated', 0.998954713344574),
  ('baseline', 0.9989470839500427),
  ('O2', 0.9989447593688965),
  ('RR', 0.9989378452301025)],
 [('Patch', 0.9970031380653381),
  ('Prednisone', 0.9962016940116882),
  ('HCl', 0.9951486587524414),
  ('Tablet Sig 1 Tablet PO', 0.9949968457221985),
  ('Labetalol', 0.9949793815612793),
  ('Refills:*0', 0.9945780038833618),
  ('Amlodipine', 0.9940680265426636),
  ('Metoprolol', 0.9939988851547241),
  ('Aspirin', 0.9939936995506287),
  ('Acetaminophen', 0.9935530424118042)])
```

In [ ]:
```
tsne_plot(model_word2vec_scispacy, np.array(list(model_word2vec_scispacy.wv.key_to_
```



en_ner_bc5cdr_md Visualization Using SciSpaCy-Processed Data.

- It is a SciSpaCy model, not a standard SpaCy model. It is specifically trained for biomedical named entity recognition (NER), focusing on diseases and chemicals.

In [ ]:
```
import en_ner_bc5cdr_md
import spacy
from spacy import displacy

nlp__bc5cdr = en_ner_bc5cdr_md.load()

# Visualize named entities using displacy
for i in range(0, len(patients_df_SciSpaCy)):
    doc = nlp__bc5cdr( patients_df_SciSpaCy['Processed_Text'][i])
    displacy.render(doc, style="ent", jupyter=True)
    print("************************************")
```

Admission Date 2140 1 19 Discharge Date 2140 1 21 Date Birth 2117 8 7 Sex F Service MEDICINE Allergies Penicillins CHEMICAL Attending:[**First Name3 LF 2297 Chief Complaint headache DISEASE Major Surgical Invasive Procedure Hemodialysis History Present Illness Ms. Known lastname 22 year old female SLE lupus nephritis ESRD HD malignant HTN DISEASE h/o TTP HOCM DISEASE presents HA hypertensive DISEASE urgency Awoke a.m. 8/10 left sided frontal HA sure d/t flare uveitis DISEASE started Monday d/t HTN DISEASE Decided skip HD come ED evaluation vision changes numbness weakness DISEASE change gait chest pain DISEASE SOB + Diarrhea DISEASE x 1 day ED patient 217/140 elevated 254/152 > received labetolol CHEMICAL IV 30 mg x 1 MSO4 4 mg pressures dropped SBPs 208 HA improved Repeat labetolol CHEMICAL 50 mg x 1 repeated dose morphine CHEMICAL dropped pressures 193/134 > labetolol CHEMICAL gtt started asa given HA resolved Head CT negative intracranial bleed DISEASE CXR unremarkable ROS cold past week fevers chills CP SOB N/V + DISEASE diarrhea DISEASE arrival floor patient BP 191/126 labetolol CHEMICAL gtt started sxs HA states compliant meds mother cooks salt adherent diet Past Medical History 1 Lupus 2134 Diagnosed began swolen fingers rash DISEASE painful joints 2 ESRD DISEASE secodary SLE 2135 initially cytoxan CHEMICAL 1 dose 3 months 2 years began dialysis 3 times week 2137 T Th Sat Awaiting living donor transplant mother 3 HTN DISEASE 2137 Normal BPs run 180's/120 1 hypertensive DISEASE crisis precipitated seizures DISEASE past 4 Uveitis DISEASE secondary SLE 4 15 5 HOCM DISEASE Echo 2137 6 Vaginal bleeding DISEASE 2139 9 20 7 Mulitple episodes dialysis reactions 8 Anemia DISEASE 9 Coag neg Staph bacteremia DISEASE HD line infection DISEASE 6 15 10 H/O UE clot coumadin CHEMICAL longer Social History Lives Location 669 mother 16 year old brother Graduated Name2 NI School got sick currently working attending school Denies T/E/D. Family History -No history SLE -Grandfather HTN DISEASE -Distant history DM CHEMICAL -No history clotting disorders -No history DISEASE autoimmune diseases DISEASE Physical Exam Vitals 98.0 173/51 86 15 100 RA HEENT L eye injected w/periorbital edema R eye reactive w/ DISEASE EOMI anicteric

sclera MMM OP clear Neck supple LAD thyromegaly DISEASE Cardiac RRR NL S1 S2 + S4 III/VI systolic ejection murmur LUSB radiating apex axilla intensifies w/ Valsalva rub Lungs CTAB wheezes rhonchi CHEMICAL crackles Abd soft NTND NABS DISEASE HSM rebound guarding GU CVAT Ext warm 2 + DP pulses C/C/E L femoral dialysis catheter Neuro AOx3 CN II-XII intact strength/sensation grossly intact Pertinent Results UA CHEMICAL mod bld 100 protein present prior UAs CHEMICAL Radiology CXR acute CP abnormality CHEMICAL EKG NSR DISEASE nml axis nml intervals borderline LAE LVH J DISEASE point elevation V2,V3 TWI aVL V5 V6 change compared prior 2139 11 26 CT HEAD intracranial hemorrhage DISEASE Brief Hospital Course A/P Patient 22 year old female SLE lupus nephritis ESRD DISEASE HD presents hypertensive DISEASE urgency Hypertensive DISEASE urgency Unclear precipitant Possibly secondary pain DISEASE worsening uveitis DISEASE Compliant meds Denies illicits tox screen negative Patient started labetolol CHEMICAL drip ED good BP response subsequently transitioned PO anti-hypertensives ICU maintenance stable SBPs 150s-170s baseline 170s-190s nephrologist recommendations home lisinopril CHEMICAL increased 40 mg po bid 40 mg po qd better baseline BP control clinical evidence end organ damage UA CHEMICAL difficult ro interpret setting CRF DISEASE CE x 1 negative Headache DISEASE evidence CT intracranial bleed DISEASE Headaches DISEASE controlled morphine CHEMICAL sulfate resolved time discharge Uveitis DISEASE Followed outpatient optho specialist Optho consulted patient request ESRD DISEASE Secondary lupus nephritis DISEASE transplant list Patient received hemodialysis house 500 ml ultrafiltrate complications dry weight 45 kg patient Began Sevalamer 800 TID meals Given difficulty interpreting renin aldosterone CHEMICAL levels acutely ill DISEASE patients drawn need drawn outpatient follow Medications Admission Lisinopril CHEMICAL 40 mg PO QD Labetalol CHEMICAL 600 PO TID Valsartan CHEMICAL 320 mg PO QD Clonidine CHEMICAL 0.3 mg transdermal QW Prednisone CHEMICAL 40 mg PO QD Atropine CHEMICAL 1 Hospital1 Prednisolone Acetate CHEMICAL 1 Q1H Moxifloxacin CHEMICAL eye drops qid Lorazepam CHEMICAL 1 mg

PO Q4 6H PRN Discharge Medications 1 Labetalol CHEMICAL 200 mg Tablet Sig 3 Tablet PO TID 3 times day Tablet(s CHEMICAL 2 Clonidine CHEMICAL 0.3 mg/24 hr Patch Weekly Sig 1 Patch Weekly Transdermal QTHUR Thursday 3 Atropine CHEMICAL 1 Drops Sig 1 Drop Ophthalmic Hospital1 2 times day 4 Lorazepam CHEMICAL 1 mg Tablet Sig 1 Tablet PO Q4 6H 4 6 hours needed 5 Valsartan CHEMICAL 160 mg Tablet Sig 2 Tablet PO DAILY Daily 6 Prednisolone Acetate CHEMICAL 1 Drops Suspension Sig 1 Drop Ophthalmic Q1H hour 7 Lisinopril CHEMICAL 40 mg Tablet Sig 1 Tablet PO twice day Disp:*60 Tablet(s Refills:*2 CHEMICAL 8 Sevelamer CHEMICAL 800 mg Tablet Sig 1 Tablet PO TID 3 times day Disp:*90 Tablet(s Refills:*2 CHEMICAL 9 Prednisone CHEMICAL 20 mg Tablet Sig 2 Tablet PO day 10 Blood Pressure Kit Kit Sig 1 Kit Miscellaneous day Disp:*1 Kit Refills:*0 Discharge Disposition CHEMICAL Home Discharge Diagnosis Hypertensive DISEASE urgency Discharge Condition Good Discharge Instructions blood pressure medications prescribed adhere low-salt diet increased levels sodium CHEMICAL drive blood pressure discharged prescription home blood pressure monitor use daily measurements primary care physician Initial PRE systolic blood pressures greater 180 experience headaches nausea vomiting chest pain shortness breath DISEASE concerning symptoms Followup Instructions resume hemodialysis according regular schedule scheduled Dr. Name8 NamePattern2 NamePattern1 4883 Division Nephrology Wednesday 2 3 9:30 Telephone/Fax 1 435 need reschedule scheduled follow-up primary care physician NamePattern4 Name4 NamePattern1 NamePattern1 CHEMICAL 2423 Tuesday 1 26 3:30 PM Telephone/Fax 1 250 need reschedule referred Dr. Name4 NamePattern1 NamePattern1 CHEMICAL 2539 Division Hematology evaluation anemia DISEASE appointment scheduled 2 9 3 p.m. office located Location un Hospital Ward 23 Building Hospital1 18 Hospital Ward 516 Dr.[**Name NI 44536 administrative assistant Doctor 8982 Telephone/Fax 1 32192 need confirm reschedule

****

In [ ]:
```
from gensim.models import Word2Vec
corpus_bc5cdr = build_corpus(patients_df_SciSpaCy, nlp__bc5cdr)
```

In [ ]:
```
model_word2vec_bc5cdr = Word2Vec(corpus_bc5cdr, min_count=3, window=2, vector_size=
```

In [ ]:
```
model_word2vec_bc5cdr.wv.similar_by_word("BP"), model_word2vec_bc5cdr.wv.similar_by
```

Out[ ]:
```
([('MSSA bacteremia', 0.8200060129165649),
  ('Metoprolol Succinate', 0.8162233233451843),
  ('dementia', 0.8155735731124878),
  ('fungal infection', 0.8151078820228577),
  ('diabetes brothers diabetes', 0.813332200050354),
  ('lasix', 0.8124308586120605),
  ('Levofloxacin', 0.8123695850372314),
  ('Diabetic ketoacidosis', 0.8123500347137451),
  ('seizure', 0.8114094734191895),
  ('EtOH', 0.810998797416687)],
 [('Labetalol', 0.9987290501594543),
  ('Lisinopril', 0.9986595511436462),
  ('pain', 0.9986243844032288),
  ('hypertensive', 0.9986111521720886),
  ('hypertension', 0.9985666871070862),
  ('HTN', 0.9985529184341431),
  ('Aspirin', 0.9985363483428955),
  ('chest pain', 0.9984893202781677),
  ('Tablet(s', 0.9984655380249023),
  ('Metoclopramide', 0.9984307885169983)])
```

In [ ]:
```
tsne_plot(model_word2vec_bc5cdr,np.array(list(model_word2vec_bc5cdr.wv.key_to_index
```



BlueBert

In [24]:
```
# Visualization of notes filtered with SciSpacy using ClinicalBert
import numpy as np
import torch
from sklearn.manifold import TSNE
import string
import matplotlib.pyplot as plt
from transformers import AutoModel, AutoTokenizer, BertModel

# Load the BERT model and tokenizer
model_name = "bionlp/bluebert_pubmed_mimic_uncased_L-12_H-768_A-12"
tokenizer = AutoTokenizer.from_pretrained(model_name)
blue_bert_model = BertModel.from_pretrained(model_name)
blue_bert_model.eval()

# Set first note as text
doc = nlp_SciSpaCy(patients_df_SciSpaCy['Processed_Text'][0])
corpus=[]
for ent in doc.ents:
    corpus.append(ent.text)
input_text =   ' '.join(corpus)

input_tokens = input_text.split()
word_embs = []

for token in input_tokens:
    # Check if the token is a valid word
    if token not in string.punctuation:
        # Encode the token using the BERT model
        inputs = tokenizer(token, return_tensors="pt")
        with torch.no_grad():
            outputs = blue_bert_model(**inputs)
        token_emb = outputs.last_hidden_state.mean(dim=1).squeeze().numpy()
        word_embs.append(token_emb)
```

In [25]:
```
# Perform t-SNE dimensionality reduction
tsne_model = TSNE(n_components=2, perplexity=10, random_state=42)
word_embs_2d = tsne_model.fit_transform(np.array(word_embs))
print(len(word_embs_2d))
# Create a scatter plot of the word embeddings in 2D space
plt.figure(figsize=(16,12))
for i in range(100):
    plt.scatter(word_embs_2d[i, 0], word_embs_2d[i, 1])
    plt.annotate(input_tokens[i], (word_embs_2d[i, 0], word_embs_2d[i, 1]))

plt.title(f"t-SNE Visualization for BlueBert")
plt.show()
```

525



MedSpacy Visualization Using SciSpaCy-Processed Data.

In [ ]:
```
!pip install medspacy
```

In [3]:
```
import medspacy
from spacy import displacy
from medspacy.ner import TargetRule
from medspacy.visualization import visualize_ent

# Load MedspaCy NLP pipeline
nlp_medspacy = medspacy.load()

# Add rules for target concept extraction
target_matcher = nlp_medspacy.get_pipe("medspacy_target_matcher")
# Define custom rules for better entity detection
target_rules = [
    TargetRule("hyperlipidemia", "DISEASE"),
    TargetRule("O2", "CHEMICAL"),
    TargetRule("FiO2", "CHEMICAL"),
    TargetRule("hypertension", "DISEASE"),
    TargetRule("hypertensive urgency", "DISEASE"),
    TargetRule("obesity", "CONDITION"),
    TargetRule("cardiac", "DISEASE"),
    TargetRule("SLE", "DISEASE"),
    TargetRule("lupus nephritis", "DISEASE"),
    TargetRule("ESRD", "DISEASE"),
```

```
    TargetRule("dialysis", "TREATMENT"),
    TargetRule("hemodialysis", "TREATMENT"),
    TargetRule("SBP", "MEASUREMENT"),
    TargetRule("HR", "MEASUREMENT"),
    TargetRule("TPN", "TREATMENT"),
    TargetRule("Prednisone", "MEDICATION"),
    TargetRule("Lisinopril", "MEDICATION"),
    TargetRule("Labetalol", "MEDICATION"),
    TargetRule("Clonidine", "MEDICATION"),
    TargetRule("Valsartan", "MEDICATION"),
    TargetRule("Sevelamer", "MEDICATION"),
    TargetRule("Atropine", "MEDICATION"),
    TargetRule("Morphine sulfate", "MEDICATION"),
    TargetRule("Diarrhea", "SYMPTOM"),
    TargetRule("Headache", "SYMPTOM"),
    TargetRule("nausea", "SYMPTOM"),
    TargetRule("vomiting", "SYMPTOM"),
    TargetRule("shortness of breath", "SYMPTOM"),
    TargetRule("fever", "SYMPTOM"),
    TargetRule("chills", "SYMPTOM")
]

target_matcher.add(target_rules)

for i in range(0, len(patients_df_SciSpaCy)):
  # Process the shift note
  doc = nlp_medspacy(patients_df_SciSpaCy['Processed_Text'][i])
  # visulize
  visualize_ent(doc)
  print("**************************")
```

Admission Date 2140 1 19 Discharge Date 2140 1 21 Date Birth 2117 8 7 Sex F Service MEDICINE Allergies Penicillins Attending:[**First Name3 LF 2297 Chief Complaint headache SYMPTOM Major Surgical Invasive Procedure Hemodialysis TREATMENT History Present Illness Ms. Known lastname 22 year old female SLE DISEASE lupus nephritis DISEASE ESRD DISEASE HD malignant HTN h/o TTP HOCM presents HA hypertensive urgency DISEASE Awoke a.m. 8/10 left sided frontal HA sure d/t flare uveitis started Monday d/t HTN Decided skip HD come ED evaluation vision changes numbness weakness change gait chest pain SOB + Diarrhea SYMPTOM x 1 day ED patient 217/140 elevated 254/152 > received labetolol IV 30 mg x 1 MSO4 4 mg pressures dropped SBPs 208 HA improved Repeat labetolol 50 mg x 1 repeated dose morphine dropped pressures 193/134 > labetolol gtt started asa given HA resolved NEGATED_EXISTENCE Head CT negative intracranial bleed CXR unremarkable ROS cold past week fevers chills SYMPTOM CP SOB N/V + diarrhea SYMPTOM arrival floor patient BP 191/126 labetolol gtt started sxs HA states compliant meds mother FAMILY cooks salt adherent diet Past Medical History HISTORICAL 1 Lupus 2134 Diagnosed began swolen fingers rash painful joints 2 ESRD DISEASE secodary SLE DISEASE 2135 initially cytoxan 1 dose 3 months 2 years began dialysis TREATMENT 3 times week 2137 T Th Sat Awaiting living donor transplant mother 3 HTN 2137 Normal BPs run 180's/120 1 hypertensive crisis precipitated seizures past 4 Uveitis secondary SLE DISEASE 4 15 5 HOCM Echo 2137 6 Vaginal bleeding 2139 9 20 7 Mulitple episodes dialysis TREATMENT reactions 8 Anemia 9 Coag neg Staph bacteremia HD line infection 6 15 10 H/O UE clot coumadin longer Social History Lives Location 669 mother 16 year old brother Graduated Name2 NI School got sick currently working attending school Denies NEGATED_EXISTENCE T/E/D. Family FAMILY History -No history HISTORICAL SLE DISEASE -Grandfather HTN -Distant history DM -No history clotting disorders -No history HISTORICAL autoimmune diseases Physical Exam Vitals 98.0 173/51 86 15 100 RA HEENT L eye injected w/periorbital edema R eye reactive w/ EOMI anicteric sclera MMM OP clear Neck supple LAD thyromegaly Cardiac DISEASE RRR NL S1 S2 + S4 III/VI systolic ejection murmur LUSB

radiating apex axilla intensifies w/ Valsalva rub Lungs CTAB wheezes rhonchi crackles Abd soft NTND NABS HSM rebound guarding GU CVAT Ext warm 2 + DP pulses C/C/E L femoral dialysis TREATMENT catheter Neuro AOx3 CN II-XII intact strength/sensation grossly intact Pertinent Results UA mod bld 100 protein present prior UAs Radiology CXR acute CP abnormality EKG NSR nml axis nml intervals borderline LAE LVH J point elevation V2,V3 TWI aVL V5 V6 change compared prior 2139 11 26 CT HEAD intracranial hemorrhage Brief Hospital Course A/P Patient 22 year old female SLE DISEASE lupus nephritis DISEASE ESRD DISEASE HD presents hypertensive urgency DISEASE Hypertensive urgency DISEASE Unclear precipitant Possibly secondary pain worsening uveitis Compliant meds Denies NEGATED_EXISTENCE illicits tox screen negative Patient started labetolol drip ED good BP response subsequently transitioned PO anti-hypertensives ICU maintenance stable SBPs 150s-170s baseline 170s-190s nephrologist recommendations home lisinopril MEDICATION increased 40 mg po bid 40 mg po qd better baseline BP control clinical evidence end organ damage UA difficult ro POSSIBLE_EXISTENCE interpret setting CRF CE x 1 negative Headache SYMPTOM evidence CT intracranial bleed Headaches controlled morphine sulfate MEDICATION resolved NEGATED_EXISTENCE time discharge Uveitis Followed outpatient optho specialist Optho consulted patient request ESRD DISEASE Secondary lupus nephritis DISEASE transplant list Patient received hemodialysis TREATMENT house 500 ml ultrafiltrate complications dry weight 45 kg patient Began Sevalamer 800 TID meals Given difficulty interpreting renin aldosterone levels acutely ill patients drawn need drawn outpatient follow Medications Admission Lisinopril MEDICATION 40 mg PO QD Labetalol MEDICATION 600 PO TID Valsartan MEDICATION 320 mg PO QD Clonidine MEDICATION 0.3 mg transdermal QW Prednisone MEDICATION 40 mg PO QD Atropine MEDICATION 1 Hospital1 Prednisolone Acetate 1 Q1H Moxifloxacin eye drops qid Lorazepam 1 mg PO Q4 6H PRN Discharge Medications 1 Labetalol MEDICATION 200 mg Tablet Sig 3 Tablet PO TID 3 times day Tablet(s 2 Clonidine MEDICATION 0.3 mg/24 hr MEASUREMENT Patch Weekly Sig 1 Patch Weekly Transdermal QTHUR Thursday 3 Atropine MEDICATION 1 Drops Sig 1

Drop Ophthalmic Hospital1 2 times day 4 Lorazepam 1 mg Tablet Sig 1 Tablet PO Q4 6H 4 6 hours needed 5 Valsartan MEDICATION 160 mg Tablet Sig 2 Tablet PO DAILY Daily 6 Prednisolone Acetate 1 Drops Suspension Sig 1 Drop Ophthalmic Q1H hour 7 Lisinopril MEDICATION 40 mg Tablet Sig 1 Tablet PO twice day Disp:*60 Tablet(s Refills:*2 8 Sevelamer MEDICATION 800 mg Tablet Sig 1 Tablet PO TID 3 times day Disp:*90 Tablet(s Refills:*2 9 Prednisone MEDICATION 20 mg Tablet Sig 2 Tablet PO day 10 Blood Pressure Kit Kit Sig 1 Kit Miscellaneous day Disp:*1 Kit Refills:*0 Discharge Disposition Home Discharge Diagnosis Hypertensive urgency DISEASE Discharge Condition Good Discharge Instructions blood pressure medications prescribed adhere low-salt diet increased levels sodium drive blood pressure discharged prescription home blood pressure monitor use daily measurements primary care physician Initial PRE systolic blood pressures greater 180 experience headaches nausea SYMPTOM vomiting SYMPTOM chest pain shortness breath concerning symptoms Followup Instructions resume hemodialysis TREATMENT according regular schedule scheduled Dr. Name8 NamePattern2 NamePattern1 4883 Division Nephrology Wednesday 2 3 9:30 Telephone/Fax 1 435 need reschedule scheduled follow-up primary care physician NamePattern4 Name4 NamePattern1 NamePattern1 2423 Tuesday 1 26 3:30 PM Telephone/Fax 1 250 need reschedule referred Dr. Name4 NamePattern1 NamePattern1 2539 Division Hematology evaluation anemia appointment scheduled 2 9 3 p.m. office located Location un Hospital Ward 23 Building Hospital1 18 Hospital Ward 516 Dr.[**Name NI 44536 administrative assistant Doctor 8982 Telephone/Fax 1 32192 need confirm reschedule

****

In [8]:
```
#Build corpus
corpus_medspacy = build_corpus(patients_df_SciSpaCy, nlp_medspacy)
```

In [16]:
```
from gensim.models import Word2Vec
model_word2vec_medspacy = Word2Vec(corpus_medspacy, min_count=3, window=2, vector_s
```

In [17]:
```
tsne_plot(model_word2vec_medspacy,np.array(list(model_word2vec_medspacy.wv.key_to_i
```


t-SNE Visualization for MedSpaCy
hypertension
hr
Clonidine
dialysis
ESRD
BP
vomiting
hypertensive urgency
Lisinopril
clonidine
cardiac
O2
headache
Hypertension
CARDIAC
diarrhea
Cardiac
lisinopril
chills
fever
Prednisone
Hyperlipidemia
sbp
Nausea
Valsartan
Hypertensive urgency
Headache
Sevelamer
Hemodialysis
HYPERTENSION
Diarrhea
hyperlipidemia
Fever
Dialysis
sle
sBP
NAUSEA
obesity
TPN
4
3
2
1
0
−3.0
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0