```
kubectl exec -it POD_NAME -- sh
```

you enter the container terminal.

Now line by line:

1.

```
cd /app/data
```

`cd` means:

```
change directory
```

You move into:

```
/app/data
```

This path is important because:

```
mountPath: /app/data
```

means Kubernetes mounted the volume there.

So now you are inside the mounted volume storage.

2.

```
echo "Paneer Wrap" > meals.txt
```

Break it down:

echo

Prints text.

Example:

```
echo "hello"
```

outputs:

```
hello
```

>

This is Linux redirection operator.

Means:

```
Take output and write it into file
```

So:

```
echo "Paneer Wrap" > meals.txt
```

means:

```
Create file meals.txt
Write Paneer Wrap inside it
```

Equivalent content:

```
Paneer Wrap
```

3.

```
cat meals.txt
```

`cat` means:

```
show file content
```

Output:

```
Paneer Wrap
```

4.

```
exit
```

Leaves container shell.

You come back to your machine terminal.

Visual Flow

```
Container Shell
     ↓
cd /app/data
     ↓
Inside mounted volume
     ↓
echo "Paneer Wrap" > meals.txt
     ↓
File created inside volume
     ↓
cat meals.txt
     ↓
Read file
```

This is actually how many DevOps engineers debug containers in real production systems.