



**MICROSOFT AZURE
DEVELOPER
ASSOCIATE
AZ-204
PRACTICE EXAM
QUESTIONS
(AZ-204-0010)**



Cloud Certification Store

Microsoft Azure Developer Associate AZ-204 Practice Exam Questions (AZ-204-0010) - PREVIEW



Note: This is a courtesy *PREVIEW DOC* of around 40 questions. The complete practice exam with over 500 questions can be purchased at our Cloud Certification Store at <https://payhip.com/b/N6QfL> . Go ahead and use coupon code **25-NAY6XE6EEG** for a 25% discount.

As a candidate for this certification, you're responsible for participating in all phases of development, including requirements gathering, design, development, deployment, security, maintenance, performance tuning, and monitoring.

You should be proficient in Azure:

- SDK
- Data storage options
- Data connections
- APIs
- App authentication and authorization
- Compute and container deployment
- Debugging

To implement solutions, you partner with:

- Cloud solution architects
- DBAs
- DevOps
- Infrastructure admins

- Other stakeholders

You should have:


- At least two years of programming experience.
- Proficiency in programming with Azure SDKs.
- Proficiency using Azure CLI, Azure PowerShell, and other tools.

Important

The English language version of this certification will be updated on July 21, 2025. Review the study guide linked in the Certification resources section for details about upcoming changes.

Read more

<https://learn.microsoft.com/en-us/credentials/certifications/azure-developer/?practice-assessment-type=certification>



At a glance

📁 **Level**
Intermediate

👤 **Role**
Developer

🕒 **Renewal Frequency**
12 months

📦 **Product**
Azure

📄 **Subject**
Application development

📅 **Last Updated**
04/11/2025

Prepare for the exam

Course

[Develop Solutions for Microsoft Azure](#)

Training in this course

- [Implement Azure App Service web apps](#)
- [Implement Azure Functions](#)
- [Develop solutions that use Blob storage](#)
- [Develop solutions that use Azure Cosmos DB](#)
- [Implement containerized solutions](#)
- [Implement user authentication and authorization](#)
- [Implement secure Azure solutions](#)
- [Implement API Management](#)
- [Develop event-based solutions](#)
- [Develop message-based solutions](#)
- [Troubleshoot solutions by using Application Insights](#)

Practice for the exam

Practice Assessment - Assess your knowledge

Practice assessments provide you with an overview of the style, wording, and difficulty of the questions you're likely to experience on the exam. Through these assessments, you're able to assess your readiness, determine where additional preparation is needed, and fill knowledge gaps bringing you one step closer to the likelihood of passing your exam.

[Take the practice assessment](#)

Exam Sandbox - Experience demo

Experience the look and feel of the exam before taking it. You'll be able to interact with different question types in the same user interface you'll use during the exam.

[Launch the sandbox](#)

Video - Exam AZ-204 prep videos

Join our experts as they provide tips, tricks, and strategies for preparing for this Microsoft Certification exam.

[Watch video](#)

Take the exam

You will have 100 minutes to complete this assessment.

Exam policy

This exam will be proctored. You may have interactive components to complete as part of this exam. To learn more about exam duration and experience, visit: [Exam duration and exam experience](#).

If you fail a certification exam, don't worry. You can retake it 24 hours after the first attempt. For subsequent retakes, the amount of time varies. For full details, visit: [Exam retake policy](#).

Assessed on this exam

- Develop Azure compute solutions
- Develop for Azure storage
- Implement Azure security
- Monitor, troubleshoot, and optimize Azure solutions
- Connect to and consume Azure services and third-party services

Exam Cost

\$165 USD*

Price based on the country or region in which the exam is proctored.

Renew your certification

Do you know that Microsoft role-based and specialty certifications expire unless they are renewed? Learn the latest updates to the technology for your job role and renew your certification at no cost by passing an online assessment on Microsoft Learn.

[Learn more about renewing](#)

Earning Azure Developer Associate certification validates the skills and knowledge to design, build, test, and maintain cloud applications and services on Microsoft Azure. Candidates participate in all phases of cloud development from requirements definition and design, to development, deployment, and maintenance.

Earning Criteria

PASS EXAM AZ-204:

- [Exam AZ-204: Developing Solutions for Microsoft Azure](#)

OR PASS EXAM AZ-203*:

- [Exam AZ-203: Developing Solutions for Microsoft Azure \(*Exam now retired\)](#)

OR PASS EXAM AZ-200* AND EXAM AZ-201*:

- [Exam AZ-200: Microsoft Azure Developer Core Solutions \(*Exam now retired\)](#)

- [Exam AZ-201: Microsoft Azure Developer Advanced Solutions \(*Exam now retired\)](#)

OR PASS EXAM 532* AND EXAM AZ-202*:

- Exam 532: Developing Microsoft Azure Solutions (*Exam now retired)

- [Exam AZ-202: Microsoft Azure Developer Certification Transition \(*Exam now retired\)](#)

⚠️ DISCLAIMER ⚠️

 This practice test includes questions compiled from various exam preparation platforms.

 **Important Note:** Most answers and explanations were generated and “curated” by our team, with assisted AI. While AI can provide helpful insights, it may also introduce **inaccuracies**, **misinterpretations**, or **incorrect information**, even when sounding confident or authoritative.

 **Users are strongly encouraged to** double-check all content against **official documentation and trusted sources** before using it for exam preparation or making important decisions.

 The creators of this material assume **no responsibility** for any errors, inaccuracies, or outcomes, including exam results, based on the use of this content.

PREVIEW ONLY - Please share this file so others know about it.

Note: *This is a courtesy PREVIEW DOC of around 40 questions. The complete practice exam with over 500 questions can be purchased at our Cloud Certification Store at <https://payhip.com/b/N6QfL> . Go ahead and use coupon code **25-NAY6XE6EEG** for a 25% discount.*

Practice Questions

Question 1

You have two Hyper-V hosts named Host1 and Host2. Host1 has an Azure virtual machine named VM1 that was deployed by using a custom Azure Resource Manager template.

You need to move VM1 to Host2.

What should you do?

- A. From the Update management blade, click Enable.
- B. From the Overview blade, move VM1 to a different subscription.
- C. From the Redeploy blade, click Redeploy.
- D. From the Profile blade, modify the usage location.

 **Correct answer: C. From the Redeploy blade, click Redeploy.**

 Redeploy relocates the VM to a new healthy host within the same region, satisfying the move requirement

Incorrect answers:

-  **A.** Update management is for patching, not host relocation.
-  **B.** Moving subscriptions doesn't change the physical host.
-  **D.** Usage location is an identity property, unrelated to VM placement.

Question 2

You are developing an e-Commerce Web App. You want to use Azure Key Vault to ensure that sign-ins to the e-Commerce Web App are secured by using Azure App Service authentication and Azure Active Directory (AAD).

What should you do on the e-Commerce Web App?

- A. Run the `az keyvault secret` command.
- B. Enable Azure AD Connect.
- C. Enable Managed Service Identity (MSI).
- D. Create an Azure AD service principal.

 **Correct answer: C. Enable Managed Service Identity (MSI).**

 MSI allows the Web App to authenticate to Key Vault without managing credentials in code or configuration

Incorrect answers:

-  **A.** That command retrieves/sets secrets; it doesn't grant identity to the app.
-  **B.** Azure AD Connect syncs on-premises AD to Azure AD, not relevant to App Service authentication.

 **D.** A service principal is a valid identity approach but MSI is the built-in, recommended pattern.

Question 3

This question requires that you evaluate the underlined text to determine if it is correct.

Your developer has created a mobile application that obtains Azure AD access tokens using the OAuth 2 implicit grant type. The mobile application must be registered in Azure AD. You require a **redirect URI** from the developer for registration purposes.

- A. No change required
- B. a secret
- C. a login hint
- D. a client ID

 **Correct answer: A. No change required**

 Public clients like mobile apps using the OAuth 2 implicit grant flow require a **redirect URI** to receive tokens after authentication. This is a key part of the registration process in Azure AD.

Incorrect answers:

-  **B. a secret** – Client secrets are not used with public clients like mobile apps due to security concerns.
 -  **C. a login hint** – Optional and used to pre-fill usernames in sign-in UI; not required for registration.
 -  **D. a client ID** – Also required, but the missing item in context here is the **redirect URI**, not the client ID.
-

Question 4

You are creating an Azure Key Vault using PowerShell. Objects deleted from the key vault must be kept for a set period of 90 days.

Which two of the following parameters must be used in conjunction to meet the requirement? (Choose two.)

- A. EnabledForDeployment
- B. EnablePurgeProtection
- C. EnabledForTemplateDeployment
- D. EnableSoftDelete

 **Correct answers: B. EnablePurgeProtection and D. EnableSoftDelete**

 Soft-delete retains deleted objects for the retention period, and purge protection prevents permanent deletion during that time

Incorrect answers:

- ✗ A. Enables VM access, unrelated to deletion retention.
- ✗ C. Allows ARM templates to deploy secrets, not deletion settings.

Question 5 (HOTSPOT)

You have an Azure Active Directory (Azure AD) tenant. You want to implement multi-factor authentication by making use of a conditional access policy. The conditional access policy must be applied to all users when they access the Azure portal.

Answer Area

The screenshot shows the 'Require MFA for Azure portal...' conditional access policy configuration page. The page has a dark header with the title and window controls. Below the header is a toolbar with 'Info' and 'Delete' icons. The main content area is divided into sections: 'Name' with a text input field containing 'MFA required for Azure portal access'; 'Assignments' with three expandable sections: 'Users and groups' (0 users selected), 'Cloud apps' (0 apps selected), and 'Conditions' (0 conditions selected); and 'Access controls' with two expandable sections: 'Grant' (0 controls selected) and 'Session' (0 controls selected).

✓ Correct Selections:

1. **Users and groups**
 - Set to: **All users**

 This ensures the policy targets every user in the tenant.

2. **Cloud apps**

➤ Set to: **Microsoft Azure Management**

 This targets the Azure portal and related management APIs.

3. **Access controls → Grant**

➤ Set to: **Require multi-factor authentication**

 This enforces MFA when accessing the targeted app.

Not Required for This Scenario:

- **Conditions** – Optional; used for more granular targeting (e.g., by location or device).
- **Session** – Optional; used to enforce sign-in frequency, app-enforced restrictions, etc.

Question 6

You manage an Azure SQL database that allows for Azure AD authentication.

You need to make sure that database developers can connect to the SQL database via Microsoft SQL Server Management Studio (SSMS). You also need to make sure the developers use their on-premises Active Directory account for authentication. Your strategy should allow for authentication prompts to be kept to a minimum.

Which of the following should you implement?

- A. Azure AD token
- B. Azure Multi-Factor authentication
- C. Active Directory integrated authentication
- D. OATH software tokens

 Correct answer: C. Active Directory integrated authentication

 SSMS can leverage on-premises AD credentials seamlessly when configured for integrated authentication, minimizing extra prompts

Incorrect answers:

-  **A.** Requires manual token retrieval or prompts.
-  **B.** Adds extra prompts, contrary to the goal of minimizing prompts.
-  **D.** Out-of-band factor not needed when using integrated AD auth.

Question 7

You are developing an application to transfer data between on-premises file servers and Azure Blob storage. The application stores keys, secrets, and certificates in Azure Key Vault and

makes use of the Azure Key Vault APIs. You want to configure the application to allow recovery of an accidental deletion of the key vault or key vault objects for 90 days after deletion.

What should you do?

- A. Run the **Add-AzKeyVaultKey** cmdlet.
- B. Run the **az keyvault update --enable-soft-delete true --enable-purge-protection true** CLI.
- C. Implement virtual network service endpoints for Azure Key Vault.
- D. Run the **az keyvault update --enable-soft-delete false** CLI.

✓ **Correct answer: B. Run the `az keyvault update --enable-soft-delete true --enable-purge-protection true` CLI**

✗ Soft-delete retains vault objects for 90 days, and purge-protection prevents their permanent removal during that period

Incorrect answers:

- ✗ A. Creates a key, doesn't configure retention or protection.
- ✗ C. Secures network access, not deletion settings.
- ✗ D. Disables soft-delete, opposite of the requirement.

Question 8 (HOTSPOT)

You have developed a Web App for your company. The Web App provides services and must run in multiple regions.

You want to be notified whenever the Web App uses more than 85 percent of the available CPU cores over a 5-minute period. Your solution must minimize costs.

Which command should you use?

Answer Area

```
az monitor metrics alert create -n myAlert -g myResourceGroup
--scopes targetResourceID --condition "

▼ > 85"



▼ 5m



--window size



--evaluation-frequency



--auto-mitigate



CPU Usage



Percentage CPU



avg Percentage CPU


```

✓ **Correct command and settings:**

Shell

```
az monitor metrics alert create -n myAlert -g myResourceGroup \  
--scopes targetResourceID \  
--condition "avg Percentage CPU > 85" \  
--window-size 5m \  
--evaluation-frequency 1m
```

✓ Answer Area Selections:

- **Condition metric:** avg Percentage CPU
- **Window size setting:** --window-size
- **Window size value:** 5m
- **Evaluation frequency setting:** --evaluation-frequency

📌 Explanation:

- **avg Percentage CPU > 85** – Evaluates the average CPU usage over the specified window.
- **--window-size 5m** – Defines a 5-minute observation period for averaging.
- **--evaluation-frequency 1m** – Ensures fast detection and alerting.
- This setup is cost-effective and avoids custom infrastructure by leveraging built-in Azure Monitor functionality.

Question 9

Note: The question is included in a number of questions that depicts the identical set-up. However, every question has a distinctive result. Establish if the solution satisfies the requirements.

You are configuring a web app that delivers streaming video to users. The application makes use of continuous integration and deployment.

You need to ensure that the application is highly available and that the users' streaming experience is constant. You also want to configure the application to store data in a geographic location that is nearest to the user.

Solution: You include the use of Azure Redis Cache in your design.

- A. Yes
- B. No

✓ **Correct answer: B. No**

✚ Azure Redis Cache improves performance for **data access** (e.g., caching API responses, sessions) but **does not optimize media streaming** or distribute content close to users globally.

Incorrect answers:

- ✗ **A. Yes** – Redis does not deliver streaming media or reduce latency for video delivery.
- ✗ **B. No** – *Correct answer*
- ✗ **C. [Option not provided]**
- ✗ **D. [Option not provided]**

Question 10

Note: The question is included in a number of questions that depicts the identical set-up. However, every question has a distinctive result. Establish if the solution satisfies the requirements.

You are configuring a web app that delivers streaming video to users. The application makes use of continuous integration and deployment.

You need to ensure that the application is highly available and that the users' streaming experience is constant. You also want to configure the application to store data in a geographic location that is nearest to the user.

Solution: You include the use of an Azure Content Delivery Network (CDN) in your design.

- A. Yes
- B. No

✓ **Correct answer: A. Yes**

✚ Azure CDN caches and delivers content from the nearest POP (point-of-presence) to the user, improving streaming quality and ensuring global content availability.

Incorrect answers:

- ✗ **A. Yes** – *Correct answer*
 - ✗ **B. No** – CDN directly addresses the requirement for high availability and low latency.
 - ✗ **C. [Option not provided]**
 - ✗ **D. [Option not provided]**
-

Question 11

Note: The question is included in a number of questions that depicts the identical set-up. However, every question has a distinctive result. Establish if the solution satisfies the requirements.

You are configuring a web app that delivers streaming video to users. The application makes use of continuous integration and deployment.

You need to ensure that the application is highly available and that the users' streaming experience is constant. You also want to configure the application to store data in a geographic location that is nearest to the user.

Solution: You include the use of a Storage Area Network (SAN) in your design.

- A. Yes
- B. No

 **Correct answer: B. No**

 A Storage Area Network (SAN) is a legacy enterprise storage solution and does **not** provide global distribution, low latency streaming, or automatic replication near the user. Azure-native services like **Azure CDN**, **Blob Storage with replication**, or **Media Services** are more appropriate for scalable and geographically optimized media delivery.

Incorrect answers:

-  **A. Yes** – SAN does not meet the needs of global availability or latency optimization for a cloud-based media app.
 -  **B. No** – *Correct answer*
 -  **C. [Option not provided]**
 -  **D. [Option not provided]**
-

Question 12
(DRAG DROP)

You have downloaded an Azure Resource Manager (ARM) template to deploy numerous virtual machines. The template is based on an existing virtual machine but must be modified to reference an **administrative password**.

You need to ensure the password is **not stored in plain text** within the template.

You are preparing to create the necessary components to achieve your goal.

Options

Answer

An Azure Key Vault

An Azure Storage account

Azure Active Directory (AD)
Identity Protection

An access policy

An Azure policy

A backup policy

 **Correct**

Answer Area:

- **An Azure Key Vault**
- **An access policy**

Explanation:

- **An Azure Key Vault** is the secure place to store secrets such as VM admin passwords. It allows secrets to be securely referenced in ARM templates using the `reference()` function.
- **An access policy** is required to grant permission (e.g., to the deployment service principal) to read secrets from the Key Vault during ARM deployment.

Incorrect Options:

- **An Azure Storage account** – Used for files/blobs, not secret management.

- **Azure Active Directory (AD) Identity Protection** – Focuses on identity risk and MFA, not VM deployment security.
- **An Azure policy** – Used to enforce resource compliance, not for secret access.
- **A backup policy** – Applies to Azure Backup; unrelated to secure deployment.

Question 13

You develop a Web App on a tier D1 App Service plan. You notice that page load times increase during periods of peak traffic. You want to implement automatic scaling when CPU load is above 80 percent. Your solution must minimize costs. What should you do first?

- A. Enable autoscaling on the Web App
- B. Switch to the Premium App Service tier plan
- C. Switch to the Standard App Service tier plan
- D. Switch to the Azure App Services Consumption plan

 **Correct answer: A. Enable autoscaling on the Web App**

 The D1 tier supports autoscale if configured via rules; no tier upgrade is required initially, keeping cost low.

Incorrect answers:

 **B. Switch to the Premium App Service tier plan** – Higher cost and unnecessary unless more advanced features are needed.

 **C. Switch to the Standard App Service tier plan** – Not required just to enable autoscale; D1 already supports this.

 **D. Switch to the Azure App Services Consumption plan** – Only applies to Functions, not App Services.

Question 14

Your company's Azure subscription includes an Azure Log Analytics workspace linked to 100 on-premises servers. You must configure alerts based on performance counters associated with security from these linked servers. Alert rules must allow for dimensions, and produce a single notification on creation and resolution. Which signal type should you use?

- A. The Activity log signal type
- B. The Application Log signal type
- C. The Metric signal type
- D. The Audit Log signal type

 **Correct answer: C. The Metric signal type**

📌 Metric signal types support dimensions and stateful alerts, which allow for efficient alert suppression and resolution notifications.

Incorrect answers:

❌ **A. The Activity log signal type** – Tracks Azure control plane events, not performance counters.

❌ **B. The Application Log signal type** – Doesn't support dimensions or structured metric rules.

❌ **D. The Audit Log signal type** – Similar to activity logs; used for compliance, not real-time alerting on performance.

Question 15

You are developing a .NET Core MVC application that uses Azure Search. You want the application to allow customers to search the index by using regular expressions. What should you do?

- A. Configure the SearchMode property of the SearchParameters class
- B. Configure the QueryType property of the SearchParameters class
- C. Configure the Facets property of the SearchParameters class
- D. Configure the Filter property of the SearchParameters class

✅ **Correct answer: B. Configure the QueryType property of the SearchParameters class**

📌 To support advanced Lucene syntax, including regex, you must set `QueryType = QueryType.Full`.

Incorrect answers:

❌ **A. SearchMode** – Controls result matching strategy (e.g., `any` or `all`), not query syntax.

❌ **C. Facets** – Used for grouping and aggregations, not for filtering or regex.

❌ **D. Filter** – Supports OData-style filters, not full-text search with regex.

Question 16

You are a developer at your company. You need to update the definitions for an existing Logic App. What should you use?

- A. the Enterprise Integration Pack (EIP)
- B. the Logic App Code View
- C. the API Connections
- D. the Logic Apps Designer

✅ **Correct answer: B. the Logic App Code View**

📌 Code View allows you to edit the underlying workflow definition in JSON, which defines the logic app's behavior.

Incorrect answers:

- ❌ **A. Enterprise Integration Pack (EIP)** – Adds integration-specific connectors, but does not help with updating definitions.
- ❌ **C. API Connections** – These are used to connect to services but don't define logic app flows.
- ❌ **D. Logic Apps Designer** – Visual editor; can be used for edits, but doesn't expose full JSON definition.

Question 17

You are developing a solution for a public-facing API. The back end is hosted in an Azure App Service instance and implements a RESTful service. You must configure back-end authentication for the API Management service instance.

Solution: You configure Basic gateway credentials for the Azure resource.

- A. Yes
- B. No

✅ **Correct answer: B. No**

📌 Basic auth is less secure than client certificates or managed identity, and not recommended for back-end auth to Azure resources.

Incorrect answers:

- ❌ **A. Yes** – Basic authentication transmits credentials in base64 and lacks robustness; not a secure practice.
- ❌ **B. No** – *Correct answer*

Question 18

Same scenario as Question 17.

Solution: You configure Client cert gateway credentials for the HTTP(s) endpoint.

- A. Yes
- B. No

✅ **Correct answer: A. Yes**

📌 Client certificates provide strong authentication and are suitable for securing HTTP backends from API Management.

Incorrect answers:

-  **A. Yes** – *Correct answer*
-  **B. No** – Client certificates meet security and integration needs here.

.

.

.

(More.....PREVIEW WILL JUMP TO 399)

Note: *This is a courtesy PREVIEW DOC of around 40 questions. The complete practice exam with over 500 questions can be purchased at our Cloud Certification Store at <https://payhip.com/b/N6QfL> . Go ahead and use coupon code **25-NAY6XE6EEG** for a 25% discount.*

Question 399

You're using Azure Service Bus with sessions enabled. A consuming application must process messages for a given session one at a time. Which API should you use?

- A. `ReceiveAsync()`
- B. `PeekLock()`
- C. `AcceptSessionAsync()`
- D. `ReceiveAndDelete()`

 **Correct answer: C. `AcceptSessionAsync()`**

 Accepting a session locks the session and allows orderly, exclusive processing.

Incorrect answers:

-  **A. `ReceiveAsync()`** – Doesn't support session-aware handling
-  **B. `PeekLock()`** – Applies to individual messages, not sessions
-  **D. `ReceiveAndDelete()`** – Deletes messages immediately and loses reliability

Question 400

You plan to deploy an Azure Web App and require it to always be available, even during idle periods. You want the most cost-effective plan that supports this feature.

- A. Free App Service Plan
- B. Shared App Service Plan
- C. Basic App Service Plan
- D. Standard App Service Plan

 **Correct answer: C. Basic App Service Plan**

 The Basic App Service Plan is the lowest tier that supports the Always On feature needed to keep the app responsive at all times.

Incorrect answers:

-  **A. Free App Service Plan** – Does not support Always On
-  **B. Shared App Service Plan** – Does not support Always On
-  **D. Standard App Service Plan** – Supports Always On but is more expensive than Basic

Case Studies

Case Study: Fourth Coffee

Fourth Coffee is a global coffee shop brand that is expanding its digital operations through a cloud-native solution built on Azure. It supports online ordering, inventory, and a personalized customer experience through an Azure-hosted frontend and backend system.

Architecture Highlights:

- Static frontend on Azure Static Web Apps
- Azure Functions as backend APIs
- Azure Cosmos DB (SQL API) for data
- Azure Service Bus for messaging
- Azure Cache for Redis for performance
- Secure access via Azure Active Directory B2C
- Integration with mobile apps and social login providers

Question 401 (Case Study: Fourth Coffee)

You need to ensure that the route `/manuals/new.html` in your Static Web App is restricted to users assigned the role “contributor”.

- A. Configure Azure RBAC on the route
- B. Use App Service Authentication
- C. Use `staticwebapp.config.json` with role-based authorization
- D. Restrict access using Azure CDN rules

 **Correct answer: C. Use `staticwebapp.config.json` with role-based authorization**

 This file allows you to enforce route-level access in Azure Static Web Apps based on roles.

Incorrect answers:

-  **A. Configure Azure RBAC on the route** – RBAC secures Azure resources, not web routes
-  **B. Use App Service Authentication** – Not applicable to Static Web Apps
-  **D. Restrict access using Azure CDN rules** – Does not manage authentication

Question 402 (Case Study: Fourth Coffee)

Inventory updates must automatically notify the order processing system. Which Azure feature should you use?

- A. Azure Event Grid
- B. Cosmos DB Change Feed
- C. Logic App with polling trigger
- D. Azure Functions Timer trigger

✓ **Correct answer: B. Cosmos DB Change Feed**

✚ Change Feed allows real-time processing of document updates, perfect for syncing orders with inventory.

Incorrect answers:

- ✗ **A. Azure Event Grid** – Not native to Cosmos DB updates
- ✗ **C. Logic App with polling trigger** – Less responsive and less scalable
- ✗ **D. Azure Functions Timer trigger** – Not event-driven

Question 403 (Case Study: Fourth Coffee)

You must secure the backend API's connection to Azure Cosmos DB without using credentials in code.

- A. Use Azure Key Vault to fetch the connection string
- B. Store the key in an environment variable
- C. Use a managed identity and assign Cosmos DB RBAC role
- D. Use a connection string hardcoded in settings.json

✓ **Correct answer: C. Use a managed identity and assign Cosmos DB RBAC role**

✚ Managed identities eliminate the need for credentials while enabling secure access.

Incorrect answers:

- ✗ **A. Use Azure Key Vault to fetch the connection string** – Still relies on secrets
- ✗ **B. Store the key in an environment variable** – Less secure and still a secret
- ✗ **D. Use a connection string hardcoded in settings.json** – Insecure practice

Question 404 (Case Study: Fourth Coffee)

Which configuration ensures JPEG images uploaded by customers retain their EXIF metadata?

- A. Use blob snapshotting
- B. Enable metadata tagging on upload
- C. Upload as JPEG without modifying format
- D. Convert all images to PNG during upload

✓ **Correct answer: C. Upload as JPEG without modifying format**

📌 JPEG files retain EXIF data by default unless modified or stripped during processing.

Incorrect answers:

- ✗ **A. Use blob snapshotting** – Creates point-in-time copies, unrelated to image metadata
- ✗ **B. Enable metadata tagging on upload** – Refers to user-defined tags, not EXIF
- ✗ **D. Convert all images to PNG during upload** – PNG doesn't natively support EXIF

Question 420 (Case Study: Fourth Coffee)

You want to securely deliver push notifications to mobile clients. Which Azure service should you use?

- A. Azure SignalR
- B. Azure Notification Hubs
- C. Azure Queue Storage
- D. Azure Event Grid

✓ **Correct answer: B. Azure Notification Hubs**

📌 Notification Hubs are designed for high-scale, cross-platform mobile push delivery.

Incorrect answers:

- ✗ **A. Azure SignalR** – Great for real-time web communication, not mobile push
- ✗ **C. Azure Queue Storage** – For backend message queuing
- ✗ **D. Azure Event Grid** – For event distribution, not notifications

Case Study: VanArsdel Ltd.

VanArsdel Ltd. is a global supplier of office supplies and stationery. They are transitioning to Azure to modernize their customer experience, streamline inventory updates, and enable analytics from stores around the world.

Current Architecture:

- **Frontend:** Public-facing React website hosted globally
- **Backend:** Azure Functions exposing APIs
- **CI/CD:** GitHub integration required for deployments
- **Static Content:** Served from Azure Blob Storage
- **Data Source:** Store locations send hourly data to Blob Storage
- **Processing:** Azure Function processes new blobs and stores data in Cosmos DB
- **Authentication:** Entra ID-based with role-level access

Technical Requirements:

- High availability and low latency for global users
 - Secure configuration using managed identity
 - HTTPS enforced sitewide
 - Real-time processing when files land in Blob Storage
 - Monitor availability and performance with alerts
 - Minimize operational costs while scaling APIs
-

Question 421 (Case Study: VanArsdel Ltd.)

You need to host the React frontend with global reach and GitHub-based CI/CD. What should you use?

- A. Azure Web App with GitHub Actions
- B. Azure Container App
- C. Azure Static Web Apps
- D. Azure CDN over Azure VM

 **Correct answer: C. Azure Static Web Apps**

 Static Web Apps provide global reach, built-in GitHub Actions, and HTTPS by default.

Incorrect answers:

 **A. Azure Web App with GitHub Actions** – Supports CI/CD but is overkill for static content

-  **B. Azure Container App** – Designed for container workloads, not static sites
 -  **D. Azure CDN over Azure VM** – Complex, costly, and not developer-friendly
-

Question 422 (Case Study: VanArsdel Ltd.)

You need to configure the system so that new blobs in Azure Storage trigger processing automatically. What should you use?

- A. Azure Logic App with recurrence
- B. Blob trigger in Azure Functions
- C. Event Hub listener
- D. Timer trigger in Azure Function

 **Correct answer: B. Blob trigger in Azure Functions**

 Blob triggers respond immediately to file uploads, ideal for real-time processing.

Incorrect answers:

-  **A. Azure Logic App with recurrence** – Delayed and polling-based
 -  **C. Event Hub listener** – Requires integration from Storage to Event Hub
 -  **D. Timer trigger in Azure Function** – Not event-driven
-

Question 423 (Case Study: VanArsdel Ltd.)

Telemetry from APIs must be tracked in real time and alert on availability issues. What should you use?

- A. Azure Log Analytics
- B. Azure Monitor Metrics
- C. Application Insights
- D. Network Watcher

 **Correct answer: C. Application Insights**

 Application Insights gives real-time telemetry and availability testing.

Incorrect answers:

-  **A. Azure Log Analytics** – Aggregates logs but not ideal for availability tracking
 -  **B. Azure Monitor Metrics** – Good for resource metrics, less granular for code-level telemetry
 -  **D. Network Watcher** – Focused on network diagnostics
-

Question 424 (Case Study: VanArsdel Ltd.)

You want to ensure the site is accessible via HTTPS only. What should you configure?

- A. Azure Firewall
- B. Application Gateway with HTTPS redirect
- C. Static Web App with "enforce HTTPS" setting
- D. CDN rule to strip HTTP

✓ **Correct answer: C. Static Web App with "enforce HTTPS" setting**

📌 Static Web Apps provide a setting to enforce HTTPS automatically.

Incorrect answers:

- ✗ **A. Azure Firewall** – Not relevant to frontend protocol enforcement
- ✗ **B. Application Gateway** – Unnecessary complexity for a static site
- ✗ **D. CDN rule to strip HTTP** – Doesn't enforce redirect behavior

Question 425 (Case Study: VanArsdel Ltd.)

You need to configure an Azure Function to store processed file data into Cosmos DB. Which binding should you use?

- A. Blob output binding
- B. HTTP trigger with SQL output
- C. Cosmos DB output binding
- D. Queue storage output binding

✓ **Correct answer: C. Cosmos DB output binding**

📌 Output bindings simplify direct writes to Cosmos DB from Azure Functions.

Incorrect answers:

- ✗ **A. Blob output binding** – Used to store files, not database writes
- ✗ **B. HTTP trigger with SQL output** – SQL not used here, and binding is Cosmos DB-specific
- ✗ **D. Queue storage output binding** – Sends messages, not suitable for document storage

.

.

.

Question 440 (Case Study: VanArsdel Ltd.)

You must store customer location updates with flexible schema and global low-latency reads. What should you use?

- A. Azure SQL Database
- B. Azure Blob Storage
- C. Azure Cosmos DB
- D. Azure Table Storage

✓ **Correct answer: C. Azure Cosmos DB**

📌 Cosmos DB supports globally distributed, low-latency, schema-less storage.

Incorrect answers:

- ✗ **A. Azure SQL Database** – Rigid schema and less global flexibility
 - ✗ **B. Azure Blob Storage** – Object storage, not suited for real-time reads
 - ✗ **D. Azure Table Storage** – Lacks global distribution and advanced indexing
-

Case Study: POS Device Data Ingestion

A retail chain has over 2,000 Point of Sale (POS) devices located worldwide. Each POS device generates around 2MB of telemetry data daily. The company plans to ingest this data into Azure for real-time and batch processing. Their goals include:

Requirements:

- **High-throughput ingestion**
- Partitioning by **device ID**
- Secure, scalable, and cost-effective pipeline
- Integration with Azure Blob Storage for data persistence
- Event correlation by source device
- Minimal latency during ingestion

Architecture Preferences:

- Use Azure-native services like Event Hubs, Blob Storage, Azure Functions

- Long-term storage in Blob containers
- Event-driven architecture for scalability
- Monitor ingestion health

Question 441 (Case Study: POS Device Data Ingestion)

You need to ingest millions of telemetry events per hour. What service should you use?

- A. Azure Event Grid
- B. Azure Event Hubs
- C. Azure Logic Apps
- D. Azure Service Bus

✓ **Correct answer: B. Azure Event Hubs**

📌 Event Hubs is designed for high-throughput event ingestion at scale.

Incorrect answers:

- ✗ **A. Azure Event Grid** – For reactive eventing, not high-throughput streams
- ✗ **C. Azure Logic Apps** – Not designed for ingesting large event volumes
- ✗ **D. Azure Service Bus** – Suitable for ordered messaging, not high-scale ingestion

Question 442 (Case Study: POS Device Data Ingestion)

You need to ensure messages from the same POS device are grouped together for processing. What should you use?

- A. Message priority
- B. Partition key
- C. Session ID
- D. Message label

✓ **Correct answer: B. Partition key**

📌 The partition key (e.g., **device ID**) ensures message affinity and ordered processing per device.

Incorrect answers:

- ✗ **A. Message priority** – Not supported in Event Hubs
- ✗ **C. Session ID** – Used in Service Bus, not Event Hubs
- ✗ **D. Message label** – Doesn't influence partitioning

Question 443 (Case Study: POS Device Data Ingestion)

How can you persist incoming data from Event Hubs into Blob Storage for future analytics?

- A. Use Azure Logic Apps
- B. Use Stream Analytics
- C. Enable Event Hubs Capture
- D. Set up an Azure Data Factory pipeline

 **Correct answer: C. Enable Event Hubs Capture**

 Capture allows automatic storage of raw events into Blob Storage with minimal configuration.

Incorrect answers:

-  **A. Azure Logic Apps** – Not built for streaming ingestion
 -  **B. Stream Analytics** – Used for real-time transformation, not raw storage
 -  **D. Azure Data Factory** – For batch ETL, not real-time capture
-

Question 444 (Case Study: POS Device Data Ingestion)

What is the file format used by Event Hubs Capture when storing events in Blob Storage?

- A. JSON
- B. XML
- C. Apache Avro
- D. CSV

 **Correct answer: C. Apache Avro**

 Avro is a compact, efficient binary format optimized for streaming.

Incorrect answers:

-  **A. JSON** – Easy to read, but less efficient for bulk streaming
 -  **B. XML** – Too verbose for telemetry data
 -  **D. CSV** – Not used in Capture
-

.

.

.

Question 460 (Case Study: POS Device Data Ingestion)

What feature ensures that all captured blobs are available for long-term analytics even if ingestion fails temporarily?

- A. Soft delete
- B. Immutable storage
- C. Event Hubs Capture
- D. Blob snapshots

 **Correct answer: C. Event Hubs Capture**

 Capture stores ingested data persistently even if downstream systems fail.

Incorrect answers:

-  **A. Soft delete** – Prevents accidental blob deletion
 -  **B. Immutable storage** – Locks blobs, not tied to ingestion
 -  **D. Blob snapshots** – Used for versioning, not ingestion backup
-

Review Checklist & Exam Readiness Scorecard

Here is the complete **Final Review Checklist & Exam Readiness Scorecard** for the **Microsoft Azure Developer Associate AZ-204 Practice Exam Questions (AZ-204-0010)**:

Final Review Checklist – Azure Developer Associate (AZ-204)

1. Develop Azure Compute Solutions

- ☐ Build and deploy Azure App Services (Web Apps, Slots, Deployment Center)
- ☐ Create Azure Functions with triggers (HTTP, Timer, Blob, Queue)
- ☐ Handle durable functions and serverless orchestration
- ☐ Use Azure Container Apps, AKS, or Container Instances
- ☐ Manage scaling, availability, and deployment strategies

2. Develop for Azure Storage

- ☐ Use Azure Blob Storage (hot/cool/archive tiers, lifecycle management)
- ☐ Use queues for messaging (storage queues vs. Service Bus)
- ☐ Implement tables and file storage APIs
- ☐ Use shared access signatures (SAS), managed identities, and RBAC
- ☐ Secure and optimize performance of storage access

3. Implement Azure Security

- ☐ Authenticate using Azure AD, MSAL, or service principals
- ☐ Implement role-based access control (RBAC) in code
- ☐ Secure app configurations using Azure Key Vault
- ☐ Use managed identities for secure resource access
- ☐ Apply OAuth 2.0, OpenID Connect, and client credentials flow

4. Monitor, Troubleshoot, and Optimize

- ☐ Use Application Insights for telemetry and logging
- ☐ Configure distributed tracing and custom metrics
- ☐ Diagnose failures and performance issues with Log Analytics
- ☐ Set up alerts and dashboards in Azure Monitor
- ☐ Instrument code for telemetry and end-to-end visibility

5. Connect to and Consume Azure Services

- ☐ Integrate with Azure Service Bus, Event Grid, and Event Hubs
- ☐ Use REST APIs, SDKs, and Graph API
- ☐ Create and consume custom and third-party APIs securely
- ☐ Apply retry policies, exponential backoff, and error handling
- ☐ Manage secrets and configuration using App Configuration and Key Vault

6. Deploy and Manage Resources with ARM and Bicep

- ☐ Create and deploy ARM templates and Bicep files
- ☐ Use Azure CLI, PowerShell, and GitHub Actions for CI/CD
- ☐ Automate provisioning of compute, storage, and network resources
- ☐ Manage template parameters, variables, and outputs
- ☐ Use Azure DevOps and GitHub Workflows for deployment pipelines



Exam Readiness Scorecard

Rate yourself across each domain. Focus revision on any area scoring less than 4 stars.

Domain	Confidence (1–5 ★)	Notes / Gaps to Review
Azure Compute	★★★★☆	Review durable functions vs. standard triggers

Azure Storage	★★★★☆	Practice lifecycle rules and SAS configuration
Security	★★★★★	Confident with managed identities and RBAC
Monitoring and Troubleshooting	★★★★☆	Revisit Application Insights setup
Connecting Azure Services	★★★★☆	Review integration patterns for Event Grid
Deployment and Infrastructure as Code	★★★★☆	Brush up on Bicep vs ARM differences

● You're ready when all sections score **4 or 5 stars**, and your practice test scores are consistently **above 85%**.

🌟 Congratulations!! You are on the right path to certification.

This is a PREVIEW document with only like 5% of the total questions. *All our practice exams contain more than 300 questions.* This one has over 500 questions. You can purchase it here at our Cloud Certification Store at <https://payhip.com/b/N6QfL> . Go ahead and use coupon code **25-NAY6XE6EEG** for a 25% discount.

We personally took this exam recently, and quite a few of us, plus many of our buyers that leave a review, assure you, we had more than 90% of the same questions in the recent exam.


So go ahead, invest in your future, and find more practice exams at our Payhip Google Certification Store at <https://payhip.com/CloudCertificationStore>.

Featured Collection



2025 Google Cloud Professional Cloud Architect Exam Questions (GOOG-PCA-0010)

\$8.89



2025 Google Cloud Professional Cloud Developer Certification Practice Exam Questions (GOOG-PCD-0010)

\$8.89




2025 Google Cloud Professional Machine Learning Engineer Practice Exam Questions (GOOG-PMLE-0010)

\$8.99



2025 Google Cloud Professional Data Engineer Certification Practice Exam Questions (GOOG-PDE-0010)

\$8.89




2025 Google Cloud Associate Cloud Engineer Exam Questions (GOOG-ACE-0010)

\$8.89




2025 Google Cloud Professional Cloud Database Engineer Practice Exam Questions (GOOG-PCDE-0010)

\$8.89



2025 AWS Certified Cloud Practitioner Practice Exam Questions (AWS-CLF-002-0010)

\$8.99



2025 Microsoft Azure Fundamentals AZ-900 Practice Exam Questions (AZ-900-0010)

\$8.89