



# Named Entity Disambiguation Boosted With Knowledge Graph

Brian Lin


Shane Ong

Cory Williams

Yun Bin (Matteo) Zhang



# Overview




**Knowledge Base:**

- Jaguar Cars (car)
- Jaguar Land Rover (company)
- Jaguar (animal)

I want to drive my **Jaguar** around the city.



# Overview




**Knowledge Base:**

- Jaguar Cars (car)
- Jaguar Land Rover (company)
- Jaguar (animal)


I want to drive my **Jaguar** around the city.



# Overview



## Knowledge Graph:




... I want to drive my **Jaguar** around the city. ... It is so much better than my previous **Toyota Prius**



# Word Embeddings


- Vector representations to capture context of a word in a document
- Words with similar context should be spatially close






# Knowledge Graph Embeddings

- Millions of triplets



stored as (head, edge, tail)

- Interested in the underlying structural information:







# Knowledge Graph Embeddings

Trained on the task of predicting:

- Tail in (head, edge, ???)




- Head in (???, edge, tail)






# Model 1








# Model 1






# Model 1 Example






# Model 1 Example






# Simplified Model 1 Results

- Sample Dataset: 114204 rows
  - True entity with positive label, false entity with negative label
  - 18.84% positive, 81.16% negative labels
  - Test accuracy: 88.85% (2 Hidden Layer NN)






# Model 2






# Model 2





# Model 2





# Model 2

