

Cucumber Report

9 Mar 2024, 19:03:51

Start : Mar 09, 7:03:25.873 pm

End : Mar 09, 7:03:50.070 pm

Duration : 24.197 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 2
FAILED - 1
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login with Valid Credentials</u>	24.197 s	1	0	1	0	6	2	1	3

#	Feature Name	Scenario Name
1	<u>Login with Valid Credentials</u>	<u>launch the Amazon Web Application and pass data using data table</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@sanity	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Login with Valid Credentials	1	0	1	0	24.197 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login with Valid Credentials	launch the Amazon Web Application and pass data using data table	6	2	1	3	24.195 s

Login with Valid Credentials


FAILED	DURATION - 24.197 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 2 Fail - 1 Skip - 3	
/ 7:03:25.873 pm // 7:03:50.070 pm /					

launch the Amazon Web Application and pass data using data table

FAILED	DURATION - 24.195 s		Steps Total - 6 Pass - 2 Fail - 1 Skip - 3	
/ 7:03:25.875 pm // 7:03:50.070 pm /				
Login with Valid Credentials				
@sanity				

#	Step / Hook Details	Status	Duration
1	Given User is on the Amazon homepage	PASSED	0.320 s
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.116 s
	launch the Amazon Web Application and pass data using data table		
			
2	When User select the Electronics & Computers from Department section	PASSED	1.528 s
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.137 s
	launch the Amazon Web Application and pass data using data table		
			

#	Step / Hook Details	Status	Duration
3	Then User select Phone & Accessories from Electronics section <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//a[normalize-space()='Phones & Accessories'])[1]"}</pre> (Session info: chrome=120.0.6099.71) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [55d14bac61e0b86734b6c133f85507eb, findElement {using=xpath, value=(//a[normalize-space()='Phones & Accessories'])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.71, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\ankur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49821}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49821/devtoo..., se:cdpVersion: 120.0.6099.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 55d14bac61e0b86734b6c133f85507eb <pre>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy24.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:948) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:913) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:578) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:470)</pre>	FAILED	10.046 s

#	Step / Hook Details	Status	Duration										
	at pageObjects.BasePage.javaScriptClick(BasePage.java:35) at pageObjects.AmazonHomePage.clickOnPhoneAndAccessoriesLink(AmazonHomePage.java:53) at stepDefinitions.AmazonHomePageSteps.user_select_phone_accessories_from_electronics_section(AmazonHomePageSteps.java:28) at ?.User select Phone & Accessories from Electronics section(file:///C:/Users/ankur/Downloads/SeleniumUdemy/opencart_cucumber-master/opencart_cucumber-master_Backup/./Features/Login.feature:7) * Not displayable characters are replaced by '?'.												
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.996 s										
	launch the Amazon Web Application and pass data using data table												
													
4	And User select Mobile Phones & Smartphones	SKIPPED	0.001 s										
5	And User selects the desired configuration as follows	SKIPPED	0.005 s										
	<table><tr><td>PhoneBrand</td><td>Samsung</td></tr><tr><td>CameraResolution</td><td>20 MP and above</td></tr><tr><td>ModelYear</td><td>2023</td></tr><tr><td>lowerPriceRange</td><td>50</td></tr><tr><td>higherPriceRange</td><td>100</td></tr></table>			PhoneBrand	Samsung	CameraResolution	20 MP and above	ModelYear	2023	lowerPriceRange	50	higherPriceRange	100
PhoneBrand	Samsung												
CameraResolution	20 MP and above												
ModelYear	2023												
lowerPriceRange	50												
higherPriceRange	100												
6	Then user should able to verify the page after desired configuration	SKIPPED	0.000 s										