

Cucumber Report

9 Mar 2024, 20:43:33

Start : Mar 09, 8:42:06.912 pm

End : Mar 09, 8:43:31.261 pm

Duration : 1 m 24.349 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 4
FAILED - 1
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login with Valid Credentials</u>	1 m 24.349 s	1	0	1	0	6	4	1	1

#	Feature Name	Scenario Name
1	<u>Login with Valid Credentials</u>	<u>launch the Amazon Web Application and pass data using data table</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@sanity	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Login with Valid Credentials	1	0	1	0	1 m 24.349 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login with Valid Credentials	launch the Amazon Web Application and pass data using data table	6	4	1	1	1 m 24.345 s




Login with Valid Credentials

FAILED	DURATION - 1 m 24.349 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 8:42:06.912 pm // 8:43:31.261 pm /					


launch the Amazon Web Application and pass data using data table

FAILED	DURATION - 1 m 24.345 s		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 8:42:06.916 pm // 8:43:31.261 pm /				
Login with Valid Credentials				
@sanity				

#	Step / Hook Details	Status	Duration
1	Given User is on the Amazon homepage	PASSED	0.412 s
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.393 s
	launch the Amazon Web Application and pass data using data table		
			
2	When User select the Electronics & Computers from Department section	PASSED	56.125 s
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.701 s
	launch the Amazon Web Application and pass data using data table		

#	Step / Hook Details	Status	Duration
			
3	Then User select Phone & Accessories from Electronics section	PASSED	1.102 s
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.590 s
	launch the Amazon Web Application and pass data using data table		
			
4	And User select Mobile Phones & Smartphones	PASSED	2.057 s
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.376 s
	launch the Amazon Web Application and pass data using data table		
			
5	And User selects the desired configuration as follows	FAILED	12.897 s
	PhoneBrand Samsung		

#	Step / Hook Details	Status	Duration								
	<table><tr><td>CameraResolution</td><td>20 MP and above</td></tr><tr><td>ModelYear</td><td>2023</td></tr><tr><td>lowerPriceRange</td><td>50</td></tr><tr><td>higherPriceRange</td><td>100</td></tr></table>	CameraResolution	20 MP and above	ModelYear	2023	lowerPriceRange	50	higherPriceRange	100		
CameraResolution	20 MP and above										
ModelYear	2023										
lowerPriceRange	50										
higherPriceRange	100										
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='a-size-base a-color-base'][(text()='20 MP and above')]"} (Session info: chrome=120.0.6099.71) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [968ec6e6594e1b0b2064b7c4d0bae79b, findChildElement {id=4EF7693E82220937D6AF3AEB2D0CAAF6_element_33832, using=xpath, value="//span[@class='a-size-base a-color-base'][(text()='20 MP and above')]"} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.71, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\lankur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55187}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55187/devtoo..., se:cdpVersion: 120.0.6099.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 968ec6e6594e1b0b2064b7c4d0bae79b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebElement.findElement(RemoteWebElement.java:212) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.\$Proxy24.findElement(Unknown Source) at pageObjects.AmazonProductPage.getDynamicEmement(AmazonProductPage.java:39) at pageObjects.AmazonProductPage.filterByMegaPixel(AmazonProductPage.java:51)										

#	Step / Hook Details	Status	Duration
	at stepDefinitions.AmazonHomePageSteps.user_selects_the_desired_configuration_as_follows(AmazonHomePageSteps.java:41) at ?.User selects the desired configuration as follows(file:///C:/Users/ankur/Downloads/SeleniumUdemy/opencart_cucumber-master/opencart_cucumber-master_Backup/.//Features/Login.feature:9) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) launch the Amazon Web Application and pass data using data table 	PASSED	0.559 s
6	Then user should able to verify the page after desired configuration	SKIPPED	0.001 s