

Cucumber Report

9 Mar 2024, 20:59:26

Start : Mar 09, 8:58:55.256 pm

End : Mar 09, 8:59:25.139 pm

Duration : 29.883 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 4
FAILED - 1
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login with Valid Credentials</u>	29.883 s	1	0	1	0	6	4	1	1

#	Feature Name	Scenario Name
1	<u>Login with Valid Credentials</u>	<u>launch the Amazon Web Application and pass data using data table</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@sanity	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Login with Valid Credentials	1	0	1	0	29.883 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login with Valid Credentials	launch the Amazon Web Application and pass data using data table	6	4	1	1	29.880 s



Login with Valid Credentials


FAILED	DURATION - 29.883 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 8:58:55.256 pm // 8:59:25.139 pm /					

launch the Amazon Web Application and pass data using data table

FAILED	DURATION - 29.880 s		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 8:58:55.259 pm // 8:59:25.139 pm /				
Login with Valid Credentials				
@sanity				

#	Step / Hook Details	Status	Duration
1	Given User is on the Amazon homepage	PASSED	0.271 s
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.187 s
	launch the Amazon Web Application and pass data using data table		
			
2	When User select the Electronics & Computers from Department section	PASSED	0.542 s
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.999 s
	launch the Amazon Web Application and pass data using data table		
			

#	Step / Hook Details	Status	Duration							
3	Then User select Phone & Accessories from Electronics section	PASSED	3.036 s							
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.697 s							
	launch the Amazon Web Application and pass data using data table									
										
4	And User select Mobile Phones & Smartphones	PASSED	1.893 s							
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.545 s							
	launch the Amazon Web Application and pass data using data table									
										
5	And User selects the desired configuration as follows	FAILED	12.140 s							
<table><tr><td>PhoneBrand</td><td>Samsung</td></tr><tr><td>CameraResolution</td><td>20 MP and above</td></tr><tr><td>ModelYear</td><td>2023</td></tr><tr><td>lowerPriceRange</td><td>50</td></tr><tr><td>higherPriceRange</td><td>100</td></tr></table> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='a-size-base a-color-base'][text()='20 MP and above']"} (Session info: chrome=120.0.6099.71) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c3ceb68e5338a13a9608e0f0389dec8e, findChildElement {id=463B74BA9A1BB6F8622932AF71C431FB_element_30032, using=xpath, value=//span[@class='a-size-base a-color-base'][text()='20 MP and above']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.71, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\lankur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56799}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56799/devtoo..., se:cdpVersion: 120.0.6099.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c3ceb68e5338a13a9608e0f0389dec8e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	PhoneBrand			Samsung	CameraResolution	20 MP and above	ModelYear	2023	lowerPriceRange	50
PhoneBrand	Samsung									
CameraResolution	20 MP and above									
ModelYear	2023									
lowerPriceRange	50									
higherPriceRange	100									

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebElement.findElement(RemoteWebElement.java:212) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.\$Proxy24.findElement(Unknown Source) at pageObjects.AmazonProductPage.getDynamicEmement(AmazonProductPage.java:39) at pageObjects.AmazonProductPage.filterByMegaPixel(AmazonProductPage.java:51) at stepDefinitions.AmazonHomePageSteps.user_selects_the_desired_configuration_as_follows(AmazonHomePageSteps.java:42) at ?.User selects the desired configuration as follows(file:///C:/Users/ankur/Downloads/SeleniumUdemy/opencart_cucumber-master/opencart_cucumber-master_Backup/./Features/Login.feature:9) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario) launch the Amazon Web Application and pass data using data table 	PASSED	1.185 s
6	Then user should able to verify the page after desired configuration	SKIPPED	0.001 s