

Cucumber Report

9 Mar 2024, 21:32:49

Start : Mar 09, 9:32:22.768 pm

End : Mar 09, 9:32:47.797 pm

Duration : 25.029 s

Features




Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0


PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 6
FAILED - 0
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login with Valid Credentials</u>	25.029 s	1	1	0	0	6	6	0	0

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@sanity	1	1	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	Login with Valid Credentials	1	1	0	0	25.029 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login with Valid Credentials	launch the Amazon Web Application and pass data using data table	6	6	0	0	25.026 s




Login with Valid Credentials

PASSED	DURATION - 25.029 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 9:32:22.768 pm // 9:32:47.797 pm /					

launch the Amazon Web Application and pass data using data table

PASSED	DURATION - 25.026 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 9:32:22.771 pm // 9:32:47.797 pm /				
Login with Valid Credentials				
@sanity				

#	Step / Hook Details	Status	Duration
1	Given User is on the Amazon homepage	PASSED	0.262 s
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.186 s
	launch the Amazon Web Application and pass data using data table		
			
2	When User select the Electronics & Computers from Department section	PASSED	0.532 s
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.938 s
	launch the Amazon Web Application and pass data using data table		
			

#	Step / Hook Details	Status	Duration										
3	Then User select Phone & Accessories from Electronics section	PASSED	3.018 s										
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.745 s										
	launch the Amazon Web Application and pass data using data table												
													
4	And User select Mobile Phones & Smartphones	PASSED	1.836 s										
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.571 s										
	launch the Amazon Web Application and pass data using data table												
													
5	And User selects the desired configuration as follows	PASSED	6.260 s										
	<table><tr><td>PhoneBrand</td><td>Samsung</td></tr><tr><td>CameraResolution</td><td>20 MP & above</td></tr><tr><td>ModelYear</td><td>2023</td></tr><tr><td>lowerPriceRange</td><td>50</td></tr><tr><td>higherPriceRange</td><td>100</td></tr></table>	PhoneBrand	Samsung	CameraResolution	20 MP & above	ModelYear	2023	lowerPriceRange	50	higherPriceRange	100		
PhoneBrand	Samsung												
CameraResolution	20 MP & above												
ModelYear	2023												
lowerPriceRange	50												
higherPriceRange	100												
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.566 s										
	launch the Amazon Web Application and pass data using data table												
													
6	Then user should able to verify the page after desired configuration	PASSED	0.083 s										
	AFTER_STEP - stepDefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.432 s										
	launch the Amazon Web Application and pass data using data table												

#	Step / Hook Details	Status	Duration
	