

SIGN UP PAGE

HTML CODE

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta http-equiv="X-UA-Compatible" content="IE=edge">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>signin page</title>

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhF1dvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">

  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-ka7Sk0Gln4gmtz2MlQnikT1wXgYs0g+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p"
crossorigin="anonymous"></script>

  <link rel="stylesheet" href="/css.diversion/styles.css/signup.css">


</head>

<body>

  <form class="row g-3 needs-validation" novalidate>

    <div class="bodyline">

      <div class="headline">

        <h1> SIGN UP</h1>

      </div>
```

```
<div class="parentone">

  <h4>Personal Details</h4>

</div>

<div class="signinbody">

  <div class="form-floating">

    <input type="email" class="form-control" id="floatingInput"
placeholder="name@example.com">

    <label for="floatingInput">Full Name</label>

  </div>


  <div class="form-floating">

    <input type="email" class="form-control" id="floatingInput"
placeholder="name@example.com">

    <label for="floatingInput">Date of Birth</label>

  </div>


  <div class="form-floating">

    <input type="email" class="form-control" id="floatingInput"
placeholder="name@example.com">

    <label for="floatingInput">Age</label>

  </div>


  <div class="form-floating">

    <input type="email" class="form-control" id="floatingInput"
placeholder="name@example.com">

    <label for="floatingInput">Gender</label>

  </div>


  <div class="form-floating">
```

```
        <input type="email" class="form-control" id="floatingInput"
placeholder="name@example.com">
        <label for="floatingInput">Country</label>
    </div>
```

```
    <div class="form-floating">
        <input type="email" class="form-control"
id="floatingInput" placeholder="name@example.com">
        <label for="floatingInput">State</label>
    </div>
```

```
    <div class="form-floating">
        <input type="email" class="form-control"
id="floatingInput" placeholder="name@example.com">
        <label for="floatingInput">Address</label>
    </div>
```

```
    <div class="form-floating">
        <input type="email" class="form-control"
id="floatingInput" placeholder="name@example.com">
        <label for="floatingInput">Pincode</label>
    </div>
```

```
</div>
```

```
<div class="parentone">
```

```
        <h4>Contact Details</h4>
    </div>

    <div class="signinbody">

        <div class="form-floating">

            <input type="email" class="form-control" id="floatingInput"
placeholder="name@example.com">

            <label for="floatingInput">Email id</label>

        </div>


        <div class="form-floating">

            <input type="email" class="form-control" id="floatingInput"
placeholder="name@example.com">

            <label for="floatingInput"> Contact Number </label>

        </div>


    </div>

    <div class="parentone">

        <h4>Id Proof</h4>

    </div>

    <div class="signinbody">

        <div class="form-floating">

            <input type="email" class="form-control" id="floatingInput"
placeholder="name@example.com">

            <label for="floatingInput">Aadhar Number</label>

        </div>


    </div>

    <div class="parentone">

        <h4>Guardian Details</h4>
```

```
</div>

<div class="signinbody">

  <div class="form-floating">

    <input type="email" class="form-control" id="floatingInput"
placeholder="name@example.com">

    <label for="floatingInput">Name</label>

  </div>

  <div class="form-floating">

    <input type="email" class="form-control" id="floatingInput"
placeholder="name@example.com">

    <label for="floatingInput">Age</label>

  </div>

  <div class="form-floating">

    <input type="email" class="form-control" id="floatingInput"
placeholder="name@example.com">

    <label for="floatingInput">Gender</label>

  </div>

  <div class="form-floating">

    <input type="email" class="form-control" id="floatingInput"
placeholder="name@example.com">

    <label for="floatingInput">Contact Number</label>

  </div>

</div>

<div class="parentone">

  <h4>Password</h4>
```

```
</div>
```

```
<div class="signinbody">
```

```
  <div class="form-floating">
```

```
    <input type="password" class="form-control" id="floatingInput"
placeholder="name@example.com">
```

```
    <label for="floatingInput">Password</label>
```

```
  </div>
```

```
  <div class="form-floating">
```

```
    <input type="password" class="form-control" id="floatingInput"
placeholder="name@example.com">
```

```
    <label for="floatingInput">Conform Password</label>
```

```
  </div>
```

```
</div>
```

```
<div>
```

```
  <a href="#" class="myButton">SIGN UP</a>
```

```
</div>
```

```
</div>
```

```
</form>
```

```
</body>
```

```
</html>
```

CSS CODE

```
body{  
    background-color:#009B77;  
}  
  
.form-floating{  
    width: 500px;  
    margin: 10px;  
}  
  
.signinbody{  
    display: flex;  
    justify-content: center;  
    align-items: center;  
    flex-direction: column;  
    margin: 20px;  
}  
  
.headline{  
    text-align: center;  
    margin-top: 20px;  
    margin-bottom: 20px;  
    font-family: century school book bold;  
    color: #730C0B;  
}
```

```
.parentone{
    text-align: center;
    font-family:Arial, Helvetica, sans-serif;
}

.middleone{
    display: flex;
    justify-content: center;
    align-items: center;
    flex-direction: column;
    margin: 20px;
}

.myButton {
    -moz-box-shadow:inset 0px 1px 0px 0px #ffffff;
    -webkit-box-shadow:inset 0px 1px 0px 0px #ffffff;
    box-shadow:inset 0px 1px 0px 0px #ffffff;
    background-color:#ffffff;
    -webkit-border-radius:6px;
    -moz-border-radius:6px;
    border-radius:6px;
    border:1px solid #dcdcdc;
    display:inline-block;
    cursor:pointer;
    color:#666666;
    font-family:Verdana;
    font-size:19px;
    font-weight:bold;
    padding:6px 33px;
    text-decoration:none;
    text-shadow:0px 1px 0px #ffffff;
```



```
}  
  
.myButton:hover {  
    background-color: #f6f6f6;  
}  
  
.myButton:active {  
    position: relative;  
    top: 1px;  
}
```

```
.myButton{  
    text-align: center;  
    display: flex ;  
    display: grid;  
    max-width: 200px;  
    margin: 30px auto ;  
}
```