


eYSIP2016

FARM PRODUCE: LOGGING AND MONITORING



Bhavesh Jadav
Ankur Panwar

MENTORS : Saurav Shandilya
Parin Chheda
Vishwanathan

Duration of Internship: 21/05/2016 – 10/07/2016

2016, e-Yantra Publication

Farm Produce: Logging And Monitoring

Abstract

This project logs crop data in a green house to reduce manual labour. Essentially, it is a weighing machine connected to Internet.

A weighing machine will be delivered to user which can measure weight of crop by using load cell. User can input information related to crop via keypad. User will be assisted by continuous messages on screen. After successful data entry the data will automatically pushed to database. Local people can also take advantage of crop production by placing order through e-commerce website after filling details.

Completion status

The project is successfully completed providing "weighing platform, screen, keypad, e-commerce website, admin-panel and user manual."

1.1 Hardware parts

- hardware parts
 - loadcell
 - lcd
 - keypad
 - raspberry pi
 - LM2596 stepdown power module
 - HX711(ADC amplifier)
 - USB Camera


-
- Adapter
 - outer shell
- Detail of each hardware:
 - [load cell hx711](#)
 - [load cell](#)
 - [DC-DC Converter](#)
 - [LCD](#)
 - [Membrane Keypad](#)
 - [Raspberry pi](#)

1.2 Software used

- List of software used
 - Image writer
 - Operating system wizi
 - Python
 - Notepad++
 - Local server(xampp apache)
 - Mysql(xampp)
 - Dip trace
 - Corel draw
 - Autocad
 - Solid works
 - Atom
- link of software:
 - [Image writer](#)
 - [Raspbian os](#)
 - [Xampp](#)
 - [Notepad++](#)
 - [Diptrace](#)

1.3 Assembly of hardware


Block Diagram




1.4 Software and Code

[Github link](#)

e-Commerce website



Assembling Steps




Step 1: Attach side plates, front plate, middle plate and back plate by using L clamps as shown in above diagram.




Step 2: Place LCD on front panel. Use 20x4 LCD.




Step 3: Use four 3mm screws with bolts to fix the LCD on panel. After attaching LCD, Attach keypad to the front panel



Step 4: Attach front panel to the middle plate with the help of hinge. Use 3mm screws with bolts to attach front panel to middle plate.



Step 5: After attaching front panel, place the second top most plate over 4 screws attached with side plates. After putting the plate, user four nuts to fix the plate.



Step 6: Attach weighing platform on top of star shaped design and use 3mm screws with nuts to fix it.



Step 7: Finlay attach camera stand at side of the machine.

1.5 Final Product



1.6 Future Work

In future this project can be made more effective by using image processing. We can replace membrane keypad and LCD by Touch screen. This model can be transformed into more compact version.

1.7 Bug report and Challenges

- Bug
 - currently it is unable to send email via portal
- Challenges
 - Enclosure of weighing machine
 - Calibration of load cell
 - De-bouncing of keypad

Bibliography

- [1] eyantra community
- [2] <https://grabcad.com/library/keypad-4x4-membrane-1>
- [3] <https://grabcad.com/library/20x4-lcd-1>
- [4] <https://grabcad.com/library/raspberry-pi-model-b-2>
- [5] <http://forum.opencart.com/>
- [6] <http://stackoverflow.com/>
- [7] <https://sourceforge.net/p/raspberry-gpio-python/wiki/Inputs/>
- [8] <https://www.stewart.me/2014/06/tutorial-install-mysql-server-on-raspberry-pi/>
- [9] <https://pyformat.info/>
- [10] <http://mysql-python.sourceforge.net/MySQLdb.html>
- [11] <https://www.youtube.com/watch?v=nGUpzwEa4vg>

-
- [12] <https://www.youtube.com/watch?v=yYnX5QodqQ4>
 - [13] <http://playground.arduino.cc/Learning/SoftwareDebounce>
 - [14] <http://www.raspberrypi-spy.co.uk/2012/07/16x2-lcd-module-control-using-python/>
 - [15] <http://code.stephenmorley.org/php/creating-downloadable-csv-files/>
 - [16] http://www.opencart.com/index.php?route=extension/extension/info&extension_id=24594