String Validators

by DOSHI

Problem Submissions Leaderboard Discussions Editorial

Python has built-in string validation methods for basic data. It can check if a string is composed of alphabetical characters, alphanumeric characters, digits, etc.

str.isalnum()
This method checks if all the characters of a string are alphanumeric *(a-z, A-Z and 0-9)*.

```
>>> print 'ab123'.isalnum()
True
>>> print 'ab123#'.isalnum()
False
```

str.isalpha()
This method checks if all the characters of a string are alphabetical *(a-z and A-Z)*.

```
>>> print 'abcD'.isalpha()
True
>>> print 'abcd1'.isalpha()
False
```

str.isdigit()
This method checks if all the characters of a string are digits *(0-9)*.

```
>>> print '1234'.isdigit()
True
>>> print '123edsd'.isdigit()
False
```

str.islower()
This method checks if all the characters of a string are lowercase characters *(a-z)*.

```
>>> print 'abcd123#'.islower()
True
>>> print 'Abcd123#'.islower()
False
```

str.isupper()
This method checks if all the characters of a string are uppercase characters *(A-Z)*.

```
>>> print 'ABCD123#'.isupper()
True
>>> print 'Abcd123#'.isupper()
False
```

Task

You are given a string S.
Your task is to find out if the string S contains: *alphanumeric characters, alphabetical characters, digits, lowercase and uppercase characters*.

Input Format

A single line containing a string S.

Constraints

$0 < len(S) < 1000$

Output Format

In the first line, print `True` if S has any *alphanumeric characters*. Otherwise, print `False`.
In the second line, print `True` if S has any *alphabetical characters*. Otherwise, print `False`.
In the third line, print `True` if S has any *digits*. Otherwise, print `False`.
In the fourth line, print `True` if S has any *lowercase characters*. Otherwise, print `False`.
In the fifth line, print `True` if S has any *uppercase characters*. Otherwise, print `False`.

Sample Input

```
qA2
```

Sample Output

```
True
True
True
True
True
```

Submissions: 10117

Max Score: 10

Difficulty: Easy

Rate This Challenge:

Thanks!

More

Current Buffer (saved locally, editable) Python 2

```
1  # Enter your code here. Read input from STDIN. Print output to STDOUT
2  str = raw_input()
3  l = len(str)
4  a = str[0].isalnum()
5  b = str[0].isalpha()
6  c = str[0].isdigit()
7  d = str[0].islower()
8  e = str[0].isupper()
9
10 for i in range(1,l):
11     a = a or str[i].isalnum()
12     b = b or str[i].isalpha()
13     c = c or str[i].isdigit()
14     d = d or str[i].islower()
15     e = e or str[i].isupper()
16 print(a)
17 print(b)
18 print(c)
19 print(d)
20 print(e)
```

Line: 20 Col: 9

Upload Code as File Test against custom input Run Code Submit Code

Testcase 0 ✔

Congratulations, you passed the sample test case.

Click the **Submit Code** button to run you code against all the test cases.

Input (stdin)

```
qA2
```

Your Output (stdout)

```
True
True
True
True
True
```

Expected Output

```
True
True
True
True
True
```